


Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de FCI. Droits de reproduction FCI.





All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

|                    |
|--------------------|
| PRODUCT NUMBER     |
| 51761- A00CCDDEF.. |
| NOTE ①             |
| SEE NOTE 1         |



SEE NOTE 9



THIS FILE WAS ORIGINALLY CREATED IN THE PRO ENGINEER ENVIRONMENT AND ANY FUTURE REVISIONS TO THIS FILE MUST BE MADE IN THE PRO ENGINEER ENVIRONMENT

|                          |                   |       |          |                                          |                       |                  |                                                                                                     |                                                                                                             |                 |
|--------------------------|-------------------|-------|----------|------------------------------------------|-----------------------|------------------|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|-----------------|
| mat'l code<br>SEE NOTE 2 |                   |       |          | tolerances unless<br>otherwise specified |                       | CUSTOMER<br>COPY |                                                                                                     | <br>www.fciconnect.com |                 |
| lrr                      | ecn no.           | dr    | date     | linear                                   | .XX±.01/.X±.3         |                  | projection<br> | title<br>RIGHT ANGLE RECEPTACLE w/GUIDE PIN<br>SIGNAL/ POWER                                                | code<br>213     |
| K                        | DG07-0059         | RYAN  | 02/12/07 |                                          | .XXX±.005/.XX±.13     |                  |                                                                                                     |                                                                                                             |                 |
| L                        | DG07-0061         | JULIA | 02/14/07 |                                          | .XXXX±.0020/.XXX±.051 |                  |                                                                                                     |                                                                                                             |                 |
| M                        | DG08-0239         | JC    | 09/11/08 | angles                                   | 0°±2°                 |                  | INCH / MM<br>scale<br>1:1                                                                           | product family<br>PWRBLADE<br>size<br>dwg no<br>51761                                                       | SHEET<br>1 OF 3 |
| N                        | DG09-0128         | JW    | 04/23/09 | dr                                       | D.BOGLE 05-18-99      |                  |                                                                                                     |                                                                                                             |                 |
| P                        | DG11-0074         | HZ    | 03/14/11 | enr                                      | J. BROWN 05-18-99     |                  |                                                                                                     |                                                                                                             |                 |
|                          |                   |       |          | chr                                      | J. BROWN 05-18-99     |                  |                                                                                                     |                                                                                                             |                 |
|                          |                   |       |          | appd                                     | J. BROWN 05-18-99     |                  |                                                                                                     |                                                                                                             |                 |
| sheet<br>index           | revision<br>sheet | P     | P        | P                                        |                       |                  |                                                                                                     |                                                                                                             |                 |
|                          |                   | 1     | 2        | 3                                        |                       |                  |                                                                                                     |                                                                                                             |                 |

form no. 7530-001-103

**A**



B

 $\wedge$ 

## ① PRODUCT NUMBER CODE:

T I T T T T T

8.

A = BOARD LOCK (REQUIRES .098 +.002/-.001  
[2.49 +0.05/-0.03] THRU HOLE IN PCB  
MOUNTING FOOT HEIGHT:  
220[5.59]

B = .150 [3.81] THRU HOLE (REQUIRES .158  $\pm$  0.003  
[4.01  $\pm$  0.08] THRU HOLE IN PCB).  
MOUNTING FOOT HEIGHT  
[.60] [4.06]

9.

10. THE MAXIMUM OVERALL LENGTH (DIM A) OF A PART IS 8.00 [203.2]

12. APPLICATION SPECIFICATION BUS-20-067.

13. FOR PRESS FIT CONNECTORS USE FCI CAM

TO APPLY CONNECTOR TO 1PCB.

14. ALL DIMENSIONS ARE BASIC UNLESS OTHERWISE SPECIFIED.

15. ALL THROUGH HOLES ARE LOCATED WITH A TRUE POSITION OF .004[0.10]

16. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.

17.  $\phi 0.0453 \pm 0.001$  [1.151  $\pm 0.02$ ] DRILLED HOLES PLATED WITH 0.0003 [0.007] MIN SnPb OR Sn OVER 0.001 [0.03] TO .003 [0.08] Cu PLATING TO ACHIEVE A .040 $\pm$ .003 [1.02 $\pm$ .08] HOLE.

18. A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

- THIS FILE WAS ORIGINALLY CREATED IN THE PRO  
ENGINEER ENVIRONMENT AND ANY FUTURE REVISIONS TO  
THIS FILE MUST BE MADE IN THE PRO ENGINEER  
ENVIRONMENT

B

112

3





4

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER  
51761 - A00CCCDDEF--  
NOTE ①



|             |                |    |      |                                       |                     |                                                                                                                 |                                                               |                                                                                                          |              |
|-------------|----------------|----|------|---------------------------------------|---------------------|-----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|--------------|
| mat'l code  |                |    |      | tolerances unless otherwise specified |                     | CUSTOMER COPY                                                                                                   |                                                               |  www.fciconnect.com |              |
| lfr         | ecn no.        | dr | date | linear                                | .XX±.01/.X±.3       | projection<br>             | title<br>RIGHT ANGLE RECEPTACLE w/GUIDE PIN<br>SIGNAL / POWER | product family<br>PWRBLADE                                                                               | code<br>213  |
| P           |                |    |      |                                       | .XXX±.005/.XX±.13   |                                                                                                                 |                                                               |                                                                                                          |              |
|             |                |    |      | angles                                | .XXX±.0020/.XX±.051 | INCH / MM<br><br>scale 1:1 | size<br>A                                                     | dwg no<br>51761                                                                                          | SHEET 3 OF 3 |
|             |                |    |      |                                       | 0°±2°               |                                                                                                                 |                                                               |                                                                                                          |              |
|             |                |    |      | dr                                    | D.BOGLE 05-18-99    |                                                                                                                 |                                                               |                                                                                                          |              |
|             |                |    |      | enrg                                  | J. BROWN 05-18-99   |                                                                                                                 |                                                               |                                                                                                          |              |
|             |                |    |      | chr                                   | J. BROWN 05-18-99   |                                                                                                                 |                                                               |                                                                                                          |              |
|             |                |    |      | appd                                  | J. BROWN 05-18-99   |                                                                                                                 |                                                               |                                                                                                          |              |
| sheet index | revision sheet |    |      |                                       |                     |                                                                                                                 |                                                               |                                                                                                          |              |

form no. 7530-001-103

cage code 22526

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9