

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG, 2006.

© COPYRIGHT

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC
DWDIST
—

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD






B

REVISED (ECR-11-013018)

08JUL11

JL

WK



NOTE:

1. MATERIAL:

HOUSING: THERMOPLASTIC(LCP),
UL 94V-0, COLOR: NATURE.ACTUATOR: THERMOPLASTIC, UL 94 V-0,
COLOR: IVORY.

HOLD DOWN: PHOSPHOR BRONZE.

CONTACT: PHOSPHOR BRONZE.

2. FINISH:

CONTACT: GOLD FLASH OVER ALL,
50u" MIN. NICKEL UNDERPLATED ALL OVER.HOLD DOWN: 100u" MIN. BRIGHT TIN PLATING OVER,
50u" MIN. NICKEL UNDERPLATED ALL OVER.

△ WITHOUT AMP LOGO FOR 12 POSITION UNDER

24.50	25.60	30.43	50	5-1734592-0
24.00	25.10	29.93	49	4-1734592-9
23.50	24.60	29.43	48	4-1734592-8
23.00	24.10	28.93	47	4-1734592-7
22.50	23.60	28.43	46	4-1734592-6
22.00	23.10	27.63	45	4-1734592-5
21.50	22.60	27.43	44	4-1734592-4
21.00	22.10	26.93	43	4-1734592-3
20.50	21.60	26.43	42	4-1734592-2
20.00	21.10	25.93	41	4-1734592-1
19.50	20.60	25.43	40	4-1734592-0
19.00	20.10	24.93	39	3-1734592-9
18.50	19.60	24.43	38	3-1734592-8
18.00	19.10	23.93	37	3-1734592-7
17.50	18.60	23.43	36	3-1734592-6
17.00	18.10	22.93	35	3-1734592-5
16.50	17.60	22.43	34	3-1734592-4
16.00	17.10	21.93	33	3-1734592-3
15.50	16.60	21.43	32	3-1734592-2
15.00	16.10	20.93	31	3-1734592-1
14.50	15.60	20.43	30	3-1734592-0
14.00	15.10	19.93	29	2-1734592-9
13.50	14.60	19.43	28	2-1734592-8
13.00	14.10	18.93	27	2-1734592-7
12.50	13.60	18.43	26	2-1734592-6
12.00	13.10	17.93	25	2-1734592-5
11.50	12.60	17.43	24	2-1734592-4
11.00	12.10	16.93	23	2-1734592-3
10.50	11.60	16.43	22	2-1734592-2
10.00	11.10	15.93	21	2-1734592-1
9.50	10.60	15.43	20	2-1734592-0
9.00	10.10	14.93	19	1-1734592-9
8.50	9.60	14.43	18	1-1734592-8
8.00	9.10	13.93	17	1-1734592-7
7.50	8.60	13.43	16	1-1734592-6
7.00	8.10	12.93	15	1-1734592-5
6.50	7.60	12.43	14	1-1734592-4
6.00	7.10	11.93	13	1-1734592-3
5.50	6.60	11.43	12	1-1734592-2
5.00	6.10	10.93	11	1-1734592-1
4.50	5.60	10.43	10	1-1734592-0
4.00	5.10	9.93	09	0-1734592-9
3.50	4.60	9.43	08	0-1734592-8
3.00	4.10	8.93	07	0-1734592-7
2.50	3.60	8.43	06	0-1734592-6
2.00	3.10	7.93	05	0-1734592-5
C	B	A	POS.	PART NUMBER
DIMENSIONS				

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

15APR2009

CHK

J. LAI

S. CHIEN

15APR2009

APVD

W. KODAMA

PRODUCT SPEC

108-57523

QUALIFICATION TEST REPORT

501-57598

WEIGHT

— GRAMS

CUSTOMER DRAWING

DIMENSIONS:

MM

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC	± -
1 PLC	± 0.35
2 PLC	± 0.25
3 PLC	± -
4 PLC	± -
ANGLES	± 3°

MATERIAL

SEE NOTE

FINISH

SEE NOTE

TE

TE Connectivity

NAME

FPC CONNECTOR, 0.5mm PITCH, BOTTOM CONTACT,
SMT TYPE.

SIZE

CAGE CODE

DRAWING NO

A3

00779

C=1734592

RESTRICTED TO

—

SCALE

—


SHEET

1 OF 3

REV


B

P	LTR	DESCRIPTION	DATE	DWN	APV
		SEE SHEET 1.			




RECOMMENDED PCB DIMENSIONS DIAGRAM

TOLERANCE ± 0.05



TOLERANCE ± 0.05

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		 TE Connectivity	
		CHK			
DIMENSIONS: MM		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC ± -		FPC CONNECTOR, 0.5mm PITCH, BOTTOM CONTACT, SMT TYPE.	
		1 PLC ± 0.35			
		2 PLC ± 0.25			
		3 PLC ± -			
		4 PLC ± -			
ANGLES ± 3°		PRODUCT SPEC		SIZE	
		APPLICATION SPEC		CAGE CODE	
		WEIGHT		DRAWING NO	
MATERIAL		FINISH		RESTRICTED TO	
				A3 00779 C=1734592	
CUSTOMER DRAWING				SCALE	
				SHEET 2 OF 3	
				REV B	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG ,2006.

C

COPYRIGHT

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR



DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1.



NOTE :

1. TAPE REEL:
DIAMETER: 13", THICKNESS : 0.35±0.05mm.
2. CARTON:
SIZE: 350mm(L)X 350mm(W)X 340mm(H).

12000	2000	44.00	26.70	30.55	31.50	50	
		44.00	26.20	30.05	31.00	49	
		44.00	25.70	29.55	30.50	48	
		44.00	25.20	29.05	30.00	47	
		44.00	24.70	28.55	29.50	46	
		44.00	24.20	28.05	29.00	45	
		44.00	23.70	27.55	28.50	44	
		44.00	23.20	27.05	28.00	43	
		44.00	22.70	26.55	27.50	42	
		44.00	22.20	26.05	27.00	41	
		44.00	21.70	25.55	26.50	40	
		44.00	21.20	25.05	26.00	39	
		44.00	20.70	24.55	25.50	38	
		44.00	20.20	24.05	25.00	37	
		44.00	19.70	23.55	24.50	36	
		44.00	19.20	23.05	24.00	35	
44.00		18.70	22.55	23.50	34		
44.00		18.20	22.05	23.00	33		
44.00		17.70	21.55	22.50	32		
44.00		17.20	21.05	22.00	31		
16000		32.00	16.70	20.55	21.50	30	
		32.00	16.20	20.05	21.00	29	
		32.00	15.70	19.55	20.50	28	
		32.00	15.20	19.05	20.00	27	
		32.00	14.70	18.55	19.50	26	
		32.00	14.20	18.05	19.00	25	
		32.00	13.70	17.55	18.50	24	
		32.00	13.20	17.05	18.00	23	
		32.00	12.70	16.55	17.50	22	
		32.00	12.20	16.05	17.00	21	
		20000	24.00	11.70	15.55	16.50	20
			24.00	11.20	15.05	16.00	19
24.00			10.70	14.55	15.50	18	
24.00			10.20	14.05	15.00	17	
24.00			9.70	13.55	14.50	16	
24.00			9.20	13.05	14.00	15	
24.00			8.70	12.55	13.50	14	
24.00			8.20	12.05	13.00	13	
24.00			7.70	11.55	12.50	12	
24.00			7.20	11.05	12.00	11	
24.00			6.70	10.55	11.50	10	
24.00			6.20	10.05	11.00	09	
24.00			5.70	9.55	10.50	08	
24.00			5.20	9.05	10.00	07	
24.00			4.70	8.55	9.50	06	
24.00			4.20	8.05	9.00	05	
APQ (PCS/CARTON)	PPQ (PCS/REEL)	D	C	B	A	POS.	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	 TE Connectivity			
DIMENSIONS: MM		CHK				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD				
0 PLC ± -		PRODUCT SPEC				
1 PLC ± -		APPLICATION SPEC	NAME			
2 PLC ± -		WEIGHT	FPC CONNECTOR, 0.5mm PITCH, BOTTOM CONTACT, SMT TYPE.			
3 PLC ± -		CUSTOMER DRAWING	SIZE			
4 PLC ± -			CAGE CODE			
ANGLES ± -			DRAWING NO			
FINISH			RESTRICTED TO			
MATERIAL			A3 00779 C=1734592			
			SCALE			
			SHEET 3 OF 3			
			REV B			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9