




Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.	ROWS	SIGNAL							POWER							E1
		E2	6	5	4	3	2	1	P7	P6	P5	P4	P3	P2	P1	
51923-007-- NOTE: 3	D C B A		H	H	H	H	H	H	PC	PC	PC	PC	PG	PH	PH	
			G	G	G	G	G	G								
			F	F	F	F	F	F								
			E	E	E	E	E	E								



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
PG	1.07	POWER
PH	2.34	POWER
PC	2.34	POWER
H	N/A	SIGNAL
G	N/A	SIGNAL
F	N/A	SIGNAL
E	N/A	SIGNAL

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI	
litr	ecn no.	dr	date	linear	0.X ± 0.5	COPY		www.fciconnect.com	
A	DG08-0205	SH	08/04/08	linear	0.XX ± 0.25	projection		title	
				angles	0.XXX ± 0.1			3ACP + 4P + 24S	
				dr	0° ± 2°			R/A STB RCPT CABLE PORT	
				enr	Sincere He 07/31/08	MIM		product family PwrBlade	
				enr	Sincere He 07/31/08			size	
				chr	Gary Hsieh 07/31/08			dwg no	
				appd	Joseph Hsia 07/31/08	scale		A 51923-007	
sheet index	revision sheet	A	A	A	A			code	
		1	2	3	4			213	
								sheet 1 of 4	

Pro/E





cage code 22526

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51923-007--
NOTE:3



mat'l code SEE NOTE 2				tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com		
litr	ecn no.	dr	date	linear	0.X ± 0.5		COPY		title 3ACP + 4P + 24S R/A STB RCPT CABLE PORT	
A					0.XX ± 0.25		projection 			
					0.XXX ± 0.1					
				angles	0° ± 2°					
		dr	Sincere He	07/31/08	MM ↔		product family		PwrBlade	code
		enrg	Sincere He	07/31/08			size	dwg no	213	
		chr	Gary Hsieh	07/31/08	scale 1:1		A		51923-007	sheet
		appd	Joseph Hsia	07/31/08			2 of 4			
sheet index	revision sheet									

Pro/E


cage code 22526

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51923-007_-
NOTE:3



RECOMMENDED PCB LAYOUT

mat'l code SEE NOTE 2				tolerances unless otherwise specified				CUSTOMER				FCI www.fciconnect.com						
litr	ecn no.	dr	date	linear	0.X ±0.5				COPY				title 3ACP + 4P + 24S R/A STB RCPT CABLE PORT					
A					0.XX ±0.25				projection									
				angles	0.XXX ±0.1													
					0° ±2°													
				dr	Sincere He	07/31/08							product family PwrBlade				code	
				enrg	Sincere He	07/31/08							size dwg no				213	
				chr	Gary Hsieh	07/31/08			scale 1:1				A 51923-007				sheet	
				appd	Joseph Hsia	07/31/08											3 of	
sheet index		revision sheet																

Pro/E

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

1 2		3		4	
PRODUCT NUMBER					
51923-007_- NOTE:3					
NOTES:					
1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.					
CONNECTOR NOTES:					
(2.) HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC POWER CONTACT MATERIAL: COPPER ALLOY SIGNAL PIN MATERIAL: COPPER ALLOY					
3. PLATING: 51923-007,51923-007LF, PLATING SPEC. SEE PRINT:10064183					
(4.) MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.					
5. PRODUCT SPECIFICATION GS-12-149. APPLICATION SPECIFICATION BUS-20-067.					
6. PACKAGED IN TRAYS.					
PCB NOTES:					
7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.					
(8.) MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.					
(9.) $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH 0.008 MIN SnPb OVER 0.03 TO 0.08 Cu PLATING TO ACHIEVE $\varnothing 1.02 \pm .07$ HOLE.					
(10.) "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.					
(11.) CONNECTOR KEEP-OUT ZONE.					
12: THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE MAY BE DIFFERENT FOR OPTIMIZE THE MOLDING PROCESS, THE VOID CORING WILL NO EFFECT TO PRODUCT FUNCTION.					
mat'l code		SEE NOTE 2		tolerances unless otherwise specified	
litr	ecn no.	dr	date	COPY	
A				projection	
				title	
				product family	
				size	
				dwg no	
				sheet	
				4 of 4	
				cage code	
				22526	
				4	

1 | 2

Pro/E

3 |

cage code
22526

4

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9