







THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 18JAN2008 C/C GARRETT		 TE Connectivity	
		CHP 18JAN2008 S. JONES			
DIMENSIONS: MM[INCHES]		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		NAME	
		0 P/LC ± 2 P/LC ± 3 P/LC ± 4 P/LC ± ANGLES ±		POWER STRIP, KEYHOLE MOUNT, 2 PORT, 3-3-2 -	
		PRODUCT SPEC		SIZE	
		108-1234		CASE CODE	
		APPLICATION SPEC		DRAWING NO	
MATERIAL		FINISH		RESTRICTED TO	
				A1 - C=1933414 - SCALE 1:1 SHEET 1 OF 3 REV B	
CUSTOMER DRAWING					

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
--		SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN G. GARRETT 18JAN2008		TE Connectivity	
DIMENSIONS: MME [INCHES]		CHK S. JONES 18JAN2008			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S. JONES 18JAN2008		NAME	
0 PLC ±"		PRODUCT SPEC		POWER STRIP, KEYHOLE MOUNT,	
1 PLC ±"		108-1234		2 PORT, 3-3-2	
2 PLC ±"		APPLICATION SPEC		-	
3 PLC ±"		114-6039		SIZE A1	
4 PLC ±"		WEIGHT		CAGE CODE -	
ANGLES FINISH		CUSTOMER DRAWING		DRAWING NO. 1933414	
MATERIAL -		SCALE 1:1		SHEET 2 OF 3	
-		REV B			

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

BLANK	BLANK/BLANK	BLANK/BLANK	BLANK	BLANK	BLANK/BLANK	BLANK/BLANK	BLANK	9-1933414-9
ISOLATED	N3/4	3G/8	15/20	STANDARD	N3/4	L3/8	15/20	7-1933414-3
ISOLATED	N3/4	3G/8	15/20	STANDARD	N2/3	L2/7	15/20	7-1933414-2
ISOLATED	N3/4	3G/8	15/20	STANDARD	N1/2	L1/6	15/20	7-1933414-1
ISOLATED	N2/3	2G/7	15/20	STANDARD	N3/4	L3/8	15/20	6-1933414-3
ISOLATED	N2/3	2G/7	15/20	STANDARD	N2/3	L2/7	15/20	6-1933414-2
ISOLATED	N2/3	2G/7	15/20	STANDARD	N1/2	L1/6	15/20	6-1933414-1
ISOLATED	N1/2	1G/6	15/20	STANDARD	N3/4	L3/8	15/20	5-1933414-3
ISOLATED	N1/2	1G/6	15/20	STANDARD	N2/3	L2/7	15/20	5-1933414-2
ISOLATED	N1/2	1G/6	15/20	STANDARD	N1/2	L1/6	15/20	5-1933414-1
STANDARD	N2/3	L2/7	15/20	STANDARD	N3/4	L3/8	15/20	2-1933414-3
STANDARD	N1/2	L1/6	15/20	STANDARD	N3/4	L3/8	15/20	1-1933414-3
STANDARD	N1/2	L1/6	15/20	STANDARD	N2/3	L2/7	15/20	1-1933414-2
ISOLATED	N3/4	3G/8	15/20	ISOLATED	N3/4	3G/8	15/20	1933414-7
ISOLATED	N2/3	2G/7	15/20	ISOLATED	N2/3	2G/7	15/20	1933414-6
ISOLATED	N1/2	1G/6	15/20	ISOLATED	N1/2	1G/6	15/20	1933414-5
STANDARD	N3/4	L3/8	15/20	STANDARD	N3/4	L3/8	15/20	1933414-3
STANDARD	N2/3	L2/7	15/20	STANDARD	N2/3	L2/7	15/20	1933414-2
STANDARD	N1/2	L1/6	15/20	STANDARD	N1/2	L1/6	15/20	1933414-1
GROUND TYPE	NEUTRAL NO./CONTACT NO.	LINE NO./CONTACT NO.	AMPERAGE	GROUND TYPE	NEUTRAL NO./CONTACT NO.	LINE NO./CONTACT NO.	AMPERAGE	PART NO.
LEFT-SIDE DUPLEX RECEPTACLE CONNECTIONS				RIGHT-SIDE DUPLEX RECEPTACLE CONNECTIONS				

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
G. GARRETT
18JAN2008

CHK
S. JONES
18JAN2008

APVD
S. JONES
18JAN2008

TE Connectivity

NAME
POWER STRIP, KEYHOLE MOUNT,
2 PORT, 3-3-2

SIZE
A1

CAGE CODE
-

DRAWING NO.
C=1933414

RESTRICTED TO
-

DIMENSIONS:
MME[INCHES]

0 PLC ±"
1 PLC ±"
2 PLC ±"
3 PLC ±"
4 PLC ±"
ANGLES ±"
FINISH

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±"
1 PLC ±"
2 PLC ±"
3 PLC ±"
4 PLC ±"
ANGLES ±"
FINISH

MATERIAL
-

MATERIAL
-

WEIGHT
-

CUSTOMER DRAWING

SCALE
1:1

SHEET
3

OF
3

REV
B

4805 (3/13)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9