

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	L1	ECR-14-001877	10FEB2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151116-1

FOR REPLACEMENT PARTS FOR APPLICATOR 466870
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
466870

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		 TE Connectivity					
		CHK	RAGHAVENDRA							
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	RAGHAVENDRA					
		0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		NAME						
				SIDE FEED HDM APPLICATOR						
				PRODUCT SPEC						
				APPLICATION SPEC						
MATERIAL		FINISH		WEIGHT	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO		
					A3		©- 466870			
CUSTOMER DRAWING				SCALE	SHEET	1	OF	2	REV	L1



-1	LEADMAKER	MECH POST FEED
-2	BENCH MODEL K	MECH PRE FEED
-3	BENCH MODEL G	MECH PRE FEED

REF	REF	REF	—	22594-8	NUT, HEX(1/2-20)	70
REF	REF	REF	—	240628-1	PLATE, ADJUSTMENT	69
REF	REF	REF	—	240626-1	SHAFT, PIVOT	68
REF	REF	REF	—	240633-1	BUSHING	67
REF	REF	REF	—	455680-1	LEVER, INTERMEDIATE	66
REF	REF	REF	—	240629-1	BLOCK, PIVOT	65
REF	REF	REF	—	240632-2	SCREW, ADJ FEED ROD	64
REF	REF	REF	—	240659-3	PIN, CAM ROLLER	63
REF	REF	REF	—	240658-1	ROLLER, CAM	62
REF	REF	REF	—	454398-2	ROD, FEED	61
REF	REF	REF	—	454178-1	GUIDE, FEED ROD	60
REF	REF	REF	—	454220-1	CAP, RAM	59
REF	REF	REF	—	454485-1	HOUSING	58

1	1	1	—	458537-2	PAWL, FEED	56
REF	REF	REF	—	240624-1	PIN, FEED FINGER	55
REF	REF	REF	—	691499-1	SPRING, FEED FINGER	54
REF	REF	REF	—	690541-1	HOLDER, FEED FINGER	53
REF	REF	REF	—	455679-2	LEVER, TERMINAL FEED ARM	52

1	—	—	—	690602-6	CAM, PRE-FEED 1 5/8 ST	49
—	1	—	—	690602-5	CAM, PRE-FEED 1 1/8 ST	48
—	—	1	—	690501-4	CAM, POST-FEED 1 5/8 ST	47
1	1	1	—	459456-2	APPLICATOR, BASIC (SUBASSY)	46
1	1	1	—	690191-1	PLUG, NYLON	45
1	1	1	—	455673-1	RAM	44
1	1	1	—	690125-1	WASHER, LAMINATED	43
1	1	1	—	690124-4	WASHER, RAM	42
1	1	1	—	7-21002-9	BOLT, CRIMPER(5/16x1.00)	41
1	1	1	—	23241-6	BALL, STEEL	40
1	1	1	—	690170-1	SPRING, COMPRESSION	39
1	1	1	—	690142-1	DISC, INSULATION	38
1	1	1	—	354777-1	WIRE DISC, PLASTIC	37
1	1	1	—	22480-5	WASHER, SPRING	36
1	1	1	—	690212-1	POST, RAM	35

REF	REF	REF	—	455675-1	PLATE, BASE	33
1	1	1	—	690432-3	SCREW, ADJUSTMENT	32
						31

	REF	REF	REF	—	455689-1	BLOCK, STRIP GUIDE ADJ.	30
	1	1	1	—	455671-1	PLATE, STRIP GUIDE	29
	1	1	1	—	1-455888-0	SPACER, FRONT SHEAR DEP	28
	2	2	2	—	1-22284-0	SPRING, DRAG	27
	1	1	1	—	690546-1	LEVER, DRAG RELEASE	26
	1	1	1	—	240792-1	DRAG, TERMINAL	25
7	1	1	1	—	5-690440-8	GUIDE, STRIP (REAR)	24

1	1	1	-	690438-1	GUIDE, STRIP (REAR)	23
-	-	1	-	690472-6	GUIDE, STRIP (FRONT)	22
REF	REF	REF	-	4-22284-9	SPRING, FEED RETURN	21

REF	REF	REF		4 22204-9	SPRING, FEED RETURN	21
1	1			691353-1	STRIPPER	19
						18

						18
1	1	1	-	318563-1	GUARD, CHIP, FRONT	17
						15

						13
						14
						13
1	1	1	-	3-22280-3	SPRING SHEAR	12

1	1	1	-	3-22280-3	SPRING, SHEAR	12
1	1	1	-	690461-1	STOP, SHEAR	11
1	1	1	-	690459-1	HOLDER, SHEAR (FRONT)	10
1	1	1	-	462006-1	SHEAR, FLOAT (FRONT)	9

1	1	1	-	462006-1	SHEAR, FLOAT (FRONT)	9
1	1	1	-	9-458834-6	ANVIL	8
						7
						6

						6
1	1	1	-	1-455889-4	DEPRESSOR, SHEAR (FRONT)	5
1	1	1	-	1-238011-0	SPACER, BLOCK CRIMPER	4
1	1	1		7-456134-7	CRIMPER, INSULATION	3


1	1	1	1	-	7-456134-7	CRIMPER, INSULATION	3
	1	1	1	-	455888-4	SPACER, CRIMPER	2
	1	1	1	-	3-456406-0	CRIMPER, WIRE	1

-3	-2	-1	U/M	PART NO	DESCRIPTION	ITEM NO
				PARTS LIST		
QTY REQD PER ASSY						


A CONTROLLED DOCUMENT.	DIN	09NOV00	 Tyco Electronics Corporation Harrisburg, PA 17105-3608
	C.ERISMAN		
	CHK	-	
TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVO	09NOV00	NAME SIDE FEED HDM APPLICATOR
	T.ELBIN		

	0 PLC	± -	PRODUCT SPEC	SIDE FEED HAM APPLICATOR			
	1 PLC	± -	—	—			
	2 PLC	± -	—	—			
	3 PLC	± -	APPLICATION SPEC				
	4 PLC	± -	—	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
ANGLES	± -	—	A 4				

FINISH -	WEIGHT -	A1 00779	C=466870	-		
	CUSTOMER DRAWING			SCALE -	SHEET 1	OF 1



POST FEED 1 5/8 STROKE (44) (REF) (91) (47) ROTATED 180° B	PRE FEED 1 1/8 STROKE (44) (REF) (91) (48) ROTATED 180° B	PRE FEED 1 5/8 STROKE (44) (REF) (91) (49) ROTATED 180° B
K TERMINATOR		G TERMINATOR



1. RECOMMENDED SPARE PARTS.
2. GREASE LIGHTLY.
3. GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE.
4. LUBRICATE DAILY USING NO. 20 MACHINE OIL.
5. ITEMS WITH QTY OF REF SPECIFIED (EXCEPT ITEMS 78 AND 79) ARE USED ON ITEM 46.
6. NO APPLICATION SPEC FOR THIS TERMINAL
7. REAR STRIP GUIDE ADJUSTMENT NECESSARY WHEN CHANGING FROM TYPE I TO TYPE II TERMINALS AND VICE VERSA.

2	2	2	—	354779-2	PIN, WIRE DISC (.3000)D	129
2	2	2	—	9-354778-3	PIN, WIRE DISC (.2960)C	128
2	2	2	—	8-354778-5	PIN, WIRE DISC (.2920)B	127
2	2	2	—	7-354778-7	PIN, WIRE DISC (.2880)A	126
1	1	1	—	986950-1	WASHER, FLAT PRECISION	125
1	1	1	—	217238-1	GENERAL INSTRUCTION PACKAGE	124
1	1	1	—	4088040	SF APPL INST 408-8040	123
						122
1	1	1	—	4-21028-0	PIN,SLT SPR(Ø.093x.75)ST GDE PL	121
REF	REF	REF	—	1-21030-1	PIN,DOWEL(Ø.187x.50)LEVER	120
REF	REF	REF	—	1-21030-6	PIN,DOWEL(Ø.187x1.25)HOUSING	119
REF	REF	REF	—	21045-3	RING,RET "C"(Ø.187)FD FING PIN	118
1	1	1	—	21024-5	WASHER, LOCK(Ø.10)ADJ BLOCK	117
REF	REF	REF	—	21024-5	WASHER,LOCK(Ø.10)ADJ PLATE	116
REF	REF	REF	—	21024-5	WASHER,LOCK(Ø.10)FEED GDE ROD	115
2	2	2	—	21024-2	WASHER,LOCK(Ø.4)FRONT STP GUIDE	114
REF	REF	REF	—	5-21028-1	PIN,SLT SPR(Ø.125x.50)ADJ ROD	113

2	2	2	-	21024-4	WASHER, LOCK(#8) STRIPPER	111
REF	REF	REF	-	21899-4	WASHER, FLAT(Ø5/16) SCREW ADJ	110
						109

						109
						108
REF	REF	REF	-	21068-5	NUT,HEX(6-32)FEED ADJ	107
						106

						106
						105
						104
1	1	1	-	21009-2	SCP SKT SET(1/4-20x25 LW)RAM	103

1	1	1	-	21009-2	SCR,SKT SET(1/4-20x.25 LW)RAM	103
2	2	2	-	21017-2	SCR,DRIVE(#2x.19)ID PLATE	102
REF	REF	REF	-	6-23715-5	SCR,PAN HD(6-32x1.50)FEED ADJ	101
1	1	1	-	461264-1	PLATE IDENTIFICATION	100

1	1	1		461264-1	PLATE, IDENTIFICATION	100
2	2	2	-	5-21006-6	SCR,SET(10-32x.75)DRAG	99
1	1	1	-	22733-8	SCR,BHC(8-32x.38 LW)ANVL	98
REF	REF	REF		2-21002-0	SCR,BHC(10-32x.75)ANVL	98

REF	REF	REF		2-21002-9	SCR,BHC(10-32x.75)CAP	97
REF	REF	REF	-	2-22733-8	SCR,BHC(1/4-20x.62)HOUSING	96
REF	REF	REF	-	2-21002-7	SCR,BHC(10-32x.50)SG ADJ BLOCK	95
4	4	4		2-21002-9	SCR,BHC(10-32x.75)CAP	97

4	4	4	—	2-21002-2	SCR,BHC(8-32x.50)TERM H DWN	94
						93
						92
						91

1	1	1	-	1-21002-7	SCR,BHC(6-32x.38)CAM	91
						90
						89

						88
						87
1	1	1	—	2-22603-0	SCR,HEX HD(8-32x.31)FEED FINGER	86

2	2	2	—	1-21000-3	SCR,SHC(4-40x.25)F ST GUIDE	85
1	1	1	—	2-21000-7	SCR,SHC(8-32x.50)STRIPPER	84
REF	REF	REF	—	3-21000-7	SCR,SHC(10-32x.75)FEED ROD GD	83

REF	REF	REF	—	3-21000-6	SCR,SHC(10-32x.62)FD ADJ BLK	82
1	1	1	—	3-21000-4	SCR,SHC(10-32x.38)SG ADJ BL	81
REF	REF	REF	—	3-21000-4	SCR,SHC(10-32x.38)PIVOT BLK	80

REF	1	-	-	455755-3	GUARD ASSY	79
REF	-	-	-	679532-1	INSERT, GUARD	78
						77

						77
						76
						75
1	1	1	-	690603-1	SPRING, ASSIST	74

1	1	1	—	690003-1	SPRING, ASSIST	74
1	1	1	—	23030-1	SCR,SHC(6-32x.25 SL)INS DISC	73
REF	REF	REF	—	458109-1	WASHER, SPECIAL	72
REF	REF	REF	—	690517-1	SPACER	71

REF	REF	REF		690517-1	SPACER	71
-3	-2	-1	U/M	PART NO	DESCRIPTION	ITEM NO
				PARTS LIST		
QTY REQD PER ASSY						

[illegible]

	MATER
--	-------

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9