





PRODUCT NO.

SEE TABLE



THE MYLAR SEE NOTE 7
ONLY FOR 87543-XXX1C/XXX1CLF




.10 [0.004]
ALL TERMINALS
MEASURED AT HEELS

DETAIL C

NOTE 3

1° REF.

2.64 [0.104]




VIEW A-A

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY		FCI	
ltr	ecn no	dr	date						
S	N08-0194	SH	09/08/08	linear	.X±.3/.XX±.01	projection	title	www.fciconnect.com	
K	V12666	LP	1/10/02		.XX±.13/.XXX±.005		A-SMT ASSEMBLY VERT 4 POS		
L	V21834	LP	12/2/02	angles	.XXX±.051/.XXX±.0020				
M	V04-0861	DAI	08/30/04	dr	0° ±2°	MM/INCH	product family	MOD JACK	code
N	N05-0035	YS	02/17/05	enrg	J.KONTOS	12/2/02	size	dwg no	213
P	N05-0142	ZC	6/2/05	chr	J.KONTOS	12/2/02	A4		sheet
R	N07-0217	WG	09/07/07	appd	J.KONTOS	12/2/02	1:1		1 of 2
sheet index	revision	R	R						
	sheet	1	2						

87543-XXXXLF

PACKAGE OPTIONS		
1 =	BLISTER PACKAGE (TAPE & REEL) LOADED FACE UP	24" REEL
2 =	BLISTER PACKAGE (TAPE & REEL) LOADED FACE DOWN	NOT TOOLED
3 =	PACKAGED IN TUBES	NOT TOOLED
4 =	PACKAGED IN TRAYS	
5 =	BLISTER PACKAGE (TAPE & REEL) LOADED FACE UP	15" REEL



RECOMMENDED PC BOARD L/O

NOTES:

- 1 MATERIAL: HOUSING - THERMOPLASTIC V-O
CONTACT - PHOSPHOR BRONZE
- 2 PLATING: SOLDER TAILS - FOR 87543-XXXX : 2.54 μm [100 μin] MIN. TIN LEAD
TIN OVER 1.27 μm [50 μin] MIN. NICKEL
OVER 2.54 μm [100 μin] NICKEL
FOR 87543-XXXXLF: 2 μm [80 μin] MIN. PURE MATTE
HOLDDOWN - FOR 87543-XXXX: 2.54 μm [100 μin] MIN TIN LEAD
CONTACT AREA PLATING - SEE CHART ON SHEET 2
OVER 2.54 μm [100 μin] NICKEL
FOR 87543-XXXXLF: 2 μm [80 μin] MIN. PURE TIN
OVER 1.27 μm [50 μin] MIN. NICKEL
- ③ MAX "TOE UP" AT TIP = 0.127 [0.005]
- 4 IF LF P/N PACKAGING MEETS GS-14-920 SPECIFICATION.
- 5 THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 40 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.
- 6 IF LF P/N THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-00B.
- 7 APPLY THE MYLAR ON THE P/N 87543-XXX1 WITH SUFFIX "C" FOR PICKING UP .
FOR INSTANCE 87543-4111CLF

[illegible]

	cage	code
--	------	------

1



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9