



PRELIMINARY

HOW TO MATE AND UNMATE

MATE: 1 → 4
UNMATE: 5 → 7



(APPLIED TO SHEET 1-2)

1. MATERIAL ; HOUSING: HIGH TEMPERATURE THERMO PLASTIC UL94V-0
CONTACT: COPPER ARROY
LOCK LEVER STAINLESS STEEL
SOLDER PEG: COPPER ARROY
2. FINISH ; CONTACT AREA: GOLD FLASH ON 0.0013MIN ALL OVER NICKEL.
SOLDERING AREA: GOLD FLASH PLT.
SOLDER PEG: TIN PLATING.
- △ MECHANICAL KEY POSITION OF CONNECTOR SEE TABLE.
- △ TOLERANCES NON-CUMULATIVE.
- △ NOT TO SCALE.
6. □ INSIDE MUST BE RESIST COAT EXCEPT SOLDER PATTERN.
7. IF THE MODULE DOESN'T INSERT AND LOCK IN THE LATCH SMOOTHLY,
OPEN WIDE BOTH LATCHES BY MANUAL. AND THE MODULE MUST BE
INSERTED AND LOCKED IN THE LATCH.

TAB	TYPE	TOOLING STATUS	REMARK	POWER SUPPLY (TYPE)	D5	D4	D3	POS	PART NO.
	TYPE 2	AVAILABLE	BOSSLESS	1.8V (DDR2)	17.55	2.4	2.7	200	1-6565692-4
	TYPE 2	AVAILABLE	—H—	1.8V (DDR2)	17.55	2.4	2.7	200	6565692-4
	TYPE 1	AVAILABLE	BOSSLESS	2.5V (DDR1)	18.45	1.5	1.8	200	1-6565692-1
	TYPE 1	AVAILABLE	—H—	2.5V (DDR1)	18.45	1.5	1.8	200	6565692-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

THIS DRAWING IS A CONTROLLED DOCUMENT.	DMN	24ND005
	LEO ZHOU	
CHK		24ND005
	T KAWAMAF	



Tyco Electronics

Tyco Electronics Corporation
SH/CN GuiRiRD 666#

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	
	APVD	24NOV05
MM	STEVEN YAO	NAME
		0004 & 0000 COUNTRY CODESET

	PRODUCT SPEC	DUR I & DURZ SUDIMM SOCKET
0 PLC	± 0.3	0.6mm BITCH 300BOS
4.8 PLG		
0.0000		

108-5701

APPLICATION SPEC

LOW PROFILE REVERSE TYPE


0.00mm 1.10mm 2.00mm 3.00mm 4.00mm 5.00mm 6.00mm 7.00mm 8.00mm 9.00mm 10.00mm 11.00mm 12.00mm 13.00mm 14.00mm 15.00mm 16.00mm 17.00mm 18.00mm 19.00mm 20.00mm 21.00mm 22.00mm 23.00mm 24.00mm 25.00mm 26.00mm 27.00mm 28.00mm 29.00mm 30.00mm 31.00mm 32.00mm 33.00mm 34.00mm 35.00mm 36.00mm 37.00mm 38.00mm 39.00mm 40.00mm 41.00mm 42.00mm 43.00mm 44.00mm 45.00mm 46.00mm 47.00mm 48.00mm 49.00mm 50.00mm 51.00mm 52.00mm 53.00mm 54.00mm 55.00mm 56.00mm 57.00mm 58.00mm 59.00mm 60.00mm 61.00mm 62.00mm 63.00mm 64.00mm 65.00mm 66.00mm 67.00mm 68.00mm 69.00mm 70.00mm 71.00mm 72.00mm 73.00mm 74.00mm 75.00mm 76.00mm 77.00mm 78.00mm 79.00mm 80.00mm 81.00mm 82.00mm 83.00mm 84.00mm 85.00mm 86.00mm 87.00mm 88.00mm 89.00mm 90.00mm 91.00mm 92.00mm 93.00mm 94.00mm 95.00mm 96.00mm 97.00mm 98.00mm 99.00mm 100.00mm 101.00mm 102.00mm 103.00mm 104.00mm 105.00mm 106.00mm 107.00mm 108.00mm 109.00mm 110.00mm 111.00mm 112.00mm 113.00mm 114.00mm 115.00mm 116.00mm 117.00mm 118.00mm 119.00mm 120.00mm 121.00mm 122.00mm 123.00mm 124.00mm 125.00mm 126.00mm 127.00mm 128.00mm 129.00mm 130.00mm 131.00mm 132.00mm 133.00mm 134.00mm 135.00mm 136.00mm 137.00mm 138.00mm 139.00mm 140.00mm 141.00mm 142.00mm 143.00mm 144.00mm 145.00mm 146.00mm 147.00mm 148.00mm 149.00mm 150.00mm 151.00mm 152.00mm 153.00mm 154.00mm 155.00mm 156.00mm 157.00mm 158.00mm 159.00mm 160.00mm 161.00mm 162.00mm 163.00mm 164.00mm 165.00mm 166.00mm 167.00mm 168.00mm 169.00mm 170.00mm 171.00mm 172.00mm 173.00mm 174.00mm 175.00mm 176.00mm 177.00mm 178.00mm 179.00mm 180.00mm 181.00mm 182.00mm 183.00mm 184.00mm 185.00mm 186.00mm 187.00mm 188.00mm 189.00mm 190.00mm 191.00mm 192.00mm 193.00mm 194.00mm 195.00mm 196.00mm 197.00mm 198.00mm 199.00mm 200.00mm 201.00mm 202.00mm 203.00mm 204.00mm 205.00mm 206.00mm 207.00mm 208.00mm 209.00mm 210.00mm 211.00mm 212.00mm 213.00mm 214.00mm 215.00mm 216.00mm 217.00mm 218.00mm 219.00mm 220.00mm 221.00mm 222.00mm 223.00mm 224.00mm 225.00mm 226.00mm 227.00mm 228.00mm 229.00mm 230.00mm 231.00mm 232.00mm 233.00mm 234.00mm 235.00mm 236.00mm 237.00mm 238.00mm 239.00mm 240.00mm 241.00mm 242.00mm 243.00mm 244.00mm 245.00mm 246.00mm 247.00mm 248.00mm 249.00mm 250.00mm 251.00mm 252.00mm 253.00mm 254.00mm 255.00mm 256.00mm 257.00mm 258.00mm 259.00mm 260.00mm 261.00mm 262.00mm 263.00mm 264.00mm 265.00mm 266.00mm 267.00mm 268.00mm 269.00mm 270.00mm 271.00mm 272.00mm 273.00mm 274.00mm 275.00mm 276.00mm 277.00mm 278.00mm 279.00mm 280.00mm 281.00mm 282.00mm 283.00mm 284.00mm 285.00mm 286.00mm 287.00mm 288.00mm 289.00mm 290.00mm 291.00mm 292.00mm 293.00mm 294.00mm 295.00mm 296.00mm 297.00mm 298.00mm 299.00mm 300.00mm 301.00mm 302.00mm 303.00mm 304.00mm 305.00mm 306.00mm 307.00mm 308.00mm 309.00mm 310.00mm 311.00mm 312.00mm 313.00mm 314.00mm 315.00mm 316.00mm 317.00mm 318.00mm 319.00mm 320.00mm 321.00mm 322.00mm 323.00mm 324.00mm 325.00mm 326.00mm 327.00mm 328.00mm 329.00mm 330.00mm 331.00mm 332.00mm 333.00mm 334.00mm 335.00mm 336.00mm 337.00mm 338.00mm 339.00mm 340.00mm 341.00mm 342.00mm 343.00mm 344.00mm 345.00mm 346.00mm 347.00mm 348.00mm 349.00mm 350.00mm 351.00mm 352.00mm 353.00mm 354.00mm 355.00mm 356.00mm 357.00mm 358.00mm 359.00mm 360.00mm 361.00mm 362.00mm 363.00mm 364.00mm 365.00mm 366.00mm 367.00mm 368.00mm 369.00mm 370.00mm 371.00mm 372.00mm 373.00mm 374.00mm 375.00mm 376.00mm 377.00mm 378.00mm 379.00mm 380.00mm 381.00mm 382.00mm 383.00mm 384.00mm 385.00mm 386.00mm 387.00mm 388.00mm 389.00mm 390.00mm 391.00mm 392.00mm 393.00mm 394.00mm 395.00mm 396.00mm 397.00mm 398.00mm 399.00mm 400.00mm 401.00mm 402.00mm 403.00mm 404.00mm 405.00mm 406.00mm 407.00mm 408.00mm 409.00mm 410.00mm 411.00mm 412.00mm 413.00mm 414.00mm 415.00mm 416.00mm 417.00mm 418.00mm 419.00mm 420.00mm 421.00mm 422.00mm 423.00mm 424.00mm 425.00mm 426.00mm 427.00mm 428.00mm 429.00mm 430.00mm 431.00mm 432.00mm 433.00mm 434.00mm 435.00mm 436.00mm 437.00mm 438.00mm 439.00mm 440.00mm 441.00mm 442.00mm 443.00mm 444.00mm 445.00mm 446.00mm 447.00mm 448.00mm 449.00mm 450.00mm 451.00mm 452.00mm 453.00mm 454.00mm 455.00mm 456.00mm 457.00mm 458.00mm 459.00mm 460.00mm 461.00mm 462.00mm 463.00mm 464.00mm 465.00mm 466.00mm 467.00mm 468.00mm 469.00mm 470.00mm 471.00mm 472.00mm 473.00mm 474.00mm 475.00mm 476.00mm 477.00mm 478.00mm 479.00mm 480.00mm 481.00mm 482.00mm 483.00mm 484.00mm 485.00mm 486.00mm 487.00mm 488.00mm 489.00mm 490.00mm 491.00mm 492.00mm 493.00mm 494.00mm 495.00mm 496.00mm 497.00mm 498.00mm 499.00mm 500.00mm 501.00mm 502.00mm 503.00mm 504.00mm 505.00mm 506.00mm 507.00mm 508.00mm 509.00mm 510.00mm 511.00mm 512.00mm 513.00mm 514.00mm 515.00mm 516.00mm 517.00mm 518.00mm 519.00mm 520.00mm 521.00

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
3 PLC			
4 PLC			
5 PLC			
6 PLC			
7 PLC			
8 PLC			
9 PLC			
10 PLC			
11 PLC			
12 PLC			
13 PLC			
14 PLC			
15 PLC			
16 PLC			
17 PLC			
18 PLC			
19 PLC			
20 PLC			
21 PLC			
22 PLC			
23 PLC			
24 PLC			
25 PLC			
26 PLC			
27 PLC			
28 PLC			
29 PLC			
30 PLC			
31 PLC			
32 PLC			
33 PLC			
34 PLC			
35 PLC			
36 PLC			
37 PLC			
38 PLC			
39 PLC			
40 PLC			
41 PLC			
42 PLC			
43 PLC			
44 PLC			
45 PLC			
46 PLC			
47 PLC			
48 PLC			
49 PLC			
50 PLC			
51 PLC			
52 PLC			
53 PLC			
54 PLC			
55 PLC			
56 PLC			
57 PLC			
58 PLC			
59 PLC			
60 PLC			
61 PLC			
62 PLC			
63 PLC			
64 PLC			
65 PLC			
66 PLC			
67 PLC			
68 PLC			
69 PLC			
70 PLC			
71 PLC			
72 PLC			
73 PLC			
74 PLC			
75 PLC			
76 PLC			
77 PLC			
78 PLC			
79 PLC			
80 PLC			
81 PLC			
82 PLC			
83 PLC			
84 PLC			
85 PLC			
86 PLC			
87 PLC			
88 PLC			
89 PLC			
90 PLC			
91 PLC			
92 PLC			
93 PLC			
94 PLC			
95 PLC			
96 PLC			
97 PLC			
98 PLC			
99 PLC			
100 PLC			


MATERIAL	FINISH	WEIGHT	3.2 g	A3	00779	C-6565692	—
----------	--------	--------	-------	----	-------	-----------	---

RESTRICTED CUSTOMER	SCALE	SHEET	OF	REV
	2:1	1	4	D

REFERENCE P.C. BOARD PATTERN LAYOUT
(CONNECTOR MOUNTING SIDE)



REAL SIZE (SCALE 1:1)



PRELIMINARY

1.8V	17.55	2.4	2.7
2.5V	18.45	1.5	1.8
POWER SUPPLY	D5	D4	D3

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: MM

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±

2 PLC ±

3 PLC ±

4 PLC ±

FINISH

ANGLES

±

AP/D

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

DMN

CHK

NAME

SIZE

DATE CODE

DRAWING NO

RESTRICTED TO

RESTRICTED CUSTOMER

A3 00779

6565692

SCALE

2:1

SHEET

2

OF

4

REV

D

Tyco Electronics

Tyco Electronics Corporation

SH/CN GnP/IngRD 668#

DDR1 & DDR2 SODIMM SOCKET






0.6mm PITCH 200POS

LOW PROFILE REVERSE TYPE

P	LTR
---	-----

DATE	DWN	APVD
------	-----	------

(APPLIED TO SHEET 3)
1. TOLERANCES ON ALL DIMENSIONS ± 0.15



DELETED TO



A3 00779 C-6565692

SCALE	3.1
-------	-----


SCALE 7.1

SHEET	2 OF 4	REV	D
-------	--------	-----	---

REVISIONS				
P	LIR	DESCRIPTION	DATE	DMN
—	—		—	—



PRELIMINARY



1.8V (DDR2)	20EA/TRAY	1-6565692-4
1.8V (DDR2)	20EA/TRAY	6565692-4
2.5V (DDR1)	20EA/TRAY	1-6565692-1
2.5V (DDR1)	20EA/TRAY	6565692-1
POWER SUPPLY (TYPE)	QTY	P/N

Tyco Electronics Tyco Electronics Corporation
SH/CN GuilpingRD 668#

NAME

DDR1 & DDR2 SODIMM SOCKET

0.6mm PITCH 200POS

LOW PROFILE REVERSE TYPE

SIZE CAGE CODE DRAWING NO

A3 00779 C-6565692

- (APPLIED TO SHEET 4)
1. THE DIRECTION OF EACH CONNECTOR ON A TRAY IS REFERRED TO THIS DRAWING.
 2. GENERAL TOLERANCE: ± 0.5

THIS DRAWING IS A CONTROLLED DOCUMENT.			
DIMENSIONS: MM	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DMN	CHK
0 P/C	$\pm$	APVD	
1 P/C	$\pm$	PRODUCT SPEC	
2 P/C	$\pm$	APPLICATION SPEC	
3 P/C	$\pm$	WEIGHT	
4 P/C	$\pm$	RESTRICTED CUSTOMER	
ANGLES	$\pm$		
MATERIAL			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9