






Panel Cutout:





TABLE 1

ITEM	QTY.	COMPONENT	MATERIAL	FINISH
1	1	REC SHELL	BRASS	NICKEL PLATED
2	1	INSERT	PA	BLACK
3	4/5/8/12	CONTACT	BRASS /GOLD	CuZn Ni/Au
4	-	WIRES	COPPER/PVC	NONE
5	1	O-RING	NBR	BLACK
6	1	LOCKNUT	BRASS	NICKEL PLATED
7	-	POTTING MATERIAL	WEVO	NONE


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
EC NO: 169742 DRWN: RSILLER CHK'D: APPR: RSILLER A1	2017/12/21 REV	2017/12/21	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex®					
					mm		2:1							
			ANGULAR TOL ± 1.0 °		DRWN BY		DATE		REC U12 XP AC MA XM M16 FM WIR BRA AU					
					SSM		2017/09/26							
			4 PLACES ±		CHK'D BY		DATE							
			3 PLACES ±		CHKD BY									
			2 PLACES ± 0.05		APPR BY		DATE		PRODUCT CUSTOMER DRAWING					
			1 PLACE ± 0.1		RSILLER		2017/12/15							
			0 PLACES ± 0.2		DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES		MATERIAL NUMBER		CUSTOMER	
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		A3				120084		SEE TABLE 2		GENERAL MARKET	
DOCUMENT NUMBER		DOC TYPE							DOC PART		SHEET NUMBER			
1200845108		PSD							000		1 OF 2			

TABLE 3







MATERIAL-NO.	1200845108	1200845099	1200845096	1200845003	1200845015	1200845014
ENG-NO.	WR4U26E03C3003	WR5U26E03C3003	WR8U26E02C3003	WR8U26E02M0103	WRCU26E01C3003	WRCU26E01C2003
LAYOUT						
VOLTAGE RATING	250V	60V	30V		30V	
CODING	A - Code	A - Code	A - Code		A - Code	
AMPERE RATING	4A	4A	2A		1.5A	
PROTECTION CLASS CONNECTOR INTERFACE SHELL TO ENCLOSURE	IP 67/69K (in mated condition / when properly installed)					
OPERATING TEMP.	-25°C / 85°C					
UL CERTIFICATION	FILE NO. E152210					
CSA CERTIFICATION	FILE NO. LR6837					
WIRE LEAD	0.34 mm ² PVC	0.34 mm ² PVC	0.25 mm ² PVC		0.14 mm ² PVC	
PIN DIAMETER	1.0 mm	1.0 mm	0.8 mm		0.6 mm	
WIRE COLOR	ACCORDING TO IEC 60947-5-2		ACCORDING TO DIN 47100			

TABLE 5

DIN 47100	
PIN	COLOR
1	WHITE/Weiß
2	BROWN/braun
3	GREEN/Grün
4	YELLOW/Gelb
5	GREY/grau
6	PINK/Rosa
7	BLUE/blau
8	RED/rot
9	BLACK/schwarz
10	PURPLE/lila
11	GREY-PINK/grau-rosa
12	RED-BLUE/rot-Blau

TABLE 4

IEC 60947-5-2	
PIN	COLOR
1	BROWN/braun
2	WHITE/Weiß
3	BLUE/blau
4	BLACK/schwarz
5	GRAY/grau





TABLE 2

MOLEX P/N	ENGINEERING NR.	L [mm]	TOL	DESCRIPTION
1200845108	WR4U26E03C3003	300	±10	REC U12 4P AC MA 0.3M M16 FM WIR BRA AU
1200845099	WR5U26E03C3003	300	±10	REC U12 5P AC MA 0.3M M16 FM WIR BRA AU
1200845096	WR8U26E02C3003	300	±10	REC U12 8P AC MA 0.3M M16 FM WIR BRA AU
1200845003	WR8U26E02M0103	1000	±20	REC U12 8P AC MA 1,0M M16 FM WIR BRA AU
1200845015	WRCU26E01C3003	300	±10	REC U12 12P AC MA 0.3M M16 FM WIR BRA AU
1200845014	WRCU26E01C2003	200	±10	REC U12 12P AC MA 0.2M M16 FM WIR SE SHD

RELEASE STATUS	P1	RELEASE DATE	21.12.2017	12:56:42
----------------	----	--------------	------------	----------

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
EC NO: 169742 DRWN: RSILLER CHK'D: APPR: RSILLER	2017/12/21	2017/12/21	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex®						
	mm				2:1										
	ANGULAR TOL ± 1.0 °		DRWN BY		DATE		REC U12 XP AC MA XM M16 FM WIR BRA AU								
	4 PLACES ±		SSM		2017/09/26										
	3 PLACES ±		CHK'D BY		DATE										
	2 PLACES ± 0.05		CHKD BY												
	1 PLACE ± 0.1		APPR BY		DATE		PRODUCT CUSTOMER DRAWING								
	0 PLACES ± 0.2		RSILLER		2017/12/15										
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION		120084		SEE TABLE 2			GENERAL MARKET			
			A3												
A1	REV														
					DOCUMENT NUMBER				DOC TYPE		DOC PART		SHEET NUMBER		
					1200845108				PSD		000		2 OF 2		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9