





Copyright FCI.

PRODUCT NO.	ROWS	POWER			SIGNAL		E2
		E1	P1	P2	1	2	
51952-293-- NOTE③	D C B A		PC	PC	G G G G		




CODE	DIM "M" MATING LENGTH	CONTACT TYPE
PC	[N/A]	POWER
G	[6.86]	SIGNAL
HA	[N/A]	HOLD-DOWN

spec ref		Plating Spec: 10064183		dr	Luo Weller	2014/11/03	projection 	MM 	size	A4	scale	1:1	
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Luo Weller	2014/11/17			ecn no				-
				chr	-	-							
				appr	Pei-Ming Zheng	2014/11/14	product family				PwrBlade	rel level	
surface 	linear	0.X	±0.50		title 2ACP + 8S VERTICAL PF HEADER				dwg no	51952-293		rev A	
		0.XX	±0.25										
		0.XXX	±0.10										
	angular	0°	±2°	www.fci.com	cat. no.		&model_name	Product - Customer Drw			sheet 1 of 4		


PRODUCT NUMBER

51952-293--
NOTE 3


DIM "M"±0.25




SECTION A-A
SCALE 2:1




SCALE 2:1




SCALE 2:1

dr	Luo Weller	2014/11/03	projection 	MM 	size	A4	scale	1:1			
eng	Luo Weller	2014/11/17			ecn no	-					
chr	-	-									
appr	Pei-Ming Zheng	2014/11/14	product family	PwrBlade	rel level	Released					
	title			2ACP + 8S VERTICAL PF HEADER			dwg no		51952-293		rev
www.fci.com	cat. no.		&model_name		Product - Customer Drw				sheet 2 of 4		

PRODUCT NUMBER

51952-293--
NOTE 3

dr	Luo Weller	2014/11/03	projection 	MM 	size	A4	scale	1:1	
eng	Luo Weller	2014/11/17			ecn no -				
chr	-	-							
appr	Pei-Ming Zheng	2014/11/14	product family		PwrBlade	rel level	Released		
		title			2ACP + 8S	dwg no		51952-293	rev
		VERTICAL PF HEADER					A		
www.fci.com		cat. no.	&model_name	Product - Customer Drw			sheet 3 of 4		



Copyright FCI.

PRODUCT NUMBER
51952-293__
NOTE 3

NOTES:

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH
ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

- 2 HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
- 3. SEE ITEM 3 & 4 IN PRINT 10064183 FOR PLATING SPEC OF 51952-293 AND 51952-293LF RESPECTIVELY.

- 4 MANUFACTURER'S NAME, DATE CODE AND OPTIONAL P/N TO APPEAR ON
THIS SURFACE. THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH
SPACE ON THIS SURFACE.

5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.

6. PACKAGED IN TRAYS.

PCB NOTES:

7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.


8. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.

- 9 $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH
0.008 MIN SnPb OR Sn OVER .001 [0.03]
TO 0.08 Cu PLATING TO ACHIEVE
 $\varnothing 1.02 \pm 0.07$ HOLE.

- 10 "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.

- 11 CONNECTOR KEEP-OUT ZONE.

12. FOR PRESS FIR APPLICATION USE CAM TOOL 430169-XXX.

dr	Luo Weller	2014/11/03	projection 	MM 	size	A4	scale	1:1			
eng	Luo Weller	2014/11/17			ecn no	-					
chr	-	-									
appr	Pei-Ming Zheng	2014/11/14	product family		PwrBlade	rel level			Released		
		title			2ACP + 8S			dwg no	51952-293	rev	A
		VERTICAL PF HEADER									
www.fci.com		cat. no.		&model_name		Product - Customer Drw			sheet 4 of 4		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9