



LOC		DIST		REVISIONS					
FX		00		DESCRIPTION			DATE	OWN	APVD
		P	LTR						
			D	REVISED PER ECO-09-011983			19MAY2009	DLD	WTW


KEYING OPTIONS
SCALE 2:1




OPTION "A"




OPTION "B"




OPTION "C"



OPTION "D"



OPTION "E"





OPTION "F"




SECTION A-A
SHOWN WITH TPA IN
IT'S PRE-LOADED POSITION
(DELIVERY CONDITON)

MINIMUM FEED THROUGH CONDITION
WITH 1mm CLEARANCE ALL AROUND


MINIMUM FEED THROUGH CONDITION
WITH 1mm CLEARANCE ALL AROUND
SHOWN WITH OPTION WIRESHIELD



SCALE 2:1



SCALE 2:1



SCALE 1:1

KEYING OPTION "A" SHOWN

		SCALE 1:1		KEYING OPTION "A" SHOWN			
		ASSEMBLY PART NUMBER					
3-1924672-1	1	1	1	7	CPA	PBT-GF15	RED
1924681-1	1	1	1	6	PERIMETER SEAL	SILICONE	GREEN
1924680-1	1	1	1	5	GROMMET	SILICONE	BROWN
3-1924672-4	1	1	1	4	SHORTING BAR	S.S.	SEE COMPONENT DRAWING
3-1924672-3	1	1	1	3	COVER	PA66 35% GF	BLACK
3-1924672-2	1	1	1	2	SPACER FOR SHORTING BAR APPLICATIONS	sPS 30% GF	NATURAL
5-1924670-1	1	1	1	1	PLUG WITH KEYING OPTION "D" AND 5 SHORTING BAR POSITIONS CONFIGURATION	PA66 35% GF	BLACK
5-1924670-0	1	1	1		PLUG WITH KEYING OPTION "C" AND 5 SHORTING BAR POSITIONS CONFIGURATION	PA66 35% GF	BLACK
4-1924670-9	1	1	1		PLUG WITH KEYING OPTION "B" AND 5 SHORTING BAR POSITIONS CONFIGURATION	PA66 35% GF	BLACK
4-1924670-8	1	1	1		PLUG WITH KEYING OPTION "A" AND 5 SHORTING BAR POSITIONS CONFIGURATION	PA66 35% GF	BLACK
4-1924670-7	1	1	1				
4-1924670-6	1	1	1				
4-1924670-5	1	1	1				
4-1924670-4	1	1	1				
4-1924670-3	1	1	1				
4-1924670-2	1	1	1				
4-1924670-1	1	1	1				
4-1924670-0	1	1	1				
3-1924670-9	1	1	1				
3-1924670-8	1	1	1				
3-1924670-7	1	1	1				
3-1924670-6	1	1	1				
3-1924670-5	1	1	1				
3-1924670-4	1	1	1				
3-1924670-3	1	1	1				
3-1924670-2	1	1	1				
1924671-5	1	1	1				
1924671-4	1	1	1				
1924671-3	1	1	1				
3-1924670-0	1	1	1				
3-1924672-0	1	1	1				
2-1924672-9	1	1	1				
2-1924672-8	1	1	1				
1-1924672-9	1	1	1				
1-1924672-8	1	1	1				
1-1924672-7	1	1	1				
1-1924672-6	1	1	1				
1-1924672-5	1	1	1				
1-1924672-4	1	1	1				
1-1924672-3	1	1	1				
1-1924672-2	1	1	1				
1-1924672-1	1	1	1				
1-1924672-0	1	1	1				
1924672-9	1	1	1				
1924672-8	1	1	1				
1924672-7	1	1	1				
1924672-6	1	1	1				
1924672-5	1	1	1				
1924672-4	1	1	1				
1924672-3	1	1	1				
1924672-2	1	1	1				
1924672-1	1	1	1				
1924671-2	1	1	1				
2-1924670-8	1	1	1				
1924671-1	1	1	1				
2-1924670-7	1	1	1				
2-1924670-6	1	1	1				
2-1924670-5	1	1	1				
2-1924670-4	1	1	1				
2-1924670-3	1	1	1				
2-1924670-2	1	1	1				
2-1924670-1	1	1	1				
2-1924670-0	1	1	1				
1-1924670-9	1	1	1				
1-1924670-8	1	1	1				
1-1924670-7	1	1	1				
1-1924670-6	1	1	1				
1-1924670-5	1	1	1				
1-1924670-4	1	1	1				
1-1924670-3	1	1	1				
1-1924670-2	1	1	1				
1-1924670-1	1	1	1				
1-1924670-0	1	1	1				
1924670-9	1	1	1				
1924670-8	1	1	1				
1924670-7	1	1	1				
1924670-6	1	1	1				
1924670-5	1	1	1				
1924670-4	1	1	1				
1924670-3	1	1	1				
1924670-2	1	1	1				
1924670-1	1	1	1				
1924670-0	1	1	1				
QUANTITY				ITEM	DESCRIPTION	MATERIAL	FINISH/COLOR

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9