




## DDR3 DIMM Sockets

TE Connectivity' DIMM sockets address interconnect requirements across server, communications, and notebook platforms. This product portfolio is designed around JEDEC industry standards. Sockets are offered with a variety of features designed to meet high speed data applications where peak performance is required.



## KEY FEATURES

- DDR3 DIMM Vertical Through Hole
- DDR3 DIMM Vertical Surface Mount
- DDR3 DIMM Right Angle Surface Mount
- Mini DIMM Right Angle Surface Mount

## APPLICATIONS

Applications : Servers, Notebook PCs, Communications Equipment

## PRODUCT OFFERING Cont.

### C DDR3 SO DIMM 204 position Right Angle Surface Mount 5.2mm Height

| Part Number<br>Std Keying | Part Number<br>Rvs Keying | Contact<br>Plating | Housing<br>Color | Boss | Packaging |
|---------------------------|---------------------------|--------------------|------------------|------|-----------|
| 2013289-1                 | 2013290-1                 | Gold flash         | Black            | With | Tray      |
| 2013289-2                 | 2013290-2                 | Gold (10)          | Black            | With | Tray      |
| 2013289-3                 | 2013290-3                 | Gold (30)          | Black            | With | Tray      |
| 2-2013289-1               | 2-2013290-1               | Gold flash         | Black            | With | Reel      |
| 2-2013289-2               | 2-2013290-2               | Gold (10)          | Black            | With | Reel      |
| 2-2013289-3               | 2-2013290-3               | Gold (30)          | Black            | With | Reel      |

### A Mini DIMM 244 Position Right Angle Surface Mount

| Part Number | Keying   | Contact<br>Plating | Height  | Housing<br>Color | Packaging |
|-------------|----------|--------------------|---------|------------------|-----------|
| 1735438-2   | Reverse  | Gold (30)          | 9.79 mm | Black            | Tray      |
| 1735438-4   | Standard | Gold (30)          | 9.79 mm | Black            | Tray      |
| 1-1735438-2 | Reverse  | Gold (15)          | 9.79 mm | Black            | Tray      |
| 1-1735438-4 | Standard | Gold (15)          | 9.79 mm | Black            | Tray      |

### D DDR3 DIMM 240 Position Vertical Surface Mount

| Part Number | Contact Plating | Housing Color | Extractor Color | Packaging |
|-------------|-----------------|---------------|-----------------|-----------|
| 2040727-1   | Gold Flash      | Black         | Natural         | Tray      |
| 2040727-4   | Gold (15)       | Black         | Natural         | Tray      |
| 2040727-5   | Gold (30)       | Natural       | Natural         | Tray      |
| 2040727-6   | Gold (30)       | Black         | Black           | Tray      |
| 2040727-7   | Gold (30)       | Black         | Natural         | Tray      |

### C DDR3 SO DIMM 204 position Right Angle Surface Mount 4.0mm Height

| Part Number<br>Std Keying | Part Number<br>Rvs Keying | Contact<br>Plating | Housing<br>Color | Boss | Packaging |
|---------------------------|---------------------------|--------------------|------------------|------|-----------|
| 2013022-1                 | 2013287-1                 | Gold flash         | Black            | With | Tray      |
| 2013022-2                 | 2013287-2                 | Gold (10)          | Black            | With | Tray      |
| 2013022-3                 | 2013287-3                 | Gold (30)          | Black            | With | Tray      |
| 2-2013022-1               | 2-2013287-1               | Gold flash         | Black            | With | Reel      |
| 2-2013022-2               | 2-2013287-2               | Gold (10)          | Black            | With | Reel      |
| 2-2013022-3               | 2-2013287-3               | Gold (30)          | Black            | With | Reel      |

### C DDR3 SO DIMM 204 position Right Angle Surface Mount 8.0mm Height

| Part Number<br>Std Keying | Part Number<br>Rvs Keying | Contact<br>Plating | Housing<br>Color | Boss | Packaging |
|---------------------------|---------------------------|--------------------|------------------|------|-----------|
| 2013297-1                 | 2013298-1                 | Gold flash         | Black            | With | Tray      |
| 2013297-2                 | 2013298-2                 | Gold (10)          | Black            | With | Tray      |
| 2013297-3                 | 2013298-3                 | Gold (30)          | Black            | With | Tray      |
| 2-2013297-1               | 2-2013298-1               | Gold flash         | Black            | With | Reel      |
| 2-2013297-2               | 2-2013298-2               | Gold (10)          | Black            | With | Reel      |
| 2-2013297-3               | 2-2013298-3               | Gold (30)          | Black            | With | Reel      |

### C DDR3 SO DIMM 204 position Right Angle Surface Mount 9.2mm Height

| Part Number<br>Std Keying | Part Number<br>Rvs Keying | Contact<br>Plating | Housing<br>Color | Boss | Packaging |
|---------------------------|---------------------------|--------------------|------------------|------|-----------|
| 2013310-1                 | 2013311-1                 | Gold flash         | Black            | With | Tray      |
| 2013310-2                 | 2013311-2                 | Gold (10)          | Black            | With | Tray      |
| 2013310-3                 | 2013311-3                 | Gold (30)          | Black            | With | Tray      |
| 2-2013310-1               | 2-2013311-1               | Gold flash         | Black            | With | Reel      |
| 2-2013310-2               | 2-2013311-2               | Gold (10)          | Black            | With | Reel      |
| 2-2013310-3               | 2-2013311-3               | Gold (30)          | Black            | With | Reel      |

## PRODUCT OFFERING Cont.

**C** DDR3 SO DIMM 204 position Right Angle Surface Mount 10.1 mm Height

| Part Number | Keying   | Contact Plating | Housing Color | Boss | Packaging |
|-------------|----------|-----------------|---------------|------|-----------|
| 2-1932393-1 | Standard | Gold flash      | Black         | With | Reel      |
| 2-1932392-1 | Reverse  | Gold flash      | Black         | With | Reel      |

**B** DDR3 DIMM 240 position Vertical Thru Hole

| Part Number | Contact Plating | Housing Color | Extractor Color | Tail Length | Packaging |
|-------------|-----------------|---------------|-----------------|-------------|-----------|
| 1932000-1   | Gold Flash      | Natural       | Natural         | 2.67 mm     | Tray      |
| 1932000-2   | Gold Flash      | Natural       | Natural         | 3.18 mm     | Tray      |
| 1932000-3   | Gold Flash      | Natural       | Natural         | 4.00 mm     | Tray      |
| 1932000-4   | Gold (15)       | Natural       | Natural         | 2.67 mm     | Tray      |
| 1932000-5   | Gold (15)       | Natural       | Natural         | 3.18 mm     | Tray      |
| 1932000-6   | Gold (15)       | Natural       | Natural         | 4.00 mm     | Tray      |
| 1932000-7   | Gold Flash      | Black         | Natural         | 2.67 mm     | Tray      |
| 1-1932000-0 | Gold (15)       | Black         | Natural         | 2.67 mm     | Tray      |
| 1-1932000-1 | Gold (15)       | Black         | Natural         | 3.18 mm     | Tray      |
| 1-1932000-5 | Gold Flash      | Black         | Black           | 4.00 mm     | Tray      |
| 1-1932000-6 | Gold (15)       | Black         | Black           | 2.67 mm     | Tray      |
| 1-1932000-7 | Gold (15)       | Black         | Black           | 3.18 mm     | Tray      |
| 2-1932000-1 | Gold (15)       | Orange        | Natural         | 2.67 mm     | Tray      |
| 2-1932000-5 | Gold (15)       | Blue          | Natural         | 2.67 mm     | Tray      |
| 3-1932000-3 | Gold (15)       | Green         | Natural         | 2.67 mm     | Tray      |
| 4-1932000-6 | Gold (30)       | Black         | Natural         | 2.67 mm     | Tray      |
| 4-1932000-7 | Gold (30)       | Black         | Natural         | 3.18 mm     | Tray      |
| 4-1932000-8 | Gold (30)       | Black         | Natural         | 4.00 mm     | Tray      |
| 5-1932000-1 | Gold (30)       | Black         | Black           | 3.18 mm     | Tray      |
| 5-1932000-2 | Gold (30)       | Black         | Black           | 4.00 mm     | Tray      |
| 6-1932000-4 | Gold Flash      | Blue          | Natural         | 2.54 mm     | Tray      |
| 6-1932000-5 | Gold Flash      | Pink          | Natural         | 2.54 mm     | Tray      |
| 7-1932000-2 | Gold (15)       | Blue          | Natural         | 2.67 mm     | Tray      |
| 7-1932000-5 | Gold (30)       | Black         | Natural         | 2.54 mm     | Tray      |
| 7-1932000-6 | Gold (30)       | Black         | Black           | 2.54 mm     | Tray      |

**B** DDR3 DIMM 240 position Low Resistance Vertical Thru Hole

| Part Number | Contact Plating | Housing Color | Extractor Color | Tail Length | Packaging |
|-------------|-----------------|---------------|-----------------|-------------|-----------|
| 1932031-4   | Gold (15)       | Natural       | Natural         | 2.67 mm     | Tray      |
| 1932031-5   | Gold (15)       | Natural       | Natural         | 3.18 mm     | Tray      |
| 1-1932031-0 | Gold (15)       | Black         | Natural         | 2.67 mm     | Tray      |
| 1-1932031-1 | Gold (15)       | Black         | Natural         | 3.18 mm     | Tray      |
| 1-1932031-5 | Gold Flash      | Black         | Black           | 4.00 mm     | Tray      |
| 1-1932031-6 | Gold (15)       | Black         | Black           | 2.67 mm     | Tray      |
| 2-1932031-5 | Gold (15)       | Blue          | Natural         | 2.67 mm     | Tray      |
| 2-1932031-6 | Gold (15)       | Blue          | Natural         | 3.18 mm     | Tray      |
| 3-1932031-4 | Gold (15)       | Green         | Natural         | 3.18 mm     | Tray      |
| 4-1932031-7 | Gold (30)       | Black         | Natural         | 3.18 mm     | Tray      |
| 4-1932031-9 | Gold (30)       | Blue          | Natural         | 3.18 mm     | Tray      |
| 5-1932031-8 | Gold (15)       | Blue          | Natural         | 3.18 mm     | Tray      |
| 5-1932031-9 | Gold (30)       | Natural       | Natural         | 3.18 mm     | Tray      |

A

B

C

D

## FOR MORE INFORMATION

### TE Connectivity Technical Support Center

|                             |                       |
|-----------------------------|-----------------------|
| USA:                        | +1 (800) 522-6752     |
| Canada:                     | +1 (905) 470-4425     |
| Central America<br>& Mexico | + 52(0) 55-1106-0814  |
| South America:              | +55 (0) 11-2103-6000  |
| Germany:                    | +49 (0) 6251-133-1999 |
| UK:                         | + 44 (0) 8706-080208  |
| France:                     | +33 (0) 1-3420-8686   |
| Netherlands:                | +31 (0) 73-6246-999   |
| China:                      | +86 (0) 400-820-6015  |

For other country number go to [te.com/support-center](http://te.com/support-center)

Part numbers in this brochure are RoHS Compliant\*, unless marked otherwise.

\*as defined [www.te.com/leadfree](http://www.te.com/leadfree)

**te.com**

© 2011 Tyco Electronics Corporation, a TE Connectivity Ltd. Company. All Rights Reserved.

6-1773454-7 CIS FP 05/2011

TE Connectivity and TE connectivity (logo) are trademarks. Other logos, product and/or company names might be trademarks of their respective owners.

While TE has made every reasonable effort to ensure the accuracy of the information in this brochure, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this catalog are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.



## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9