

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD

D

C

B

A


REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER

FOR REPLACEMENT PARTS FOR APPLICATOR REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED) WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±

2 PLC ±

3 PLC ±

4 PLC ±

ANGLES ±

FINISH

MATERIAL

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

TE Connectivity

NAME

SIZEA3

CAGE CODE

DRAWING NOG-

RESTRICTED TO

SCALE

SHEET OF

REV

1470-19 (3/11)


Pro/ENGINEER DRAWING

8				7		
THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION		
20				20		
(C) COPYRIGHT 20 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.						
PART NUMBER	REV	FIRST USED	POWER UNIT	FEED TYPE	DESCRIPTION	
1852432-1	B	122500-1	LEADMAKER	AIR FEED	CUTS CARRIER	
1852432-2	B	565435-5	BENCH MODEL K	AIR FEED	CUTS CARRIER	
1852432-3	B	354500-1	BENCH MODEL G	AIR FEED	CUTS CARRIER	
1852432-6	B	122500-1	LEADMAKER	AIR FEED	CONTINUOUS CARRIER	
7-1852432-7	A	-	-	-	SPARE PARTS	

RECOMMENDED SPARE PARTS

GREASE LIGHTLY



GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE



TE PN		MANUF PN	TE TERMINAL - TE CRIMP SPECS	
1742449	-	-	CRIMP HEIGHT	WIRE SIZE
-	-	-	A .070±.002[1.78±0.05mm]	14AWG
-	-	-	B .064±.002[1.63±0.05mm]	(2) 18AWG
-	-	-	C .061±.002[1.55±0.05mm]	16AWG
-	-	-	D .055±.002[1.40±0.05mm]	18AWG
-	-	-	CRIMP	SIZE
-	-	-	WIRE .110 [2.79mm]	F
-	-	-	INSUL .180 [4.57mm]	F
WIRE STRIP LENGTH .229 - .244	TERM APPL SPEC 114-13095	FEED .960	APPLICATOR INSTRUCTIONS 408-8040	SET UP GAGE 458637-1

LOC		DIST		REV		DATE		BY		CHK	
A	66	-	-	-	-	-	-	-	-	-	-
B	ECR-10-009301	-	-	-	-	28APR2010	-	-	-	-	-

REV		LTH		DESCRIPTION		DATE		BY		CHK	
-	2	2	2	-	1-354779-8	PIN, WIRE DISC, .3080	-	-	-	-	-
-	1	1	1	-	8-21000-7	SCR, SKT HD CAP 10-32 X 2.500	-	-	-	-	-
-	2	2	2	-	21024-2	WASHER, SPRG LOCK, REG NO 4	-	-	-	-	-
-	-	-	REF	-	692655-6	AIR FEED VALVE ASSEMBLY	-	-	-	-	-
-	1	1	1	-	461062-1	FEED FINGER ASSEMBLY	-	-	-	-	-
-	-	-	REF	-	455749-1	GUARD WINDOW	-	-	-	-	-
-	-	-	REF	-	679532-1	INSERT, GUARD	-	-	-	-	-
-	-	-	1	-	2-21002-6	SCR, BTN SKT HD CAP 10-32 X .375	-	-	-	-	-
-	-	-	1	-	1-465184-0	LUBRICATOR ASSY	-	-	-	-	-
-	1	1	1	-	690603-1	SPRING ASSIST AMP-O-MATOR APPLICATOR	-	-	-	-	-
-	1	1	1	-	3-21001-5	SCR, SKT HD CAP 3/8-16 X 1.000	-	-	-	-	-
-	1	1	1	-	459610-9	MOUNT, FEED BRACKET	-	-	-	-	-
-	1	1	1	-	21024-8	WASHER, SPRG LOCK, REG 3/8	-	-	-	-	-
-	1	1	1	-	692655-7	AIR FEED VALVE ASSEMBLY	-	-	-	-	-
-	1	1	1	-	461690-4	SPACER, AIR FEED	-	-	-	-	-
-	-	-	REF	-	24024-2	VALVE, SHUT OFF	-	-	-	-	-
-	-	-	1	-	692655-5	AIR FEED VALVE ASSEMBLY	-	-	-	-	-
-	1	1	1	-	461065-2	ASSEMBLY, AIR FEED	-	-	-	-	-
-	2	2	2	-	4-21000-2	SCR, SKT HD CAP 10-32 X 1.750	-	-	-	-	-
-	2	2	2	-	5-21006-6	SCR, SET, CUP POINT 10-32 X .750	-	-	-	-	-
-	1	1	1	-	1-22281-8	SPRING, COMPRESSION	-	-	-	-	-
-	1	1	1	-	318563-1	GUARD, FRONT CHIP	-	-	-	-	-
-	2	2	2	-	1-21000-3	SCR, SKT HD CAP 4-40 X .250	-	-	-	-	-
-	1	1	1	-	21989-8	SCR, SKT HD SHLDR 3/16 DIA X .250	-	-	-	-	-
-	1	1	1	-	4088040	SF APPL INST 408-8040	-	-	-	-	-
-	1	1	1	-	217238-1	GENERAL INSTRUCTION PKG	-	-	-	-	-
-	1	1	1	-	461264-1	PLATE, IDENTIFICATION	-	-	-	-	-
-	2	2	2	-	21017-2	SCREW, DRIVE	-	-	-	-	-
-	1	1	1	-	986950-1	WASHER, FLAT PRECISION	-	-	-	-	-
-	1	1	1	-	21009-2	SCR, SET, SELF LOCKING 1/4-20 X .250	-	-	-	-	-
-	1	1	1	-	23030-1	SCR, SKT HD CAP 6-32 X .25	-	-	-	-	-
-	1	1	1	-	22733-8	SCR, BHSC, SELF-LOCKING, 8-32 X .375	-	-	-	-	-
-	1	1	1	-	2-22603-0	SCR, HEX HD CAP 8-32 X .312	-	-	-	-	-
-	1	1	1	-	458537-2	PAWL, FEED	-	-	-	-	-
-	2	2	2	-	2-21002-2	SCR, BTN SKT HD CAP 8-32 X .500	-	-	-	-	-
-	1	1	1	-	1633399-1	APPL., BASIC AIR FEED SUB ASSY	-	-	-	-	-
-	1	1	1	-	690191-1	PLUG, NYLON	-	-	-	-	-
-	1	1	1	-	819307-7	RAM, SIDE FEED	-	-	-	-	-
-	1	1	1	-	690125-1	SHIM SUB-ASSY	-	-	-	-	-
-	1	1	1	-	690124-1	WASHER, RAM (.115)	-	-	-	-	-
-	1	1	1	-	7-21002-9	SCR, BTN SKT HD CAP 5/16-24 X 1.00	-	-	-	-	-
-	1	1	1	-	23241-6	BALL, STEEL	-	-	-	-	-
-	1	1	1	-	690170-1	SPRING, COMPRESSION	-	-	-	-	-
-	1	1	1	-	1-690142-1	DISC, INSULATION	-	-	-	-	-
-	1	1	1	-	354777-1	WIRE DISC, ASSEMBLY	-	-	-	-	-
-	1	1	1	-	22480-5	SPRING, COMPRESSION	-	-	-	-	-
-	1	1	1	-	690212-1	POST, RAM	-	-	-	-	-
-	2	2	2	-	2-21002-4	SCR, BTN SKT HD CAP 8-32 X .750	-	-	-	-	-
-	3	3	3	-	21024-5	WASHER, SPRG LOCK, REG NO 10	-	-	-	-	-
-	1	1	1	-	3-21000-4	SCR, SKT HD CAP 10-32 X .375	-	-	-	-	-
-	1	1	1	-	1320908-1	SPACER, STRIP GUIDE	-	-	-	-	-
-	1	1	1	-	1-1633087-1	PLATE, STRIP GUIDE	-	-	-	-	-
-	1	1	1	-	1-455888-0	SPACER, CRIMPER	-	-	-	-	-
-	2	2	2	-	1-22284-0	SPRING, COMPRESSION	-	-	-	-	-
-	1	1	1	-	356835-1	LEVER, DRAG RELEASE	-	-	-	-	-
-	1	1	1	-	240792-1	DRAG, TERMINAL	-	-	-	-	-
-	1	1	1	-	1320928-1	PLATE, STRIP GUIDE	-	-	-	-	-
-	1	1	1	-	690438-1	FRONT STRIP GUIDE	-	-	-	-	-
-	1	1	1	-	690472-2	STRIPPER	-	-	-	-	-
-	1	1	1	-	2-21000-7	SCR, SKT HD CAP 8-32 X .500	-	-	-	-	-
-	2	2	2	-	21024-4	WASHER, SPRG LOCK, REG NO 8	-	-	-	-	-
-	-	-	1	-	691353-1	STRIPPER	-	-	-	-	-
-	1	1	1	-	679625-2	SHEAR HOLDER, FRONT (NO CUT)	-	-	-	-	-
-	1	1	1	-	3-22280-3	SPRING, COMPRESSION	-	-	-	-	-
-	1	1	1	-	1-690461-6	STOP, SHEAR	-	-	-	-	-
-	-	-	1	-	1-690459-0	SHEAR HOLDER, FRONT	-	-	-	-	-
-	1	1	1	-	454276-5	FLOATING SHEAR, FRONT	-	-	-	-	-
-	1	1	1	-	1633535-7	ANVIL, COMBINATION	-	-	-	-	-
-	1	1	1	-	1-455889-4	DEPRESSOR, SHEAR	-	-	-	-	-
-	1	1	1	-	238011-2	BLOCK, CRIMPER SPACER	-	-	-	-	-
-	1	1	1	-	1633511-3	CRIMPER, INSULATION F	-	-	-	-	-
-	1	1	1	-	1-455888-3	SPACER, CRIMPER	-	-	-	-	-
-	1	1	1	-	2-464112-0	CRIMPER, WIRE	-	-	-	-	-



REV		LTH		DESCRIPTION		DATE		BY		CHK	
-	2	2	2	-	6-354779-0	PIN, WIRE DISC, .3290	-	-	-	-	-
-	2	2	2	-	4-354779-0	PIN, WIRE DISC, .3190	-	-	-	-	-
-	2	2	2	-	3-354779-4	PIN, WIRE DISC, .3160	-	-	-	-	-
-	77	-6	-3	-2	-1	U/M	-	-	-	-	-

DIMENSIONS		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPROVED		DATE		BY		CHK	
INCHES	PLC	±.01	±.001	APPROVED	APPROVED	12MAR2007	12MAR2007	APPROVED	APPROVED	APPROVED	APPROVED
MATERIAL	FINISH	WEIGHT	SCALE	3:5	SHEET	1	OF	1	REV	B	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9