

4

3

2

1


|                              |                          |
|------------------------------|--------------------------|
| THIS DRAWING IS UNPUBLISHED. | RELEASED FOR PUBLICATION |
| © COPYRIGHT                  | ALL RIGHTS RESERVED.     |

| LOC | DIST | REVISIONS |     |               |           |     |      |
|-----|------|-----------|-----|---------------|-----------|-----|------|
|     |      | P         | LTR | DESCRIPTION   | DATE      | DWN | APVD |
|     |      |           | C1  | ECR-14-003072 | 01MAR2014 | GK  | HMR  |
|     |      |           |     |               |           |     |      |
|     |      |           |     |               |           |     |      |
|     |      |           |     |               |           |     |      |
|     |      |           |     |               |           |     |      |

REPLACED BY OCEAN STYLE APPLICATOR PART  
NUMBER 2151187-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1528251  
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)  
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE  
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR  
1528251

|                                                                                       |  |                                        |                         |                     |                                                                                                                 |                            |  |              |  |            |  |               |  |
|---------------------------------------------------------------------------------------|--|----------------------------------------|-------------------------|---------------------|-----------------------------------------------------------------------------------------------------------------|----------------------------|--|--------------|--|------------|--|---------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |  |                                        | DWN<br>GOPALAKRISHNA HV |                     | <div>TE Connectivity</div> |                            |  |              |  |            |  |               |  |
|                                                                                       |  |                                        | CHK<br>RAGHAVENDRA      |                     |                                                                                                                 |                            |  |              |  |            |  |               |  |
| DIMENSIONS:                                                                           |  | TOLERANCES UNLESS OTHERWISE SPECIFIED: |                         | APVD<br>RAGHAVENDRA |                                                                                                                 | NAME                       |  |              |  |            |  |               |  |
|  |  | 0 PLC ±                                |                         | PRODUCT SPEC        |                                                                                                                 | FINE ADJ SIDE FD HD-I APPL |  |              |  |            |  |               |  |
|                                                                                       |  | 1 PLC ±                                |                         |                     |                                                                                                                 |                            |  |              |  |            |  |               |  |
|                                                                                       |  | 2 PLC ±                                |                         |                     |                                                                                                                 |                            |  |              |  |            |  |               |  |
|                                                                                       |  | 3 PLC ±                                |                         |                     |                                                                                                                 |                            |  |              |  |            |  |               |  |
|                                                                                       |  | 4 PLC ±                                |                         | APPLICATION SPEC    |                                                                                                                 |                            |  |              |  |            |  |               |  |
|                                                                                       |  | ANGLES ±                               |                         |                     |                                                                                                                 | SIZE                       |  | CAGE CODE    |  | DRAWING NO |  | RESTRICTED TO |  |
| MATERIAL                                                                              |  | FINISH                                 |                         | WEIGHT              |                                                                                                                 | A 3                        |  |              |  | C- 1528251 |  |               |  |
| CUSTOMER DRAWING                                                                      |  |                                        |                         |                     |                                                                                                                 | SCALE                      |  | SHEET 1 OF 2 |  | REV C1     |  |               |  |

|   |   |   |   |   |   |   |   |            |                               |    |
|---|---|---|---|---|---|---|---|------------|-------------------------------|----|
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 1528251    | PRINT, APPLICATOR LOG SHEET   | 72 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 1338705-3  | DOCUMENTATION PACKAGE         | 71 |
|   |   |   |   |   |   |   |   |            |                               | 70 |
|   |   |   |   |   |   |   |   |            |                               | 69 |
|   |   |   |   |   |   |   |   |            |                               | 68 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 461264-5   | PLATE, IDENTIFICATION         | 67 |
|   | — | 2 | 2 | 2 | 2 | 2 | 2 | 21017-2    | SCR,DRIVE(#2x.19)ID PLATE     | 66 |
|   |   |   |   |   |   |   |   |            |                               | 65 |
|   |   |   |   |   |   |   |   |            |                               | 64 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 3-18031-0  | SCR,SKT SET(M6X6)RAM          | 63 |
|   |   |   |   |   |   |   |   |            |                               | 62 |
|   | — | 2 | 2 | 2 | 2 | 2 | 2 | 2-18032-5  | SCR,SET(M5X20)DRAG            | 61 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 18024-7    | SCR,BHC(M4X10)ANVIL           | 60 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 5-18022-2  | SCR,HEX(M4X8)FEED FINGER      | 59 |
|   |   |   |   |   |   |   |   |            |                               | 58 |
|   |   |   |   |   |   |   |   |            |                               | 57 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 1338685-1  | PAWL, FEED                    | 56 |
|   |   |   |   |   |   |   |   |            |                               | 55 |
|   | — | 4 | 4 | 4 | 4 | 4 | 4 | 18024-8    | SCR,BHC(M4x12)SHEAR HOLDER    | 54 |
|   |   |   |   |   |   |   |   |            |                               | 53 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 18030-1    | NUT,HEX(M3)HOLD DOWN          | 52 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 811242-5   | BUMPER, HOLDDOWN              | 51 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 690753-2   | SPACER, TONKER                | 50 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 18024-3    | SCR,BHC(M3X10)CAM             | 49 |
|   | — | 1 | 1 | — | — | 1 | — | 1338675-1  | CAM, PRE FEED 30 & 40 mm ST   | 48 |
|   | — | 1 | — | 1 | 1 | — | 1 | 1338676-1  | CAM, POST FEED 30 & 40 mm ST  | 47 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 1320999-3  | APPLICATOR BASIC SUBASSY      | 46 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 690191-1   | PLUG, NYLON                   | 45 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 1338660-1  | RAM                           | 44 |
|   |   |   |   |   |   |   |   |            |                               | 43 |
|   |   |   |   |   |   |   |   |            |                               | 42 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 2-18024-6  | SCR,BHC(M8X25)RAM             | 41 |
|   |   |   |   |   |   |   |   |            |                               | 40 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 690125-1   | SHIM SUBASSY                  | 39 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 469367-9   | SPACER, FINE ADJUST           | 38 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 879103-2   | FINE ADJUST HEAD SUBASSY      | 37 |
|   |   |   |   |   |   |   |   |            |                               | 36 |
|   |   |   |   |   |   |   |   |            |                               | 35 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 1320934-1  | SUPPORT, TERMINAL             | 34 |
|   | — | 2 | 2 | 2 | 2 | 2 | 2 | 1-18024-0  | SCR,BHC(M4X20)STRIP GUIDE     | 33 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 18027-2    | WASHER, FLAT(M4)              | 32 |
|   | — | 3 | 3 | 3 | 3 | 3 | 3 | 1-18023-2  | SCR,SKT CAP(M4X12)MOUNT BLOCK | 31 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 1320908-1  | SPACER, STRIP GUIDE           | 30 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 1633073-1  | STRIP GUIDE PLATE ASSY        | 29 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 1-455888-0 | SPACER, FRONT SHEAR DEP       | 28 |
|   | — | 2 | 2 | 2 | 2 | 2 | 2 | 1-22284-0  | SPRING, DRAG                  | 27 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 356835-1   | LEVER, DRAG RELEASE           | 26 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 240792-1   | DRAG, TERMINAL                | 25 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 1320928-1  | PLATE, STRIP GUIDE            | 24 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 980371-4   | SCR,SHC SHLD                  | 23 |
|   | — | 1 | — | 1 | 1 | — | 1 | 690472-2   | STRIPPER                      | 22 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 1-18023-1  | SCR,SHC(M4X10)STRIPPER        | 21 |
|   | — | 4 | 4 | 4 | 4 | 4 | 4 | 18025-2    | WASHER,LOCK(M4)STRIPPER       | 20 |
|   | — | — | 1 | — | — | 1 | — | 690472-1   | STRIPPER                      | 19 |
| 1 | — | 1 | — | — | 1 | — | — | 1338684-1  | HOLDER, SHEAR, FRONT (NO-CUT) | 18 |
|   |   |   |   |   |   |   |   |            |                               | 17 |
|   |   |   |   |   |   |   |   |            |                               | 16 |
|   |   |   |   |   |   |   |   |            |                               | 15 |
|   |   |   |   |   |   |   |   |            |                               | 14 |
|   |   |   |   |   |   |   |   |            |                               | 13 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 3-22280-3  | SPRING, SHEAR                 | 12 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 356885-4   | STOP, SHEAR                   | 11 |
| } | — | — | 1 | 1 | — | 1 | 1 | 1320921-1  | HOLDER, SHEAR, FRONT (CUT)    | 10 |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 454276-1   | SHEAR, FLOAT (FRONT)          | 9  |
|   | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 1338696-2  | ANVIL                         | 8  |
|   |   |   |   |   |   |   |   |            |                               | 7  |
|   |   |   |   |   |   |   |   |            |                               | 6  |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 1-455889-4 | DEPRESSOR, SHEAR (FRONT)      | 5  |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 238011-4   | SPACER, BLOCK CRIMPER         | 4  |
| 1 | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 683453-1   | CRIMPER, INSULATION           | 3  |
|   | — | 1 | 1 | 1 | 1 | 1 | 1 | 455888-4   | SPACER, CRIMPER               | 2  |
| 1 | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 456408-2   | CRIMPER, WIRE                 | 1  |

[illegible]

Diagram illustrating the assembly of a continuous carrier, showing various components and their assembly sequence. The diagram includes a detailed exploded view of the carrier assembly, with parts numbered 1 through 63. A separate inset shows a sub-assembly of parts 37, 38, 39, and 40. The main assembly is shown in a perspective view, with parts 1 through 63 labeled. The assembly includes a main frame (1), a carrier (2), a drive mechanism (3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63). The diagram also includes a parts list table.

| CONTINUOUS CARRIER |                 |
|--------------------|-----------------|
| -1                 | AND SPARE PARTS |
| -2                 | AND SPARE PARTS |
| -6                 | AND SPARE PARTS |
| SPARE PARTS KIT    |                 |

\* **WARNING:**  
ON INSTALLATION, SET WIRE DISC TO LARGEST WIRE SIZE  
SETTING. USE OF SETTINGS BELOW MIN REQ'D CRIMP  
HEIGHT SETTING WILL CAUSE DAMAGE TO CRIMP TOOLING.

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9