








5. ALL DIMENSIONS, EXCEPT STRAIGHTNESS TO BE MEASURED WITH BOW REMOVED



REFER TO PG 2 OF 2		TAPE&REEL		0.8	52.10	52.58	54.79	48	24	49	54.15	56.03	-	NIL	50	1735798-1	
REMARKS		PACKAGING		K	J	H	G	F	E	D	C	B	A	CUST. P/N FOR REF ONLY	POSTS OMITTED	POS	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN T Y PANG 23APR2009 CHK S F LEONG 23APR2009 APVD S F LEONG 23APR2009 PRODUCT SPEC - APPLICATION SPEC - WEIGHT -	tyco Electronics Tyco Electronics Singapore Pte. Ltd.	
DIMENSIONS: mm 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.2 1 PLC ±0.2 2 PLC ±0.25 3 PLC ±0.3 4 PLC ±0.3 ANGLES FINISH ±3° 	NAME HEADER ASSEMBLY, 2mm AMPMODU SMT, R/A, D/R		
MATERIAL 		SIZE A2	CAGE CODE 00779	DRAWING NO C=1735798
CUSTOMER DRAWING		SCALE 3:1	SHEET 1 OF 2	REV A

LOC	DIST	REVISIONS					
DY	-	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-



NOTES:



1. ALL DIMENSIONS IN MM
2. GENERAL TOL: $\pm 0.1\text{mm}$
3. MATERIAL: HOUSING THK 0.4mm
4. PACKAGING PER REEL: 1115 POCKETS; OD: 330mm, ID: 100mm
5. QTY PER REEL: 1000 PCS

10 PITCHES CUMULATIVE TOLERANCE ON TAPE $\pm 0.2\text{mm}$


	PEELING STRENGTH: 10g~70g
	PEELING ANGLE 165~180
	PEELING SPEED: 300mm/MINUTE

8. TAPE & REEL PACKAGING APPLY TO P/N: 1-84108-2, 1-84108-4


TAPE & REEL PACKAGING

SECTION D-D


DETAIL E
SCALE 10:1




DETAIL C
SCALE 10:1



SECTION B-B
SCALE 5:1



THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN TY PANG 23APR2009 CHK SF LEONG 23APR2009 APVD SF LEONG 23APR2009		tyco Electronics Tyco Electronics Singapore Pte. Ltd.	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.2 1 PLC ±0.2 2 PLC ±0.25 3 PLC ±0.3 4 PLC ±0.3 ANGLES ±3° FINISH -		NAME HEADER ASSEMBLY, 2mm AMPMODU SMT, R/A, D/R	
MATERIAL -		PRODUCT SPEC - APPLICATION SPEC - WEIGHT -		SIZE A2	CAGE CODE 00779
		CUSTOMER DRAWING		DRAWING NO C=1735798	SCALE 3:1 SHEET 2 OF 2 REV A

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9