

## **Center Pivoting Wall Mount Rack** *HWMR Series* Heavy Duty 220 lbs Weight Capacity



The Hammond Wall Mount Rack (HWMR) series was designed to easily mount network equipment in IT environments with limited floor space. Unlike similar racks, Hammond has integrated both depth adjustment and pivoting swing out capabilities in one rugged open rack system. Available in 12U, 20U, 24U and 32U rack unit options the HWMR can easily adjust in depth from eighteen to twenty-four inches to accommodate a wide range of equipment sizes.

### **Features**

- Constructed of heavy duty 12 gauge steel (braces and rack rail); 16 gauge steel (other body components).
- EIA compliant square-hole rails with rail unit space markers.
- Rack frame pivots on center providing convenient equipment access without exceeding the rack footprint.
- Adjustable variable depth from 18" to 24" using slots for easy set-up and adjusting.
- Variable usable depth from 15.1" to 21.1"
  - Top and Bottom rack units have a usable depth from 12.4" to 18.4".
- Three (3) spring pin positions allow for simplified equipment maintenance.
- Side and rear cable access with multiple tie points for cable management.
- Finished in smooth black powder paint.
- Knockdown design ships unassembled for easy handling and shipping protection.
- Tested to nearly double the suggested load rating of 220 lbs (100 kg).
- RoHS Compliant.
- Manufactured in North America.

### **Included in the Box**

- HWMR Components and assembly hardware.
- Assembly Bulletin.
- Wall mounting template for easy 16 inch center installation. (Wall mounting hardware not included)
- Fifty (50) pack of 10-32 screws and cage nuts.

### **Accessories**

- Universal Rack Shelf
- Two Post Mounting Adjustable Shelf
- Two Post Mounting Clamping Shelf
- Two Post Mounting Keyboard & Equipment Shelf
- Adjustable Depth DIN Rail Panel
- Hinged Acrylic Door Panel Cover
- Outlet Strips
- Rack Panels
- Cable Management
- Rail Mounting Cable Ring
- 10-32 Mounting Screw and Cage Nut Combo-Pack
- Rack Unit Label

Part No.	Overall Dimensions				Mounting (Usable) Dimensions				Rack	Shipping
	Height	Width	Min Depth	Max Depth	Height	Width	Min Depth	Max Depth	Units	Weight
<b>HWMR1912UBK</b>	26.50	20.00	18.00	24.00	21.00	19.00	15.10	21.10	12U	38
<b>HWMR1920UBK</b>	40.50	20.00	18.00	24.00	35.00	19.00	15.10	21.10	20U	43
<b>HWMR1924UBK</b>	47.50	20.00	18.00	24.00	42.00	19.00	15.10	21.10	24U	45
<b>HWMR1932UBK</b>	61.50	20.00	18.00	24.00	56.00	19.00	15.10	21.10	32U	50

Includes a fifty (50) pack of 10-32 screws and cage nuts.

Tags: **Swivel Rack, Swing Gate Rack, Hinged Rack, 2-Post Wall-Mount, Swinging 2-Post, Rotating Equipment Mounting Frame, Swing Frame, Hinged Swing Gate**

*Data subject to change without notice*

© 2016. Hammond Manufacturing Ltd. All rights reserved.

## Данный компонент на территории Российской Федерации

### Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9