










TYPE 1
类型 1

Single PG/M thread & With nonconductive seal
单个PG/M螺纹孔与带非导电密封圈



TYPE 2
类型 2


Two PG/M threads & With nonconductive seal
两个PG/M螺纹孔与带非导电密封圈



All dimension is same as TYPE 1, except those defined in this TYPE
除了在本类型中定义的尺寸外, 其他尺寸同类型 1

TYPE 4
类型 4



Single PG/M thread & With nonconductive seal, No logo
单个PG/M螺纹孔与带非导电密封圈, 无Logo



All dimension is same as TYPE 1, except those defined in this TYPE
除了在本类型中定义的尺寸外, 其他尺寸同类型 1





TYPE 3
类型 3

Single PG/M thread & With conductive seal
单个PG/M螺纹孔与带导电密封圈



All dimension is same as TYPE 1, except those defined in this TYPE
除了在本类型中定义的尺寸外, 其他尺寸同类型 1

REVISIONS				
REV	LTN	DESCRIPTION	DATE	OWN
B3	ECR-18-009564		25SEP2018	CD
B4	ECR-18-017123		25DEC2018	KW
B5	ECR-19-006656		05NOV2019	CD
B6	ECR-19-007133		20NOV2019	BS



THIS DRAWING IS A CONTROLLED DOCUMENT.				DATE: 16 JUN 2015	
DIMENSIONS:				CHK: 16 JUN 2015	
(MM)				APPRO: 16 JUN 2015	
0 PLG				PRODUCT SPEC	
2 PLG				108-137014	
3 PLG				APPLICATION SPEC	
4 PLG				114-137014	
MATERIAL				WEIGHT	
FINISH				SCALE	
CUSTOMER DRAWING				SCALE: 1:1	
				SHEET 1 OF 2	
				REV B6	

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED

RELEASED FOR PUBLICATION

20

(C) COPYRIGHT 2015 BY ST

ALL RIGHTS RESERVED

TYPE 5

类型5

Two PG/M threads & With nonconductive seal, No Logo

两个PG/M螺纹孔及带非导电密封圈, 无Logo

25

25

PG/M THREAD-2

PG/M 螺纹2

PG/M THREAD-3

PG/M 螺纹3

Nonconductive seal

非导电密封圈

NOTES:

1. TECHNICAL CHARACTERISTICS:
HOOD MATERIAL: DIE CAST ALUMINUM ALLOY
SURFACE TREATMENT: SEE TABLE
DEGREE OF PROTECTION: IP68 (MATED)

注释:

1. 技术参数:
壳体材料: 铝合金
表面处理: 见表格
防护等级: IP68 (配合)

TYPE 6

类型6

Two PG/M threads & With nonconductive seal & Minus screw

两个PG/M螺纹孔及带非导电密封圈及一字槽螺丝

25

25

32

32

Nonconductive seal

非导电密封圈

Minus screw

一字槽螺丝

NOTES:

1. TECHNICAL CHARACTERISTICS:
HOOD MATERIAL: DIE CAST ALUMINUM ALLOY
SURFACE TREATMENT: SEE TABLE
DEGREE OF PROTECTION: IP68 (MATED)

注释:

1. 技术参数:
壳体材料: 铝合金
表面处理: 见表格
防护等级: IP68 (配合)

T1922242232-000	POWDER COATED, GREY 表面喷涂, 灰色	H24BPR-TGHC-2M32	H24BPR HOOD, CENTER LOCKING, MINUS SCREW, TOP ENTRY 2M32, POWDER COATED, GREY H24BPR上盖, 中部锁紧, 一字槽螺丝, 顶盖2M32, 灰色粉末喷涂	M32	M32	-	TYPE 6 类型6
T1922242125-001	POWDER COATED, DEEP GREY 表面喷涂, 深灰色	H24BPR-TGHC-M25	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M25, POWDER COATED, DEEP GREY, NO LOGO H24BPR上盖, 中部锁紧, 顶盖M25, 深灰色粉末喷涂, 无LOGO	-	-	M25	TYPE 4 类型4
T1922242132-001	POWDER COATED, DEEP GREY 表面喷涂, 深灰色	H24BPR-TGHC-M32	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M32, POWDER COATED, DEEP GREY, NO LOGO H24BPR上盖, 中部锁紧, 顶盖M32, 深灰色粉末喷涂, 无LOGO	-	-	M32	
T1922242150-001	POWDER COATED, DEEP GREY 表面喷涂, 深灰色	H24BPR-TGHC-M50	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M50, POWDER COATED, DEEP GREY, NO LOGO H24BPR上盖, 中部锁紧, 顶盖M50, 深灰色粉末喷涂, 无LOGO	-	-	M50	
T1922242140-001	POWDER COATED, DEEP GREY 表面喷涂, 深灰色	H24BPR-TGHC-M40	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M40, POWDER COATED, DEEP GREY, NO LOGO H24BPR上盖, 中部锁紧, 顶盖M40, 深灰色粉末喷涂, 无LOGO	-	-	M40	
T1922244025-001	POWDER COATED, DEEP GREY 表面喷涂, 深灰色	H24BPR-TGHC-M40/M25	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M40/M25, POWDER COATED, DEEP GREY, NO LOGO H24BPR上盖, 中部锁紧, 顶盖M40/M25, 深灰色粉末喷涂, 无LOGO	M25	M40	-	TYPE 5 类型5
T1922241129-001	POWDER COATED, SILVER WHITE 表面喷涂, 银白色	H24BPR-TGHC-PG29	H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG29, POWDER COATED, SILVER WHITE, CONDUCTIVE, THREAD HOLE WITH STEP H24BPR上盖, 中部锁紧, 顶盖PG29, 银白色粉末喷涂, 导电孔, 螺纹孔带台阶	-	-	PG29	TYPE 3 类型3
T1922240129-001	POWDER COATED, BLACK 表面喷涂, 黑色	H24BPR-TGHC-PG29	H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG29, POWDER COATED, BLACK, CONDUCTIVE, THREAD HOLE WITH STEP H24BPR上盖, 中部锁紧, 顶盖PG29, 黑色粉末喷涂, 导电孔, 螺纹孔带台阶	-	-	PG29	
T1922241221-000	POWDER COATED, SILVER WHITE 表面喷涂, 银白色	H24BPR-TGHC-2PG21	H24BPR HOOD, CENTER LOCKING, TOP ENTRY 2PG21, POWDER COATED, SILVER WHITE H24BPR上盖, 中部锁紧, 顶盖2PG21, 银白色粉末喷涂	PG21	PG21	-	TYPE 2 类型2
T1922241232-000	POWDER COATED, SILVER WHITE 表面喷涂, 银白色	H24BPR-TGHC-M32/M25	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M32/M25, POWDER COATED, SILVER WHITE H24BPR上盖, 中部锁紧, 顶盖M32/M25, 银白色粉末喷涂	M25	M32	-	
T1922244025-000	POWDER COATED, SILVER WHITE 表面喷涂, 银白色	H24BPR-TGHC-M40/M25	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M40/M25, POWDER COATED, SILVER WHITE H24BPR上盖, 中部锁紧, 顶盖M40/M25, 银白色粉末喷涂	M25	M40	-	
T1922241140-000	POWDER COATED, SILVER WHITE 表面喷涂, 银白色	H24BPR-TGHC-M40	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M40, POWDER COATED, SILVER WHITE H24BPR上盖, 中部锁紧, 顶盖M40, 银白色粉末喷涂	-	-	M40	
T1922241136-000	POWDER COATED, SILVER WHITE 表面喷涂, 银白色	H24BPR-TGHC-PG36	H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG36, POWDER COATED, SILVER WHITE H24BPR上盖, 中部锁紧, 顶盖PG36, 银白色粉末喷涂	-	-	PG36	TYPE 1 类型1
T1922241132-000	POWDER COATED, SILVER WHITE 表面喷涂, 银白色	H24BPR-TGHC-M32	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M32, POWDER COATED, SILVER WHITE H24BPR上盖, 中部锁紧, 顶盖M32, 银白色粉末喷涂	-	-	M32	
T1922241129-000	POWDER COATED, SILVER WHITE 表面喷涂, 银白色	H24BPR-TGHC-PG29	H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG29, POWDER COATED, SILVER WHITE H24BPR上盖, 中部锁紧, 顶盖PG29, 银白色粉末喷涂	-	-	PG29	
T1922241125-000	POWDER COATED, SILVER WHITE 表面喷涂, 银白色	H24BPR-TGHC-M25	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M25, POWDER COATED, SILVER WHITE H24BPR上盖, 中部锁紧, 顶盖M25, 银白色粉末喷涂	-	-	M25	
T1922240121-000	POWDER COATED, SILVER WHITE 表面喷涂, 银白色	H24BPR-TGHC-PG21	H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG21, POWDER COATED, SILVER WHITE H24BPR上盖, 中部锁紧, 顶盖PG21, 银白色粉末喷涂	-	-	PG21	
T1922240140-000	POWDER COATED, BLACK 表面喷涂, 黑色	H24BPR-TGHC-M40	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M40, POWDER COATED, BLACK H24BPR上盖, 中部锁紧, 顶盖M40, 黑色粉末喷涂	-	-	M40	
T1922240136-000	POWDER COATED, BLACK 表面喷涂, 黑色	H24BPR-TGHC-PG36	H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG36, POWDER COATED, BLACK H24BPR上盖, 中部锁紧, 顶盖PG36, 黑色粉末喷涂	-	-	PG36	
T1922240132-000	POWDER COATED, BLACK 表面喷涂, 黑色	H24BPR-TGHC-M32	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M32, POWDER COATED, BLACK H24BPR上盖, 中部锁紧, 顶盖M32, 黑色粉末喷涂	-	-	M32	
T1922240129-000	POWDER COATED, BLACK 表面喷涂, 黑色	H24BPR-TGHC-PG29	H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG29, POWDER COATED, BLACK H24BPR上盖, 中部锁紧, 顶盖PG29, 黑色粉末喷涂	-	-	PG29	
T1922240125-000	POWDER COATED, BLACK 表面喷涂, 黑色	H24BPR-TGHC-M25	H24BPR HOOD, CENTER LOCKING, TOP ENTRY M25, POWDER COATED, BLACK H24BPR上盖, 中部锁紧, 顶盖M25, 黑色粉末喷涂	-	-	M25	
T1922240121-000	POWDER COATED, BLACK 表面喷涂, 黑色	H24BPR-TGHC-PG21	H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG21, POWDER COATED, BLACK H24BPR上盖, 中部锁紧, 顶盖PG21, 黑色粉末喷涂	-	-	PG21	
PART NUMBER 料号	SURFACE 表面处理	DESCRIPTION 描述		PG/M THREAD-3 PG/M 螺纹3	PG/M THREAD-2 PG/M 螺纹2	PG/M THREAD-1 PG/M 螺纹1	TYPE 类型

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
(mm)

0 PLC

2 PLC

3 PLC

4 PLC

FINISH

FINISH

DATE: 2016.06.20

CHK: CAC13.WANG

APP: Y. LANG

PRODUCT SPEC: 108-137014

APPLICATION SPEC: 114-137014

WEIGHT: .

CUSTOMER DRAWING

REV: 1.0

DATE: 16JUN2015

DATE: 16JUN2015

DATE: 16JUN2015

NAME: H24BPR-TGHC-PG/M

SIZE: A0

CASE CODE: C

DRAWING NO: T192224XXXXX00

SCALE: 1:1

SHEET: 2 OF 2

REV: B6

STC

TE Connectivity

4806 (3/13)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9