








TYPE 1  
类型 1

Single PG/M thread & With nonconductive seal  
单个PG/M螺纹孔与带非导电密封圈



TYPE 2  
类型 2


Two PG/M threads & With nonconductive seal  
两个PG/M螺纹孔与带非导电密封圈



All dimension is same as TYPE 1,except those defined in this TYPE  
除了在本类型中定义的尺寸外,其他尺寸同类型 1

TYPE 4  
类型 4



Single PG/M thread & With nonconductive seal.No logo  
单个PG/M螺纹孔与带非导电密封圈,无Logo



All dimension is same as TYPE 1,except those defined in this TYPE  
除了在本类型中定义的尺寸外,其他尺寸同类型 1

TYPE 3  
类型 3





Single PG/M thread & With conductive seal  
单个PG/M螺纹孔与带导电密封圈



SECTION D-D

All dimension is same as TYPE 1,except those defined in this TYPE  
除了在本类型中定义的尺寸外,其他尺寸同类型 1

| REVISIONS |               |             |           |          |
|-----------|---------------|-------------|-----------|----------|
| REV       | LTN           | DESCRIPTION | DATE      | OWN APPD |
| B3        | ECR-18-009564 |             | 25SEP2018 | CD CW    |
| B4        | ECR-18-017123 |             | 25DEC2018 | KW CW    |
| B5        | ECR-19-006656 |             | 05NOV2019 | CD CW    |
| B6        | ECR-19-007133 |             | 20NOV2019 | BS CW    |



|                                        |  |  |  |                   |                              |  |
|----------------------------------------|--|--|--|-------------------|------------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  |  |  | DATE: 16 JUN 2015 | TE Connectivity              |  |
| DIMENSIONS: (mm)                       |  |  |  | DATE: 16 JUN 2015 |                              |  |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: |  |  |  | DATE: 16 JUN 2015 | NAME: H24BPR-TGHC-PG/M       |  |
| 0 PLG ±                                |  |  |  | DATE: 16 JUN 2015 | PRODUCT SPEC: 108-137014     |  |
| 2 PLG ±                                |  |  |  | DATE: 16 JUN 2015 | APPLICATION SPEC: 114-137014 |  |
| 4 PLG ±                                |  |  |  | DATE: 16 JUN 2015 | WEIGHT: .                    |  |
| MATERIAL: .                            |  |  |  | DATE: 16 JUN 2015 | CUSTOMER DRAWING             |  |
| FINISH: .                              |  |  |  | DATE: 16 JUN 2015 | SCALE: 1:1                   |  |
| SHEET 1 OF 2                           |  |  |  | DATE: 16 JUN 2015 | REV B6                       |  |

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED

RELEASED FOR PUBLICATION

20

ALL RIGHTS RESERVED

TYPE 5

类型5

Two PG/M threads & With nonconductive seal, No Logo

两个PG/M螺纹孔及带非导电密封圈, 无Logo

25

25

PG/M THREAD-2

PG/M 螺栓2

PG/M THREAD-3

PG/M 螺栓3

Nonconductive seal

非导电密封圈

PG/M THREAD-2

PG/M 螺栓2

PG/M THREAD-3

PG/M 螺栓3

TYPE 6

类型6

Two PG/M threads & With nonconductive seal & Minus screw

两个PG/M螺纹孔及带非导电密封圈及一字槽螺丝

25

25

32

32

Nonconductive seal

非导电密封圈

Minus screw

一字槽螺丝

|                   |                                          |                     |                                                                                                                                                             |                           |                           |                           |               |
|-------------------|------------------------------------------|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|---------------------------|---------------------------|---------------|
| T1922242232-000   | POWDER COATED, GREY<br>表面喷涂, 灰色          | H24BPR-TGHC-2M32    | H24BPR HOOD, CENTER LOCKING, MINUS SCREW, TOP ENTRY 2M32, POWDER COATED, GREY<br>H24BPR上盖, 中部锁紧, 一字槽螺丝, 顶盖2M32, 灰色粉末喷涂                                      | M32                       | M32                       | -                         | TYPE 6<br>类型6 |
| T1922242125-001   | POWDER COATED, DEEP GREY<br>表面喷涂, 深灰色    | H24BPR-TGHC-M25     | H24BPR HOOD, CENTER LOCKING, TOP ENTRY M25, POWDER COATED, DEEP GREY, NO LOGO<br>H24BPR上盖, 中部锁紧, 顶盖M25, 深灰色粉末喷涂, 无LOGO                                      | -                         | -                         | M25                       | TYPE 4<br>类型4 |
| T1922242132-001   | POWDER COATED, DEEP GREY<br>表面喷涂, 深灰色    | H24BPR-TGHC-M32     | H24BPR HOOD, CENTER LOCKING, TOP ENTRY M32, POWDER COATED, DEEP GREY, NO LOGO<br>H24BPR上盖, 中部锁紧, 顶盖M32, 深灰色粉末喷涂, 无LOGO                                      | -                         | -                         | M32                       |               |
| T1922242150-001   | POWDER COATED, DEEP GREY<br>表面喷涂, 深灰色    | H24BPR-TGHC-M50     | H24BPR HOOD, CENTER LOCKING, TOP ENTRY M50, POWDER COATED, DEEP GREY, NO LOGO<br>H24BPR上盖, 中部锁紧, 顶盖M50, 深灰色粉末喷涂, 无LOGO                                      | -                         | -                         | M50                       |               |
| T1922242140-001   | POWDER COATED, DEEP GREY<br>表面喷涂, 深灰色    | H24BPR-TGHC-M40     | H24BPR HOOD, CENTER LOCKING, TOP ENTRY M40, POWDER COATED, DEEP GREY, NO LOGO<br>H24BPR上盖, 中部锁紧, 顶盖M40, 深灰色粉末喷涂, 无LOGO                                      | -                         | -                         | M40                       |               |
| T1922244025-001   | POWDER COATED, DEEP GREY<br>表面喷涂, 深灰色    | H24BPR-TGHC-M40/M25 | H24BPR HOOD, CENTER LOCKING, TOP ENTRY M40/M25, POWDER COATED, DEEP GREY, NO LOGO<br>H24BPR上盖, 中部锁紧, 顶盖M40/M25, 深灰色粉末喷涂, 无LOGO                              | M25                       | M40                       | -                         | TYPE 5<br>类型5 |
| T1922241129-001   | POWDER COATED, SILVER WHITE<br>表面喷涂, 银白色 | H24BPR-TGHC-PG29    | H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG29, POWDER COATED, SILVER WHITE, CONDUCTIVE, THREAD HOLE WITH STEP<br>H24BPR上盖, 中部锁紧, 顶盖PG29, 银白色粉末喷涂, 导电孔, 螺纹孔带台阶 | -                         | -                         | PG29                      | TYPE 3<br>类型3 |
| T1922240129-001   | POWDER COATED, BLACK<br>表面喷涂, 黑色         | H24BPR-TGHC-PG29    | H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG29, POWDER COATED, BLACK, CONDUCTIVE, THREAD HOLE WITH STEP<br>H24BPR上盖, 中部锁紧, 顶盖PG29, 黑色粉末喷涂, 导电孔, 螺纹孔带台阶         | -                         | -                         | PG29                      |               |
| T1922241221-000   | POWDER COATED, SILVER WHITE<br>表面喷涂, 银白色 | H24BPR-TGHC-2PG21   | H24BPR HOOD, CENTER LOCKING, TOP ENTRY 2PG21, POWDER COATED, SILVER WHITE<br>H24BPR上盖, 中部锁紧, 顶盖2PG21, 银白色粉末喷涂                                               | PG21                      | PG21                      | -                         | TYPE 2<br>类型2 |
| T1922241232-000   | POWDER COATED, SILVER WHITE<br>表面喷涂, 银白色 | H24BPR-TGHC-M32/M25 | H24BPR HOOD, CENTER LOCKING, TOP ENTRY M32/M25, POWDER COATED, SILVER WHITE<br>H24BPR上盖, 中部锁紧, 顶盖M32/M25, 银白色粉末喷涂                                           | M25                       | M32                       | -                         |               |
| T1922244025-000   | POWDER COATED, SILVER WHITE<br>表面喷涂, 银白色 | H24BPR-TGHC-M40/M25 | H24BPR HOOD, CENTER LOCKING, TOP ENTRY M40/M25, POWDER COATED, SILVER WHITE<br>H24BPR上盖, 中部锁紧, 顶盖M40/M25, 银白色粉末喷涂                                           | M25                       | M40                       | -                         |               |
| T1922241140-000   | POWDER COATED, SILVER WHITE<br>表面喷涂, 银白色 | H24BPR-TGHC-M40     | H24BPR HOOD, CENTER LOCKING, TOP ENTRY M40, POWDER COATED, SILVER WHITE<br>H24BPR上盖, 中部锁紧, 顶盖M40, 银白色粉末喷涂                                                   | -                         | -                         | M40                       |               |
| T1922241136-000   | POWDER COATED, SILVER WHITE<br>表面喷涂, 银白色 | H24BPR-TGHC-PG36    | H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG36, POWDER COATED, SILVER WHITE<br>H24BPR上盖, 中部锁紧, 顶盖PG36, 银白色粉末喷涂                                                 | -                         | -                         | PG36                      | TYPE 1<br>类型1 |
| T1922241132-000   | POWDER COATED, SILVER WHITE<br>表面喷涂, 银白色 | H24BPR-TGHC-M32     | H24BPR HOOD, CENTER LOCKING, TOP ENTRY M32, POWDER COATED, SILVER WHITE<br>H24BPR上盖, 中部锁紧, 顶盖M32, 银白色粉末喷涂                                                   | -                         | -                         | M32                       |               |
| T1922241129-000   | POWDER COATED, SILVER WHITE<br>表面喷涂, 银白色 | H24BPR-TGHC-PG29    | H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG29, POWDER COATED, SILVER WHITE<br>H24BPR上盖, 中部锁紧, 顶盖PG29, 银白色粉末喷涂                                                 | -                         | -                         | PG29                      |               |
| T1922241125-000   | POWDER COATED, SILVER WHITE<br>表面喷涂, 银白色 | H24BPR-TGHC-M25     | H24BPR HOOD, CENTER LOCKING, TOP ENTRY M25, POWDER COATED, SILVER WHITE<br>H24BPR上盖, 中部锁紧, 顶盖M25, 银白色粉末喷涂                                                   | -                         | -                         | M25                       |               |
| T1922240121-000   | POWDER COATED, SILVER WHITE<br>表面喷涂, 银白色 | H24BPR-TGHC-PG21    | H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG21, POWDER COATED, SILVER WHITE<br>H24BPR上盖, 中部锁紧, 顶盖PG21, 银白色粉末喷涂                                                 | -                         | -                         | PG21                      |               |
| T1922240140-000   | POWDER COATED, BLACK<br>表面喷涂, 黑色         | H24BPR-TGHC-M40     | H24BPR HOOD, CENTER LOCKING, TOP ENTRY M40, POWDER COATED, BLACK<br>H24BPR上盖, 中部锁紧, 顶盖M40, 黑色粉末喷涂                                                           | -                         | -                         | M40                       |               |
| T1922240136-000   | POWDER COATED, BLACK<br>表面喷涂, 黑色         | H24BPR-TGHC-PG36    | H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG36, POWDER COATED, BLACK<br>H24BPR上盖, 中部锁紧, 顶盖PG36, 黑色粉末喷涂                                                         | -                         | -                         | PG36                      |               |
| T1922240132-000   | POWDER COATED, BLACK<br>表面喷涂, 黑色         | H24BPR-TGHC-M32     | H24BPR HOOD, CENTER LOCKING, TOP ENTRY M32, POWDER COATED, BLACK<br>H24BPR上盖, 中部锁紧, 顶盖M32, 黑色粉末喷涂                                                           | -                         | -                         | M32                       |               |
| T1922240129-000   | POWDER COATED, BLACK<br>表面喷涂, 黑色         | H24BPR-TGHC-PG29    | H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG29, POWDER COATED, BLACK<br>H24BPR上盖, 中部锁紧, 顶盖PG29, 黑色粉末喷涂                                                         | -                         | -                         | PG29                      |               |
| T1922240125-000   | POWDER COATED, BLACK<br>表面喷涂, 黑色         | H24BPR-TGHC-M25     | H24BPR HOOD, CENTER LOCKING, TOP ENTRY M25, POWDER COATED, BLACK<br>H24BPR上盖, 中部锁紧, 顶盖M25, 黑色粉末喷涂                                                           | -                         | -                         | M25                       |               |
| T1922240121-000   | POWDER COATED, BLACK<br>表面喷涂, 黑色         | H24BPR-TGHC-PG21    | H24BPR HOOD, CENTER LOCKING, TOP ENTRY PG21, POWDER COATED, BLACK<br>H24BPR上盖, 中部锁紧, 顶盖PG21, 黑色粉末喷涂                                                         | -                         | -                         | PG21                      |               |
| PART NUMBER<br>料号 | SURFACE<br>表面处理                          | DESCRIPTION<br>描述   |                                                                                                                                                             | PG/M THREAD-3<br>PG/M 螺栓3 | PG/M THREAD-2<br>PG/M 螺栓2 | PG/M THREAD-1<br>PG/M 螺栓1 | TYPE<br>类型    |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:  
(mm)

0 PLC

2 PLC

3 PLC

4 PLC

FINISH

MOULDED

DATE: 16JUN2015

CHK: CAC13.WANG

APPRO: Y. LANG, Y. LI

PRODUCT SPEC: 108-137014

APPLICATION SPEC: 114-137014

WEIGHT: .

CUSTOMER DRAWING

REV: 1

DATE: 16JUN2015

BY: CAC13.WANG

DESCRIPTION: H24BPR-TGHC-PG/M

SIZE: A0

CASE CODE: C

DRAWING NO: T192224XXXXX00

REVISIONS: 1

DATE: .

DWN: .

APPD: .

REV: 1

DATE: 16JUN2015

BY: CAC13.WANG

DESCRIPTION: H24BPR-TGHC-PG/M

SIZE: A0

CASE CODE: C

DRAWING NO: T192224XXXXX00

REVISIONS: 1

DATE: .

DWN: .

APPD: .

NOTES:

1. TECHNICAL CHARACTERISTICS:

HOOD MATERIAL: DIE CAST ALUMINUM ALLOY

SURFACE TREATMENT: SEE TABLE

DEGREE OF PROTECTION: IP68 (MATED)

注释:

1. 技术参数:

壳体材料: 铝合金

表面处理: 见表格

防护等级: IP68 (配合)

4806 (3/13)

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9