

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-16-011296	03OCT2016	GK	SD

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2836377-2


FOR REPLACEMENT PARTS FOR APPLICATOR 1852642
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1852642

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		 TE Connectivity	
		CHK	GOPALAKRISHNA HV			
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME		
		0 PLC ±		APVD		
		1 PLC ±		STOUGH DALE		
		2 PLC ±		PRODUCT SPEC		
		3 PLC ±		APPLICATION SPEC		
4 PLC ±		4 PLC ±		SIZE		
ANGLES ±		FINISH		CAGE CODE		DRAWING NO
MATERIAL				A 3		©- 1852642
				WEIGHT		RESTRICTED TO
				CUSTOMER DRAWING		SCALE
				SHEET 1 OF 2		REV A1

8			7					
THIS DRAWING IS UNPUBLISHED.			RELEASED FOR PUBLICATION			20		
(C) COPYRIGHT 20			BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.					
PART NUMBER	REV	FIRST USED	POWER UNIT	FEED TYPE	DESCRIPTION			
1852642-1	A	122500-1	LEADMAKER	AIR FEED	CUTS CARRIER			
1852642-2	A	565435-5	BENCH MODEL K	AIR FEED	CUTS CARRIER			
1852642-3	A	354500-1	BENCH MODEL G	AIR FEED	CUTS CARRIER			
1852642-6	A	122500-1	LEADMAKER	AIR FEED	CONTINUOUS CARRIER			
7-1852642-7	A	-	-	-	SPARE PARTS			

- △ RECOMMENDED SPARE PARTS
△ GREASE LIGHTLY
△ GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE
△ CUT TO LENGTH AT ASSEMBLY.





TERMINAL NAME: 1.25mm (.049) PITCH PANELMATE WIRE-TO-BOARD									
TE P/N		MOLEX P/N		MOLEX TERMINAL - MOLEX CRIMP SPECS					
1949618	-	50641-8041	-	CRIMP HEIGHT			WIRE SIZE		
-	-	-	-	A 0.645mm±.025/-0.025[.025+.001/-0.001]			26AWG		
-	-	-	-	B 0.605mm±.025/-0.025[.024+.001/-0.001]			28AWG		
-	-	-	-	C 0.575mm±.025/-0.025[.023+.001/-0.001]			30AWG		
-	-	-	-	D			-		
-	-	-	-	CRIMP		SIZE	TYPE		RANGE
-	-	-	-	WIRE		0.80mm [.031]	F		30-26 AWG
-	-	-	-	INSUL		0.80mm [.031]	F		Ø0.500 - 0.900
WIRE STRIP LENGTH 1.300-1.700		TERM APPL SPEC NONE		FEED 4.800		APPLICATOR INSTRUCTIONS 408-8040		SET UP GAGE 458637-1	

D

C

B

A



										2									
										LOC DIST									
										A 66									
										REVISONS									
										P LTR DESCRIPTION DATE DWN APFD									
										A RELEASED 02MAY2008 RK GB									

THIS DRAWING IS A CONTROLLED DOCUMENT. FOR THE CUSTOMER'S INFORMATION, THE COMPANY'S POLICY IS TO DISCLOSE TO THE CUSTOMER THE COMPANY'S IDENTIFYING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWG R. KNEPPER 05MAR2008		Tyco Electronics Tyco Electronics Harrisburg, PA 17103-3608	
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.001 1 PLC ±0.1 2 PLC ±0.01 3 PLC ±0.001 4 PLC ±0.0001 ANGLES ±.1		NAME SIDE FEED HDM APPLICATOR	
		PRODUCT SPEC -		-	
MATERIAL -		FINISH -		SIZE A	
ITEM NO		WEIGHT -		CAGE CODE 00779	
		CUSTOMER DRAWING		DRAWING NO C-1852642	
		SCALE 3:5		SHEET 1	
		OF 1		REV A	
CUSTOMER VIEWABLE ASSEMBLY					

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9