

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST


REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	C1	ECR-14-002251	20FEB2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2266037-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1528269
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.


THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1528269

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		 TE Connectivity		
DIMENSIONS:		CHK	RAGHAVENDRA				
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME			
		0 PLC ±		FINE ADJ SIDE FD HD-I APPL			
		1 PLC ±					
2 PLC ±		APVD		RAGHAVENDRA			
3 PLC ±		PRODUCT SPEC					
4 PLC ±		APPLICATION SPEC					
ANGLES ±		WEIGHT		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
FINISH		CUSTOMER DRAWING		A3		©- 1528269	
MATERIAL		SCALE		SHEET 1 OF 2		REV C1	



★ WARNING:

ON INSTALLATION, SET WIRE DISC TO LARGEST WIRE SIZE SETTING. USE OF SETTINGS BELOW MIN REQUIRED CRIMP HEIGHT SETTING WILL CAUSE DAMAGE TO CRIMP TOOLING.



-	1	1	1	1	1	1	1528269	PRINT, APPLICATOR LOG SHEET	73
-	1	1	1	1	1	1	1338705-3	DOCUMENTATION PACKAGE	71
									70
									69
									68
-	1	1	1	1	1	1	461264-5	PLATE, IDENTIFICATION	67
-	2	2	2	2	2	2	21017-2	SCR, DRIVE (#2x.19) ID PLATE	66
									65
-	1	1	1	1	1	1	3-18031-0	SCR, SKT SET (M6X6) RAM	64
									63
-	2	2	2	2	2	2	2-18032-5	SCR, SET (M5X20) DRAG	62
-	1	1	1	1	1	1	18024-7	SCR, BHC (M4X10) ANVIL	61
-	1	1	1	1	1	1	5-18022-2	SCR, HEX (M4X8) FEED FINGER	60
									59
-	1	1	1	1	1	1	985575-3	SCR, FHC (M3X10) DEP	58
-	1	1	1	1	1	1	1338685-1	PAWL, FEED	57
									56
-	4	4	4	4	4	4	18024-8	SCR, BHC (M4X12) SHEAR HOLDER	55
-	2	2	2	2	2	2	1-18023-3	SCR, SHC (M4X16) TERM HLD DWN	54
-	1	1	1	1	1	1	18030-1	NUT, HEX (M3) HOLD DOWN	53
-	1	1	1	1	1	1	811242-5	BUMPER, HOLDDOWN	52
-	1	1	1	1	1	1	690753-2	SPACER, TONKER	51
-	1	1	1	1	1	1	18024-3	SCR, BHC (M3X10) CAM	50
-	-	-	-	-	-	-	1338675-1	CAM, PRE FEED 30 & 40 mm ST	49
-	1	-	1	-	-	-	1338676-1	CAM, POST FEED 30 & 40 mm ST	48
-	1	1	1	1	1	1	1320999-3	APPLICATOR BASIC SUBASSY	47
-	1	1	1	1	1	1	690191-1	PLUG, NYLON	46
-	1	1	1	1	1	1	1338660-1	RAM	45
									44
									43
-	1	1	1	1	1	1	2-18024-6	SCR, BHC (M8X25) RAM	42
									41
-	1	1	1	1	1	1	690125-1	SHIM SUBASSY	40
-	1	1	1	1	1	1	469367-9	SPACER, FINE ADJUST	39
-	1	1	1	1	1	1	879103-2	FINE ADJUST HEAD SUBASSY	38
									37
									36
									35
-	1	1	1	1	1	1	1-1320934-6	SUPPORT, TERMINAL	34
-	2	2	2	2	2	2	1-18024-0	SCR, BHC (M4X20) STRIP GUIDE	33
-	1	1	1	1	1	1	18027-2	WASHER, FLAT (M4)	32
-	1	1	1	1	1	1	1-18023-2	SCR, SKT CAP (M4X12) MOUNT BLOCK	31
-	1	1	1	1	1	1	1320908-8	SPACER, STRIP GUIDE	30
-	1	1	1	1	1	1	1633073-2	STRIP GUIDE PLATE ASSY	29
-	1	1	1	1	1	1	455888-8	SPACER, FRONT SHEAR DEP	28
-	2	2	2	2	2	2	1-22284-0	SPRING, DRAG	27
-	1	1	1	1	1	1	356835-1	LEVER, DRAG RELEASE	26
-	1	1	1	1	1	1	240792-1	DRAG, TERMINAL	25
-	1	1	1	1	1	1	1320928-1	PLATE, STRIP GUIDE	24
-	1	1	1	1	1	1	980371-4	SCR, SHC SHLD	23
-	1	-	1	-	-	-	690472-2	STRIPPER	22
-	1	1	1	1	1	1	1-18023-1	SCR, SHC (M4X10) STRIPPER	21
-	4	4	4	4	4	4	18025-2	WASHER, LOCK (M4) STRIPPER	20
-	-	1	-	-	1	-	690472-1	STRIPPER	19
-	1	-	-	1	-	-	1338684-2	HOLDER, SHEAR, FRONT (NO-CUT)	18
									17
									16
									15
									14
									13
-	1	1	1	1	1	1	3-22280-3	SPRING, SHEAR	12
-	1	1	1	1	1	1	356885-5	STOP, SHEAR	11
-	-	1	1	-	1	1	1-1320921-0	HOLDER, SHEAR, FRONT (CUT)	10
-	1	1	1	1	1	1	318707-1	SHEAR, FLOAT (FRONT)	9
1	2	2	2	1	1	1	1-1333225-5	ANVIL	8
-	1	1	1	1	1	1	2-240641-9	SPACER, DEPRESSOR (REAR)	7
									6
-	1	1	1	1	1	1	1338680-1	DEPRESSOR, SHEAR (FRONT)	5
-	1	1	1	1	1	1	238011-4	SPACER, BLOCK CRIMPER	4
1	2	2	2	1	1	1	1-456135-7	CRIMPER, INSULATION	3
-	1	1	1	1	1	1	455888-4	SPACER, CRIMPER	2
1	2	2	2	1	1	1	1-456405-6	CRIMPER, WIRE	1
-77	-76	-72	-71	-6	-2	-1	PART NO	DESCRIPTION	ITEM NO
							REVISION OF EACH ASSY NO (WHEN BLANK, USE DWG REVISION)		
							QTY REQD PER ASSY	PARTS LIST	
							MATL	HT TR	FIN
							DO NOT SCALE PRINT.		
							TOLERANCES UNLESS OTHERWISE SPECIFIED:		
							1 PLC DEC ±-		
							2 PLC DEC ±-		
							3 PLC DEC ±-		
							ANGLES ±-		
							SURF TEXTURE:		
							REMOVE BURRS, BREAK SHARP EDGES RO.36 MAX		
							CHG CODE		
							00779	CUSTOMER AND ASSEMBLY DRAWING	
							NAME	SCALE	REV
							FINE ADJ SIDE FD HD-I APPL	DWG NO	1528269
							MACHINE REF	SHEET	1 of 1
							HD-I APPL	REV	C
							RESTRICTED TO		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9