








2	3	PDS: Rev :E	4	STATUS:Released	Printed: Nov 01, 2011
---	---	-------------	---	-----------------	-----------------------

PRODUCT NO	DIM L	METAL CLIP	RECOMMENDED P.C. BOARD THICKNESS	DIA "H"
10036312-002LF	2.70	2 PCS	1.57mm (0.062") / 2.36mm (0.093")	0.50/ 0.65/ 0.80



RECOMMENDED P.C.B LAYOUT

NOTES:
ALL OTHER DIMENSIONS, REFER TO SHEET 1 AND 2.



Copyright FCI.

spec ref	-	dr	GL L00	2004-09-23	projection	MM	size	A3	scale	3:1
tolerance std	ISO 406 ISO 1101	eng	GL L00	2004-09-23	chr	GL L00	2010-10-28	ecn no	S10-0228	
surface	✓	appr	JOEY NG	2010-10-28	product family	SAS	rel level	-		
linear	0.X 0.XX 0.XXX	±- ±0.20 ±-								
angular	0°	±2°								
ISO 1302										
www.fci.com										
SAS RECEPTACLE HYBRID TYPE ASSY										
cat. no.	-									
Product - Customer Drw										
sheet 2 of 3										

1

2

3

4

A

B

C

D

A

B

C

D

NOTES:

1. MATERIAL :
1) HOUSING : HIGH TEMP THERMOPLASTIC, UL 94V-0
COLOR : BLACK
2) TERMINAL : COPPER ALLOY
3) HOLD DOWN : COPPER ALLOY
2. FINISH :
1) TERMINAL : 30µ" Au PLATING (CONTACT POINT) OVER 50µ" NICKEL
2) SOLDER TAIL : 50µ" MIN Sn OVER 50µ" NICKEL
3) HOLD DOWN : 50µ" MIN Sn OVER 50µ" NICKEL
- ③ PER SFF REV 1.1
4. THE STD PACKAGING IS IN TRAY.
5. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C
PEAK TEMPERATURE FOR 10 SECONDS IN A CONVECTION
INFRA-RED OR VAPOR PHASE REFLOW OVEN.
- ⑥ THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER
COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- ⚠ ⑦ PART NUMBERS ENDING IN "LF" MEANS FOR NOTE 6 LEAD FREE IDENTIFICATION.
~~P/N XXXXXXXX XXXLF IS EQUIVALENT TO PREVIOUS P/N XXXXXXXX-XXX.~~
- ⚠ 8 A ⚠ SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE
WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.



Copyright FCI.

spec ref -				dr		GL L00	2004-09-23	projection 	MM 	size	A3	scale	3:1
tolerance std ISO 406 ISO 1101	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng		GL L00	2004-09-23			ecn no S10-0228			
				chr		GL L00	2010-10-28			rel level -			
				appr		JOEY NG	2010-10-28	product family SAS					
surface  ISO 1302	linear	0.X	± -		title SAS RECEPTACLE HYBRID TYPE ASSY				dwg no	10036312			rev E
		0.XX	±0.20										
		0.XXX	± -										
				angular	0°	±2°	www.fci.com		cat. no. -		Product - Customer Drw		sheet 3 of 3

2

3

PDS: Rev :E

STATUS:Released

Printed: Nov 01, 2011

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9