












ACTUATION FORCE: SP: 2.5±1 NEWTON, DP: 3.5±1 NEWTON
 ACTUATION TRAVEL: 3.2mm
 SEALED PER IP67, IK10 (STAINLESS)
 OPERATING TEMPERATURE: -20°C TO +55°C
 MECHANICAL LIFECYCLES: MOMENTARY: 1,000,000 CYCLES
 LOCKING: 500,000 CYCLES
 HARDWARE TORQUE: 5-14 N-m


BUSHING: STAINLESS STEEL
BASE: PBT (UL 94-V0), PC (UL 94-V2)
ACTUATOR: STAINLESS STEEL, PC
SEALING: O-RING (SILICONE)
TERMINAL/CONTACT: COPPER BASE, SILVER/GOLD PLATED
HEX NUT: BRASS BASE, NICKEL PLATED

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 08FEB2016 NAGALAKSHMI K CHK 08FEB2016 HILL RYAN APVD 08FEB2016 HILL RYAN		 TE Connectivity	
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME ANTI-VANDAL SWITCH 19mm POWER LOGO LED	
		0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -			
MATERIAL -		FINISH -			
		WEIGHT -		SIZE A2	CAGE CODE 00779
		CUSTOMER DRAWING		DRAWING NO C-2213766	
				SCALE 6:1	SHEET 1 of 3
				REV A	



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN NAGALAKSHMI K 08FEB2016		 TE Connectivity			
		CHK HILL RYAN 08FEB2016					
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME ANTI-VANDAL SWITCH 19mm POWER LOGO LED			
		APVD HILL RYAN 08FEB2016					
		PRODUCT SPEC —					
		APPLICATION SPEC —					
MATERIAL —		FINISH —		SIZE A2	CAGE CODE 00779	DRAWING NO C=2213766	RESTRICTED TO —
CUSTOMER DRAWING				SCALE NTS	SHEET 2 of 3	REV A	

THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION			
© COPYRIGHT - By -		ALL RIGHTS RESERVED.			
DOUBLE POLE-MOMENTARY	SILVER	WHITE	24V	AV1920P124Q04	4-2213766-3
	GOLD	WHITE	12V	AV1920P112R04	4-2213766-2
	SILVER	WHITE	12V	AV1920P112Q04	4-2213766-1
SINGLE POLE-LOCKING	GOLD	BLUE	24V	AV1911P724R04	4-2213766-0
	SILVER	BLUE	24V	AV1911P724Q04	3-2213766-9
	GOLD	BLUE	12V	AV1911P712R04	3-2213766-8
	SILVER	BLUE	12V	AV1911P712Q04	3-2213766-7
	GOLD	GREEN	24V	AV1911P624R04	3-2213766-6
	SILVER	GREEN	24V	AV1911P624Q04	3-2213766-5
	GOLD	GREEN	12V	AV1911P612R04	3-2213766-4
	SILVER	GREEN	12V	AV1911P612Q04	3-2213766-3
	GOLD	YELLOW	24V	AV1911P524R04	3-2213766-2
	SILVER	YELLOW	24V	AV1911P524Q04	3-2213766-1
	GOLD	YELLOW	12V	AV1911P512R04	3-2213766-0
	SILVER	YELLOW	12V	AV1911P512Q04	2-2213766-9
	GOLD	RED	24V	AV1911P324R04	2-2213766-8
	SILVER	RED	24V	AV1911P324Q04	2-2213766-7
	GOLD	RED	12V	AV1911P312R04	2-2213766-6
	SILVER	RED	12V	AV1911P312Q04	2-2213766-5
	GOLD	WHITE	24V	AV1911P124R04	2-2213766-4
	SILVER	WHITE	24V	AV1911P124Q04	2-2213766-3
	GOLD	WHITE	12V	AV1911P112R04	2-2213766-2
	SILVER	WHITE	12V	AV1911P112Q04	2-2213766-1
SINGLE POLE-MOMENTARY	GOLD	BLUE	24V	AV1910P724R04	2-2213766-0
	SILVER	BLUE	24V	AV1910P724Q04	1-2213766-9
	GOLD	BLUE	12V	AV1910P712R04	1-2213766-8
	SILVER	BLUE	12V	AV1910P712Q04	1-2213766-7
	GOLD	GREEN	24V	AV1910P624R04	1-2213766-6
	SILVER	GREEN	24V	AV1910P624Q04	1-2213766-5
	GOLD	GREEN	12V	AV1910P612R04	1-2213766-4
	SILVER	GREEN	12V	AV1910P612Q04	1-2213766-3
	GOLD	YELLOW	24V	AV1910P524R04	1-2213766-2
	SILVER	YELLOW	24V	AV1910P524Q04	1-2213766-1
	GOLD	YELLOW	12V	AV1910P512R04	1-2213766-0
	SILVER	YELLOW	12V	AV1910P512Q04	2213766-9
	GOLD	RED	24V	AV1910P324R04	2213766-8
	SILVER	RED	24V	AV1910P324Q04	2213766-7
	GOLD	RED	12V	AV1910P312R04	2213766-6
	SILVER	RED	12V	AV1910P312Q04	2213766-5
	GOLD	WHITE	24V	AV1910P124R04	2213766-4
	SILVER	WHITE	24V	AV1910P124Q04	2213766-3
	GOLD	WHITE	12V	AV1910P112R04	2213766-2
	SILVER	WHITE	12V	AV1910P112Q04	2213766-1
POLE/THROW	CONTACT	LED COLOUR	LED VOLTAGE	TE DESCRIPTIVE PN	TE PART NUMBER

				REVISIONS											
				P	LTR	DESCRIPTION		DATE	DWN	APVD					
					-	SEE SHEET 1		-	-	-					
DOUBLE POLE -LOCKING	GOLD	BLUE	24V		AV1921P724R04		8-2213766-0								
	SILVER	BLUE	24V		AV1921P724Q04		7-2213766-9								
	GOLD	BLUE	12V		AV1921P712R04		7-2213766-8								
	SILVER	BLUE	12V		AV1921P712Q04		7-2213766-7								
	GOLD	GREEN	24V		AV1921P624R04		7-2213766-6								
	SILVER	GREEN	24V		AV1921P624Q04		7-2213766-5								
	GOLD	GREEN	12V		AV1921P612R04		7-2213766-4								
	SILVER	GREEN	12V		AV1921P612Q04		7-2213766-3								
	GOLD	YELLOW	24V		AV1921P524R04		7-2213766-2								
	SILVER	YELLOW	24V		AV1921P524Q04		7-2213766-1								
	GOLD	YELLOW	12V		AV1921P512R04		7-2213766-0								
	SILVER	YELLOW	12V		AV1921P512Q04		6-2213766-9								
	GOLD	RED	24V		AV1921P324R04		6-2213766-8								
	SILVER	RED	24V		AV1921P324Q04		6-2213766-7								
	GOLD	RED	12V		AV1921P312R04		6-2213766-6								
	SILVER	RED	12V		AV1921P312Q04		6-2213766-5								
	GOLD	WHITE	24V		AV1921P124R04		6-2213766-4								
	SILVER	WHITE	24V		AV1921P124Q04		6-2213766-3								
	GOLD	WHITE	12V		AV1921P112R04		6-2213766-2								
	SILVER	WHITE	12V		AV1921P112Q04		6-2213766-1								
DOUBLE POLE- MOMENTARY	GOLD	BLUE	24V		AV1920P724R04		6-2213766-0								
	SILVER	BLUE	24V		AV1920P724Q04		5-2213766-9								
	GOLD	BLUE	12V		AV1920P712R04		5-2213766-8								
	SILVER	BLUE	12V		AV1920P712Q04		5-2213766-7								
	GOLD	GREEN	24V		AV1920P624R04		5-2213766-6								
	SILVER	GREEN	24V		AV1920P624Q04		5-2213766-5								
	GOLD	GREEN	12V		AV1920P612R04		5-2213766-4								
	SILVER	GREEN	12V		AV1920P612Q04		5-2213766-3								
	GOLD	YELLOW	24V		AV1920P524R04		5-2213766-2								
	SILVER	YELLOW	24V		AV1920P524Q04		5-2213766-1								
	GOLD	YELLOW	12V		AV1920P512R04		5-2213766-0								
	SILVER	YELLOW	12V		AV1920P512Q04		4-2213766-9								
	GOLD	RED	24V		AV1920P324R04		4-2213766-8								
	SILVER	RED	24V		AV1920P324Q04		4-2213766-7								
	GOLD	RED	12V		AV1920P312R04		4-2213766-6								
	SILVER	RED	12V		AV1920P312Q04		4-2213766-5								
	GOLD	WHITE	24V		AV1920P124R04		4-2213766-4								
		THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN NAGALAKSHMI K 08FEB2016		 TE Connectivity								
		DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK HILL RYAN 08FEB2016									
				APVD HILL RYAN 08FEB2016		NAME		ANTI-VANDAL SWITCH 19mm POWER LOGO LED							
PRODUCT SPEC				—											
APPLICATION SPEC				—											
MATERIAL		FINISH		WEIGHT		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO			
—		—		—		A2		00779		C-2213766		—			
CUSTOMER DRAWING						SCALE		NTS		SHEET		3 OF 3		REV	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9