





LOC	DIST	REVISIONS						
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
			A6	REV PER ECR-11-019151	08SEP2011	AY	SZ	
			A7	REV PER ECR-13-012441	30AUG2013	CZ	SZ	
			A8	REV PER ECR-14-002489	25FEB2014	OL	SZ	
			A9	ADDED NEW DASH NUMBER 1-2	30MAR2014	CZ	SZ	



- ⚠️ HEADER HOUSING: THERMO PLASTIC, BLACK, UL94 V-O; CONTACTS AND RETENTION CLIPS: COPPER ALLOY.
- ⚠️ CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS
RETENTION CLIP: .000115 MIN TIN.
- ⚠️ "AMP", PART NUMBER AND DATE CODE MARKED IN THIS AREA. PARTS UNDER 2.50 LONG MAY BE MARKED ON BOTH SIDES.
- ⚠️ DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- ⚠️ PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
6. A SEATING TOOL IS REQUIRED TO SEAT THE HEADER ON THE P.C. BOARD. PLEASE REFER TO THE 114-13038 APPLICATION SPEC.
- ⚠️ CUSTOMER SUPPLIES (2) #4-UNC SCREWS, HARDWARE TO BE USED TO MOUNT HEADER ASSEMBLY TO PC BOARD.
- ⚠️ MECHANICAL CONNECTOR KEEP OUT ZONE.
- ⚠️ DETAIL DIM SEE PART VIEW

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. RINGLER	25MAR06	 TE Connectivity	
DIMENSIONS: INCHES		CHK M. PERCHERKE	25MAR06		
	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 P/LC ±. 2 P/LC ±. 3 P/LC ±.005 4 P/LC ±. ANGLES ±. FINISH	APVD M. PERCHERKE	25MAR06	NAME VERICAL HEADER ASSEMBLY, W/LATCH RECEIVERS, PRESS FIT, TYPE P, MULTI-BEAM XL	
		PRODUCT SPEC			
		108-1973			
		APPLICATION SPEC			
MATERIAL 	FINISH 	114-13038		SIZE A100779	
		WEIGHT			
CUSTOMER DRAWING		SCALE 2:1		SHEET 1 OF 5	
				REV. A9	

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

A9

TRAY	1.220	.575	.235	1.330	.275	1.700	.250	1.900	.475	1.300	YES	4P	1-6600393-2
/	1.520	.575	.235	1.630	.275	2.000	.350	2.200	.475	1.600	YES	4P	1-6600393-0
TRAY	1.220	9	.235	9	-	-	.250	9	-	-	NO	4P	6600393-9
TRAY	1.470	.575	.235	1.580	.275	1.950	.200	2.150	.475	1.550	YES	6HDP	6600393-8
TRAY	2.070	.625	.285	2.180	.325	2.550	.300	2.750	.525	2.150	YES	6ACP	6600393-7
TAPE&REEL	.870	.625	.285	.980	.325	1.350	.300	1.550	.525	.950	YES	2ACP	6600393-5
TRAY	1.720	.575	.235	1.830	.275	2.200	.250	2.400	.475	1.800	YES	6P	6600393-3
TRAY	.970	.575	.235	1.080	.275	1.450	.250	1.650	.475	1.050	YES	3P	6600393-2
TRAY	.870	.625	.285	.980	.325	1.350	.300	1.550	.525	.950	YES	2ACP	6600393-1
PKG INFO.	DIM "EE"	DIM "DD"	DIM "CC"	DIM "BB"	DIM "TT"	DIM "U"	DIM "S"	DIM "L"	DIM "K"	DIM "D"	RETENTION CLIP	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

D. RINGLER

25MAR06

DIMENSIONS:

INCHES

0 PLC

1 PLC

2 PLC

3 PLC

4 PLC

ANGLES

FINISH

±"

±"

±"

±"

±"

±"

±"

TOLERANCES UNLESS OTHERWISE SPECIFIED:

PRODUCT SPEC

108-1973

APPLICATION SPEC

114-13038

MATERIAL

-

DWN

M. PERCHERKE

25MAR06

APVD

M. PERCHERKE

25MAR06

NAME

VERICAL HEADER ASSEMBLY, W/LATCH RECEIVERS, PRESS FIT, TYPE P, MULTI-BEAM XL

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A1

00779

©=6600393

-

CUSTOMER DRAWING

SCALE

2:1

SHEET

2

OF


5

REV

A9


PART NUMBER	ROWS	POWER		
		P1	P2	
6600393-1	D	VM	VM	
	C			
	B			
	A			
2ACP		HD		HD

PART NUMBER	ROWS	POWER		
		P1	P2	
6600393-5	D	VM	VM	
	C			
	B			
	A			
2ACP		HD		HD




RECOMMENDED PCB LAYOUT 6600393-1/-5
SCALE 2:1

PART NUMBER	ROWS	POWER			
		P1	P2	P3	
6600393-2	D	VM	VM	VM	
	C				
	B				
	A				
3P		HD			HD




RECOMMENDED PCB LAYOUT 6600393-2
SCALE 2:1

PART NUMBER	ROWS	POWER						
		P1	P2	P3	P4	P5	P6	
6600393-7	D	VM	VM	VM	VM	VM	VM	
	C							
	B							
	A							
6ACP		HD						HD



RECOMMENDED PCB LAYOUT 6600393-7

PART NUMBER	ROWS	POWER						
		P1	P2	P3	P4	P5	P6	
6600393-3	D	VM	VM	VM	VM	VM	VM	
	C							
	B							
	A							
6P		HD						HD





RECOMMENDED PCB LAYOUT 6600393-3
SCALE 2:1

LOC		DIST		REVISIONS					
ES		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET I	-	-	-

-	RETENTION CLIP	HD
-	POWER CONTACT	VM
MATING SEQUENCE	DESCRIPTION	IDENTIFIER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	D. RINGLER	25MAR06	 TE Connectivity	NAME	VERICAL HEADER ASSEMBLY, W/LATCH RECEIVERS, PRESS FIT, TYPE P, MULTI-BEAM XL	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
		CHK	M. PERCHERKE	25MAR06							
		APVD	M. PERCHERKE	25MAR06							
		PRODUCT SPEC									
		108-1973									
		APPLICATION SPEC									
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:									
INCHES											


PART NUMBER	ROWS		POWER				
			P1	P2	P3	P4	
6600393-9	D		VM	VM	VM	VM	
	C						
	B						
	A						
4P							

4805 (3/11)


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
ES	00	-	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER				
			P1	P2	P3	P4	
1-6600393-0	D		VM	VM	VM	VM	
	C						
	B						
	A						
4P		HD					HD

A6



PART NUMBER	ROWS		POWER				
			P1	P2	P3	P4	
1-6600393-2	D		VM	VM	VM	VM	
	C						
	B						
	A						
4P		HD					HD



Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9