

ENTER DESCRIPTION
EC NO: WEU2010-0019 2009/07/16
DRWN:LSG
CHKD:
APPR:JFMURPHY 2009/08/10
DESCRIPTION
A
REV

QUALITY SYMBOLS
▼=0
Ⓒ=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± ---	± ---
1 PLACE	± ---	± ---
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: IN/MM
SCALE: 4:1
DESIGN UNITS: INCH
THIRD ANGLE PROJECTION

DRAWN BY	NKUMAR01	DATE 16/07/09
CHECKED BY	BWOODMAN	DATE 16/07/09
APPROVED BY	JFMURPHY	DATE 16/07/09

TITLE: NC 4P M/MFE 0.6M ST/ST CPLR 24

MOLEX INCORPORATED

MATERIAL NO.: SEE SHEET 3
DOCUMENT NO.: SD-120087-092
SHEET NO.: 1 OF 3
SIZE: C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

FEMALE INSERT FRONT VIEW			MALE INSERT FRONT VIEW		
3 POLE	4 POLE	5 POLE	3 POLE	4 POLE	5 POLE
					
1 BROWN 3 BLUE 4 BLACK	1 BROWN 2 WHITE 3 BLUE 4 BLACK	1 BROWN 2 WHITE 3 BLUE 4 BLACK 5 GREY	1 BROWN 3 BLUE 4 BLACK	1 BROWN 2 WHITE 3 BLUE 4 BLACK	1 BROWN 2 WHITE 3 BLUE 4 BLACK 5 GREY



SEC Y-Y



SEC Z-Z



SECTION Z-Z
FOR 4-5 PLOE ONLY
[4 POLE SHOWN]

ENTER DESCRIPTION
EC NO: WEU2010-0019 2009/07/16
DRWN:LSG
CHKD:
APPR: JFMURPHY 2009/08/10
DESCRIPTION
A
REV

QUALITY SYMBOLS
▼=0
Ⓒ▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± ---	± ---
1 PLACE	± ---	± ---
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE	IN/MM
SCALE	5:1
DESIGN UNITS	INCH
	THIRD ANGLE PROJECTION
DRAWN BY / DATE	NKUMAR01 16/07/09
CHECKED BY / DATE	BWOODMAN 16/07/09
APPROVED BY / DATE	JFMURPHY 16/07/09
MATERIAL NO.	SEE SHEET 3
TITLE	NC 4P M/MFE 0.6M ST/ST CPLR 24
	MOLEX INCORPORATED
DOCUMENT NO.	SD-120087-092
SHEET NO.	2 OF 3
SIZE	C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SL.No	DESCRIPTION	MATERIAL	FINISH	FEMALE INSERT ASSEMBLY QTY 3 POLE	FEMALE INSERT ASSEMBLY QTY 4 POLE	FEMALE INSERT ASSEMBLY QTY 5 POLE	MALE INSERT ASSEMBLY QTY 3 POLE	MALE INSERT ASSEMBLY QTY 4 POLE	MALE INSERT ASSEMBLY QTY 5 POLE
1	CONTACT SOCKET	COPPER ALLOY	GOLD PLATED	3	4	5			
2	O-RING	VITON	RED	1	1	1			
3	COUPLING NUT	BRASS	NICKEL PLATED						
4	LABEL	PLASTIC FILM	BLACK/YELLOW	1	1	1	1	1	1
5	OVER MOLD	TPE	YELLOW						
6	CABLE, 24 AWG, 3 CONDUCTOR	PVC JACKET	YELLOW	1			1		
	CABLE, 24 AWG, 4 CONDUCTOR	PVC JACKET	YELLOW		1			1	
	CABLE, 24 AWG, 5 CONDUCTOR	PVC JACKET	YELLOW			1			1
7	INSERT FEMALE 3 POLE	PUR	BLACK	1					
	INSERT FEMALE 4 POLE	PUR	BLACK		1				
	INSERT FEMALE 5 POLE	PUR	BLACK			1			
8	STAMP & FORM CONTACT	COPPER ALLOY	GOLD PLATED				3		
9	SCREW MACHINE CONTACT	COPPER ALLOY	GOLD PLATED					4	5
10	SLEEVE	BRASS	NICKEL PLATED				1	1	1
11	COUPLING NUT	BRASS	NICKEL PLATED				1	1	1
12	INSERT MALE 3 POLE	PUR	BLACK				1		
	INSERT MALE 4 POLE	PUR	BLACK					1	
	INSERT MALE 5 POLE	PUR	BLACK						1

PART NUMBER	DESCRIPTION	FINISHED LENGTH
1200870071	443030A10M006	0.6M +45MM -0 [1' 11" +1.8" -0]
1200870074	443030A10M010	1M +56MM -0 [3' 3" +2.2" -0]
1200870078	443030A10M020	2M +90MM -0 [6' 6" +3.5" -0]
1200870079	443030A10M030	3M +90MM -0 [9' 10" +3.5" -0]
1200870080	443030A10M040	4M +150MM -0 [13' 1" +6" -0]
1200870081	443030A10M050	5M +150MM -0 [16' 4" +6" -0]
1200870092	444030A10M006	0.6M +45MM -0 [1' 11" +1.8" -0]
1200870093	444030A10M010	1M +56MM -0 [3' 3" +2.2" -0]
1200870095	444030A10M020	2M +90MM -0 [6' 6" +3.5" -0]
1200870096	444030A10M030	3M +90MM -0 [9' 10" +3.5" -0]
1200870097	444030A10M040	4M +150MM -0 [13' 1" +6" -0]
1200870098	444030A10M050	5M +150MM -0 [16' 4" +6" -0]
1200870677	445030A10M006	0.6M +45MM -0 [1' 11" +1.8" -0]
1200870112	445030A10M010	1M +56MM -0 [3' 3" +2.2" -0]
1200870113	445030A10M020	2M +90MM -0 [6' 6" +3.5" -0]
1200870678	445030A10M030	3M +90MM -0 [9' 10" +3.5" -0]
1200870114	445030A10M040	4M +150MM -0 [13' 1" +6" -0]
1200870041	445030A10M050	5M +150MM -0 [16' 4" +6" -0]

ENTER DESCRIPTION
EC NO: WEU2010-0019 2009/07/16
DRWN:LSG
CHKD:
APPR: JFMURPHY 2009/08/10
DESCRIPTION
A
REV

QUALITY SYMBOLS
▼=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± ---	± ---
1 PLACE	± ---	± ---

ANGULAR ±1/2°

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: IN/MM
SCALE: 5:1
DESIGN UNITS: INCH
THIRD ANGLE PROJECTION

		DATE
DRAWN BY	NKUMAR01	16/07/09
CHECKED BY	BWOODMAN	16/07/09
APPROVED BY	JFMURPHY	16/07/09

TITLE: NC 4P M/MFE 0.6M ST/ST CPLR 24

molex MOLEX INCORPORATED

MATERIAL NO.: SEE CHART
DOCUMENT NO.: SD-120087-092
SHEET NO.: 3 OF 3
SIZE: C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001
Адрес: 105318, г.Москва, ул.Щербаковская д.3, офис 1107

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:
moschip.ru
moschip.ru_4
moschip.ru_6
moschip.ru_9