








REMOVE EARS EC NO: UCP2015-1601 DRWN:JDFOX CHKD:MKIPPER APPR:FSMITH G	2014/10/23	2014/10/23	2014/11/13	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
			IN/MM			4:1	INCH					
			DRAWN BY DATE			TITLE						
			JDFOX 2014/10/23									
			CHECKED BY DATE									
			RW									
			APPROVED BY DATE			molex						
			FSMITH 2014/11/13									
			MATERIAL NO.					DOCUMENT NO.	SHEET NO.			
			SEE CHART					SD-42191-3*	1 OF 3			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						



SEE SHEET 1 EC NO: UCP2015-1601 DRWN: JDOX 2014/10/23 CHKD: HKIPPER 2014/10/23 APPR: FSMITH 2014/11/13	REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 4:1	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION					
						DRAWN BY JDOX	DATE 2014/10/23	TITLE .093/(2.36) HOUSING PLUG AND RECEPTACLE 3 CIRCUIT							
						APPROVED BY FSMITH	DATE 2014/11/13	DOCUMENT NO. SD-42191-3*							
								ANGULAR $\pm 1/2^\circ$			MATERIAL NO.		SHEET NO. 2 OF 3		
								DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE CHART		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

13	12	11	10	9	8	7	6	5	4	3	2	1	
PLUG													
J	PART NO.	ENG. NO.											
	03-09-2171	42191-3P1											
I													
H	RECEPTACLE												
	PART NO.	ENG. NO.											
	03-09-1171	42191-3R1											
	03-09-1173	42191-3R3											
G													
F													
E	NOTES:												
	1. MATERIAL CODES:												
	A = NYLON TYPE 6/6, 94V-2												
	2. FINISH: NONE												
	3. PRODUCT SPECIFICATION: NONE												
D	4. PACKAGING INFORMATION: NONE												
	5. ALL THREE CIRCUITS ACCEPT DOUBLE WIRE CRIMPS OF 18 AWG MAXIMUM.												
	CIRCUIT NO'S. 1 AND 3 WILL EACH ALLOW ONE OF THE WIRES TO HAVE AN												
	OVERSIZE INSULATION THICKNESS OF .062/(1.57). CIRCUIT NO. 2 REQUIRES												
	THAT BOTH WIRES NOT EXCEED AN INSULATION THICKNESS OF .031/(0.79).												
C	6. LOCK RAMP STYLE IS OPTIONAL ON THIS SIDE OF PART. CHOICE OF EITHER												
	A POSITIVE LOCK RAMP OR A PASSIVE LOCK RAMP IS AVAILABLE.												
	7. PARTS CONFORM TO CLASS "B" REQUIREMENTS OF COSMETIC												
	SPECIFICATION PS-45499-002.												
B													
A													

LEGEND: PLUG

42191-3P***

CIRCUIT SIZE

P = PLUG

I = WITHOUT EARS

BLANK = NATURAL COLOR

BLANK = MATERIAL CODE A

LEGEND: RECEPTACLE

42191-3R***

CIRCUIT SIZE

R = RECEPTACLE

I = WITHOUT EARS, POSITIVE LOCK

3 = WITHOUT EARS, PASSIVE LOCK

BLANK = NATURAL COLOR

BLANK = MATERIAL CODE A

SEE SHEET 1

EC NO: UCP2015-1601

2014/10/23

DRWN:JDOF

CHKD:MKIPPER

APPR:FSMITH

2014/10/23

2014/11/13

REV

DESCRIPTION

QUALITY SYMBOLS

GENERAL TOLERANCES (UNLESS SPECIFIED)

mm

INCH

4 PLACES ± .005 ± .005

3 PLACES ± .005 ± .010

2 PLACES ± 0.25 ± .014

1 PLACE ± 0.36 ± .014

0 PLACE ± .005 ± .005

ANGULAR ±1/2°

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE IN/MM

DRAWN BY DATE

JDOF 2014/10/23

CHECKED BY DATE

RW

APPROVED BY DATE

FSMITH 2014/11/13

MATERIAL NO.

SEE CHART

SCALE 1:1

DESIGN UNITS INCH

THIRD ANGLE PROJECTION

TITLE

.093/(2.36) HOUSING PLUG AND RECEPTACLE 3 CIRCUIT

molex

DOCUMENT NO.

SD-42191-3*

SHEET NO.

3 OF 3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

1b_frame_C_P_AM_T

Rev. G 2012/01/11

12

11

10

9

8

7

6

5

4

3

2

1

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9