






PART NUMBER 10106131-7005001LF




spec ref		-		dr		Peng-Bing Fu	2012/03/31	projection				mm		size		A3	scale		3:2						
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Peng-Bing Fu	2012/11/13					ecn no					ELX-DG-013146-1						
ISO 406						chr		Tian-Xu Huang	2012/11/13					rel level					Released						
ISO 1101						appr		Pei-Ming Zheng	2012/11/13					product family					PwrBlade+						
surface						linear		0.X		±0.50				title		7HP + 20S		dwg no		10106131-7005001		rev		B	
		0.XX		±0.25																					
		0.XXX		±0.10																					
ISO 1302		angular		0°		±2°		www.fci.com		cat. no.		-		Product - Customer Drw					sheet 1 of 3						

PRODUCT NUMBER	ROWS		SIGNAL					POWER							
			5	4	3	2	1	P7	P6	P5	P4	P3	P2	P1	
10106131-700500ILF	D C B A		S	S	S	S	S	H	H	H	H	H	H	H	
			S	S	S	S	S								
			S	S	S	S	S								
			S	S	S	S	S								

CODE	DESCRIPTION
H	STD HIGH POWER CONTACT
HI	MFBL HIGH POWER CONTACT
S	STD SIGNAL CONTACT



dr	Peng-Bing Fu	2012/03/31			size	A3	scale	3:2					
eng	Peng-Bing Fu	2012/11/13			ecn no				ELX-DG-013146-1				
chr	Tian-Xu Huang	2012/11/13											
appr	Pei-Ming Zheng	2012/11/13	product family		PwrBlade+		rel level		Released				
		title			7HP + 20S			dwg no		10106131-7005001		rev	
		VERTICAL PF RECEPTACLE										B	
www.fci.com		cat. no.		-		Product - Customer Drw				sheet 2 of 3			




Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351.
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL
MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE
MAY BE DIFFERENT FOR OPTIMIZE THE MOLDING PROCESS. THE
VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.
- 10) A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE
WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.



Copyright FCI.

dr	Peng-Bing Fu	2012/03/31	projection 	mm 	size	A3	scale	3:2				
eng	Peng-Bing Fu	2012/11/13										
chr	Tian-Xu Huang	2012/11/13										
appr	Pei-Ming Zheng	2012/11/13	product family		PwrBlade+	ecn no	ELX-DG-013146-1					
					rel level	Released						
			title		7HP + 20S		dwg no		10106131-7005001	rev	B	
VERTICAL PF RECEPTACLE												
www.fci.com			cat. no.		-		Product - Customer Drw			sheet 3 of 3		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9