

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-14-001886	12FEB2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151397-6

FOR REPLACEMENT PARTS FOR APPLICATOR 1911174
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.


THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1911174

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity	
DIMENSIONS:		CHK RAGHAVENDRA			
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD RAGHAVENDRA	
		0 PLC ±		NAME SIDE FEED SYSTEM III APPLICATOR	
		1 PLC ±		PRODUCT SPEC	
MATERIAL		2 PLC ±		APPLICATION SPEC	
		3 PLC ±		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
FINISH		4 PLC ±		A3 C- 1911174	
		ANGLES ±		CUSTOMER DRAWING SCALE SHEET 1 OF 2 REV A1	

[illegible]

TERMINAL DATA: YAZAKI TERMINAL		TYCO ELECTRONICS CRIMP SPEC	
TERMINAL NAME: TERMINAL, 090 SEALED FEMALE			
WIRE STRIP LENGTH 4.5-5.5 mm [.177-.216 IN]		INSULATION DIAMETER RANGE 4.00mm MAX [.157 IN MAX]	
TERMINAL APPL SPEC		TERMINAL APPL SPEC	
NONE		NONE	
-		-	
TERMINALS APPLIED			
TE TERMINAL		YAZAKI TERMINAL	
1949579-1		-	
-		-	

WIRE SIZE		CRIMP HEIGHT mm [INCH]	
2mm ²		1.50±.05 [.059±.002]	
1.25mm ²		1.25±.05 [.049±.002]	
0.85mm ²		1.15±.05 [.045±.002]	



-	1	1	1	1	1-993111-6	PIN, SLOTTED SPRING 3.0 X 30.0	177
-	2	2	2	2	3-22280-7	SPRING, COMPRESSION	176
-	1	1	1	1	1752353-1	GUIDE PIN,HOLDDOWN	175
-	1	1	1	1	1901680-1	GUIDE PIN,HOLDDOWN	174
-	REF	REF	REF	REF	SEE TABLE	MEMORY CHIP, PROGRAMMED	135
-	1	1	1	1	1633565-1	DOCUMENTATION PACKAGE	71
-	1	1	1	1	1901048-1	TAG, IDENTIFICATION	67
-	2	2	2	2	21017-1	SCREW, DRIVE	66
-	1	1	1	1	18028-1	WASHER, FLAT, REG M3	64
-	1	1	1	1	1655785-9	SCR, BTN SKT HD CAP (M3 X 6)	62
-	2	2	2	2	1655785-1	SCR, BTN SKT HD CAP (M4 X 8)	60
-	1	1	1	1	985575-3	SCR, FLT SKT HD CAP M3 X 10.0	57
-	4	4	4	4	1655783-3	SCR, CAP, SOC HD, LOW HEAD, M4 X 12	54
-	1	1	1	1	1-18030-0	NUT, HEX, REG M3.5	52
-	1	1	1	1	1901681-1	HOLDDOWN, TERMINAL	51
-	1	1	1	1	1-1752354-8	STANDOFF,HOLD-DOWN	50
-	1	1	1	1	1752300-1	SF SYSTEM III APPLICATOR	46
-	1	1	1	1	1752308-1	RAM	44
-	1	1	1	1	2-1655785-3	SCR, BTN SKT HD CAP (M8 X 25)	41
-	1	1	1	1	993002-4	SCREW,SET,SFT TIP	40
-	1	1	1	1	1962043-1	PLUNGER,BALL,METRIC	39
-	1	1	1	1	1752309-2	RING, INSULATION CRIMP	38
-	1	1	1	1	1752356-3	SUPPORT, TERMINAL	34
-	2	2	2	2	3-1655785-3	SCR, BTN SKT HD CAP (M4 X 20)	33
-	1	1	1	1	18028-3	WASHER, FLAT, REG M5	32
-	1	1	1	1	5-1655316-3	SCR, SKT HD CAP, M5 X 10.0	31
-	1	1	1	1	1320908-2	SPACER, STRIP GUIDE	30
-	1	1	1	1	1901087-1	ASSEMBLY, STRIP GUIDE	29
-	1	1	1	1	455888-3	SPACER, CRIMPER	28
-	1	1	1	1	1320928-1	PLATE, STRIP GUIDE	24
-	1	1	1	1	1976045-1	STRIPPER	22
-	1	1	1	1	18028-2	WASHER, FLAT, REG M4	20
-	REF	REF	REF	REF	1752311-1	STRIPPER	19
-	1	-	1	-	1338684-2	SHEAR HOLDER, FRONT	13
-	1	1	1	1	3-22280-3	SPRING, COMPRESSION	12
-	1	1	1	1	356885-5	STOP, SHEAR	11
-	-	1	-	1	1-1320921-0	SHEAR HOLDER, FRONT CUT	10
-	1	1	1	1	318707-1	FLOATING SHEAR, FRONT	9
1	2	2	1	1	1633620-1	ANVIL, COMBINATION	8
-	1	1	1	1	1338680-2	DEPRESSOR, SHEAR	5
-	1	1	1	1	238011-2	BLOCK, CRIMPER SPACER	4
1	2	2	1	1	7-1583690-2	CRIMPER, INSUL O	3
-	1	1	1	1	455888-6	SPACER, CRIMPER	2
1	2	2	1	1	3-1490019-3	CRIMPER, WIRE PREMIUM	1

THIS DRAWING IS A CONTROLLED DOCUMENT OF THE ORGANIZATION IT IS THE PROPERTY OF THE ORGANIZATION AND IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE ORGANIZATION IT IS THE PROPERTY OF THE ORGANIZATION AND IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE ORGANIZATION		DATE: 16NOV2007		REV: 1	
DRAWN BY: R.O. WILSON		CHECKED BY: R.O. WILSON		Tycos Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: INCHES (mm)		TOLERANCES (UNLESS OTHERWISE SPECIFIED):		NAME: SIDE FEED SYSTEM III APPLICATOR	
		0 P/LC ±.0005 1 P/LC ±.0005 2 P/LC ±.0005 3 P/LC ±.0005 4 P/LC ±.0005 ANGLES ±.0005		PRODUCT SPEC: SEE TABLE APPLICATION SPEC: SEE TABLE WEIGHT: CUSTOMER DRAWING	
MATERIAL: F-1153		SIZE: CASE CODE: DRAWING NO: A1 00779 C-1911174		RESTRICTED TO: REV: A	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9