







NOTES

1. FOR DIMENSION OF PRODUCT, REFER TO PRODUCT DRAWING.
2. NUMBER OF CONNECTORS : 7000PCS/REEL
3. LEAD TAPE LENGTH






4. TOP TAPE PEEL FORCE IS DEFINED BY IEC60286-3.
5. MATERIAL
CARRIER TAPE : POLYSTYRENE
TOP TAPE : PET , OTHER
REEL : POLYSTYRENE (PS) < RECYCLE MATERIAL CONTAINED >

CONNECTOR SERIES NO. 505274**39

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
RELEASED	EC NO: 123537 DRWN: FSATO CHK'D: MSASAO APPR: MSASAO	2017/10/23 2017/11/01 2017/11/02	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex®				
					mm		NTS						
			ANGULAR TOL ± 3.0 °		DRWN BY		DATE		0.35 BB H=0.8 SSB8RP PLUG EMBSTP PKG				
					FSATO		2017/10/23						
			4 PLACES ± 0.03		CHK'D BY		DATE						
			3 PLACES ± 0.03		MSASAO		2017/11/01						
			2 PLACES ± 0.05		APPR BY		DATE		PRODUCT CUSTOMER DRAWING				
	1 PLACE ± 0.1		MSASAO		2017/11/02								
	0 PLACES ± 0.2		DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES		MATERIAL NUMBER		CUSTOMER		
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		A3				505274		SEE CHART		GENERAL		
DOCUMENT NUMBER							DOC TYPE		DOC PART		SHEET NUMBER		
5052740002-SD							PSD		000		1 OF 3		
A		REV											


RELEASE STATUS P1 RELEASE DATE 02.11.2017 01:50:54




16	21.4	17.4	6.68	5052743042	○	---	30
			5.63	5052742442	○	---	24
			4.93	5052742042	○	---	20
			4.23	5052741642	○	---	16
			3.18	5052741042	○	---	10
			2.48	5052740642	○	---	6
キャリアテープ幅 CARRIER TAPE WIDTH	C	B	(A)	EMBOSSED TAPE PACKAGE	HIGH VOL. TOOL	LOW VOL. TOOL	CIRCUIT
				ORDER NO.	SAMPLE PREPARATION ○:TOOLED △:WOOK IN PROCESS ---:TOOLING TO BE CONFIRMED		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

RELEASED	EC NO: 123537 DRWN: FSATO CHK'D: MSASAO APPR: MSASAO	2017/10/23	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION UNITS		SCALE		molex®							
		2017/11/01		mm	NTS										
		2017/11/02		ANGULAR TOL ± 3.0 °		DRWN BY		DATE		0.35 BB H=0.8 SSB8RP PLUG EMBSTP PKG					
		4 PLACES		± 0.03	FSATO		2017/10/23								
		3 PLACES		± 0.03	CHK'D BY		DATE								
		2 PLACES		± 0.05	MSASAO		2017/11/01		PRODUCT CUSTOMER DRAWING						
	1 PLACE	± 0.1	APPR BY		DATE										
	0 PLACES	± 0.2	MSASAO		2017/11/02										
	A	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES		MATERIAL NUMBER		CUSTOMER		
					A3				505274		SEE CHART		GENERAL		
								DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER	
								5052740002-SD		PSD		000		2 OF 3	








NOTES

- MATERIAL
HOUSING : LIQUID CRYSTAL POLYMER UL94V-0 (COLOR : BLACK)
TERMINAL : COPPER ALLOY
FITTING NAIL : COPPER ALLOY
- PLATING
TERMINAL :
GOLD
UNDER PLATING NICKEL
*DIVIDE INTO PARTS THE GOLD PLATING OF CONTACT
FITTING NAIL :
GOLD(ONLY CONTACT AND TAIL PART)
UNDER PLATING NICKEL
*GOLD PLATING WILL BE DIVIDED THE CONTACT FROM THE TAIL PART
BY THE NICKEL PLATING. THERE MAY BE SLIGHT DIFFERENCES
IN THE OTHER PART COLORING. BUT THERE WILL BE NO INFLUENCE
ON THE PRODUCT'S PAERFORMANCE.
- APPLY FOR (CIRCUIT/2)=EVEN
- MATE WITH : 505270**12
- TAIL AND FITTING NAIL COPLANARITY TO BE 0.08MAXIMUM.
- PROHIBITED AREA OF PATTERN WIRING AND SOLDER.
(FOR EACH AREA, THE WIRING THAT TOUCHES ON THE SOLDER
CAN BE ATTACHED, THEN COVERED WITH A FILM TO KEEP SOLDER OUT.)


11.96	11.36	9.1	10.76	5052745442	○	---	54
9.51	8.91	6.65	8.31	5052744042	○	---	40
8.46	7.86	5.6	7.26	5052743442	○	---	34
7.76	7.16	4.9	6.56	5052743042	○	---	30
6.71	6.11	3.85	5.51	5052742442	○	---	24
6.01	5.41	3.15	4.81	5052742042	○	---	20
5.31	4.71	2.45	4.11	5052741642	○	---	16
4.26	3.66	1.4	3.06	5052741042	○	---	10
3.56	2.96	0.7	2.36	5052740642	○	---	6
D	C	B	A	EMBOSSSED TAPE PACKAGE	MASS PRODUCTION	LOW VOL. TOOL	CIRCUIT
				ORDER No.	SMAPLE PREPARATION ○: TOOLED △: WORK IN PROCESS ---: TOOLING TO BE CONFIRMED		
				CONNECTOR No. : 505274**39			

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

RELEASED	EC NO: 123537	DRWN: FSATO	CHK'D: MSASAO	APPR: MSASAO	2017/10/23	2017/11/01	2017/11/02	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex®							
					ANGULAR TOL ± 3.0 °					mm		10:1									
					4 PLACES		± 0.03		DRWN BY		DATE		0.35 BB CONN. H=0.8 SSB8RP PLUG ASSY								
					3 PLACES		± 0.03		FSATO		2017/10/23										
					2 PLACES		± 0.05		CHK'D BY		DATE		PRODUCT CUSTOMER DRAWING								
					1 PLACE		± 0.1		MSASAO		2017/11/01										
					0 PLACES		± 0.2		APPR BY		DATE		SERIES					MATERIAL NUMBER		CUSTOMER	
					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MSASAO		2017/11/02												
									DRAWING SIZE		THIRD ANGLE PROJECTION		505274		SEE CHART		GENERAL				
									A3				DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER		
												5052741002-SD		PSD		000		1 OF 2			




RECOMMENDED P.W.BOARD PATTERN LAYOUT (REFERENCE)



RECOMMENDED METAL MASK LAYOUT (REFERENCE)

RECOMMENDED THICKNESS OF METAL MASK : t=0.08mm
RECOMMENDED OPEN APERTURE RATIO OF METAL MASK : 80%

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

RELEASED	EC NO: 123537 DRWN: FSATO CHK'D: MSASAO APPR: MSASAO	2017/10/23 2017/11/01 2017/11/02	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS	SCALE	molex®								
					mm	10:1									
			ANGULAR TOL ± 3.0 °		DRWN BY		DATE		0.35 BB CONN. H=0.8 SSB8RP PLUG ASSY						
			4 PLACES ± 0.03	FSATO		2017/10/23									
			3 PLACES ± 0.03	CHK'D BY		DATE		PRODUCT CUSTOMER DRAWING							
			2 PLACES ± 0.05	MSASAO		2017/11/01									
			1 PLACE ± 0.1	APPR BY		DATE		SERIES				MATERIAL NUMBER		CUSTOMER	
			0 PLACES ± 0.2	MSASAO		2017/11/02									
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE	THIRD ANGLE PROJECTION			505274		SEE SHEET 1		GENERAL		
					A3										
A	REV		5052741002-SD				DOC TYPE	DOC PART	SHEET NUMBER						
			PSD				000	2 OF 2							

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9