



CY7C10212CV33-12BAXET Status: In Production

 Alert me about changes to this product

 SHARE   

[Datasheet](#)

[Quality and RoHS](#)

[Support and Community](#)

[Inventory](#)

[Technical Documents](#)

[Packaging/Ordering](#)

[Related Products](#)



CY7C10212CV33-12BAXET

Automotive Qualified	Y
Min. Operating Voltage (V)	3.00
Max. Operating Voltage (V)	3.60
Min. Operating Temp. (°C)	-40
Max. Operating Temp. (°C)	125
Frequency (MHz)	N/A
Temp. Classification	Automotive(E)
Max. Operating VCCQ (V)	3.60
Min. Operating VCCQ (V)	3.00
Speed (ns)	12
Density (Kb)	1024
Organization (X x Y)	64K x 16

Pricing & Inventory Availability

1-10 unit Price*	11-100 unit Price*	101-1000 unit Price*	1001 + unit Price*

Availability	Quantity	Ships In	Order Now

* Prices are shown in United States dollars and are for budgetary use only.

Packaging / Ordering

Package	FBGA
No. of Pins	48
Package Dimensions	275 L X 1.2 H X 275 W (Mils)
Package Weight	103.15 (mgs)
Package Cross Section Drawing	Download
Package Carrier	REEL
Package Carrier Drawing / Orientation	Tape Drawing , Reel Drawing , Package Orientation
Standard Pack Quantity	2000
Minimum Order Quantity (MOQ)	2000
Order Increment	2000
Estimated Lead Time (days)	42
HTS Code	8542.32.0040
ECCN	3A991

ECCN Suball	(B.2.B.)
-------------	----------

Quality and RoHS

Moisture Sensitivity Level (MSL)	3
Peak Reflow Temp. (°C)	260 (Cypress Reflow Profile)
RoHS Compliant	Y Print RoHS Certificate of Compliance
PB Free	Y
Lead/Ball Finish	Sn/Ag/Cu
Marking	Cypress Marking Format

Package Material Declaration

[048-BGA 7X7mm 001-04281](#) Last Update: 06/25/2012

IPC 1752 Material Declaration

[IPC-1752-2_V1.1_BGA 48 \(7 X 7 MM\) _ASET_SNAGCU](#) Last Update: 07/04/2012

RoHS Analysis Certificates (CoA)

[PACKAGE ROHS ANALYSIS REPORT - BGA \(BK/BP 36, 42, 48, 96\) \(BW 96,100,119,144,165,172,196,209,256,400\)](#)
[USING MOLD COMPOUND KEG2270, ADHESIVE 2025D, SAC405 - ASE TAIWAN ASSEMBLY](#) Last Update: 07/04/2012

Device Qualification Reports

 FIT/MTBF, ESD (HBM/CDM) and Latch-up data available in the Device Qualification Report. Please click [here](#).

Technical Documents

Application Notes (1)

[AN6081 - Interfacing 90-nm Cypress Asynchronous SRAMs in Legacy Systems](#) Last Update: 19/12/2012

Product Information Notice (PIN) (1)

[PIN135200](#) Last Update: 21/03/2013

Support and Community

[Cypress Developer Community](#) TM

[Forums](#)

[Blogs](#)

[Support](#)

[Knowledge Base](#)

[Product Training](#)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9