








Copyright FCI.

PRODUCT NO
SEE TABLE







SECTION Y-Y



SECTION X-X


spec ref		-		dr		Vajith P-N		2014/02/21		projection				size		A3		scale		3:1							
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Guat-Lian Loo		2015/03/24						ecn no		-		rel level		Released							
ISO 406				chr		-		-																			
ISO 1101				appr		Chen-Hong Tan		2015/03/24														product family		SAS			
surface				linear		0.X		±-				title		12G SAS RECEPTACLE		dwg no		10122998		rev		A					
ISO 1302																								0.XX		±.20	
																								0.XXX		±-	
		angular		0°		±2°		www.fci.com		cat. no.		-		Product - Customer Drw		sheet 1 of 3											

PRODUCT NO	PICK-UP CAP	PACKAGING	REMARK
10122998-001LF	NO	TRAY	--
10122998-001CLF	YES	TRAY	--
10122998-001C-TRLF	YES	TAPE & REEL	--



PART WITH PICK-UP CAP, SEE NOTE 4
SCALE 3:1

RECOMMENDED PCB LAYOUT
SCALE 3:1



RECOMMENDED SUCTION HEAD SIZE

spec ref	-	dr	Vajith P-N	2014/02/21	projection	MM	size	A3	scale	3:1
tolerance std	ISO 406 ISO 1101	eng	Guat-Lian Loo	2015/03/24	chr	-	ecn no	-	rel level	Released
surface	✓	appr	Chen-Hong Tan	2015/03/24	product family	SAS	rel level	Released	rev	A
linear	0.X ± - 0.XX ± .20 0.XXX ± -	ISO 1302	angular	0° ± 2°	www.fci.com	cat. no.	-	Product - Customer Drw	sheet 2 of 3	
12G SAS RECEPTACLE VERTICAL SMT TYPE ASSY	10122998									



Copyright FCI.



PRODUCT NO
SEE TABLE

- NOTES:
- 1. MATERIAL:
 - 1) HOUSING: HIGH TEMP TERMOPLASTIC, UL 94V-0
 - COLOR : BLACK
 - 2) TERMINAL: COPPER ALLOY
 - 3) HOLD DOWN: COPPER ALLOY
 - 2. FINISH:
 - 1) TERMINAL: 30µ" Au PLATING (CONTACT POINT)
OVER 50µ" NICKEL
 - 2) SOLDER TAIL: 50µ" MIN Sn OVER 50µ" NICKEL
 - 3) HOLD DOWN: 50µ" MIN Sn OVER 50µ" NICKEL
 - 3. PER SFF REV 1.5 EXCEPT 0.8mm PITCH BUMP AREA
 - 4. PART WITH PICK-UP CAP, P/N XXXXXXXX-XXXCLF
 - 5. THE STD PACKAGING IS IN TRAY
 - 6. FOR TAPE & REEL PACKAGING, SUFFIX "-TR" ADDED AFTER PART NUMBER (E.G. XXXXXXXX-XXXC-TRLF)
 - 7. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.
 - 8. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47-0004.
 - 9. PART NUMBERS ENDING IN "LF" MEANS FOR NOTE 8 LEAD FREE INDENTIFICATION
 - 10. MATES WITH SFF8482/8680 PLUG, SATA PLUG.
 - 11. DATE CODE LOCATION. DATE CODE NO. YYWWD (E.G. 14225).
 - 12. CORING AT NON FUNCTIONAL AREAS ARE SUBJECT TO CHANGE WITHOUT NOTICES.
 - 13. A SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

spec ref		-		dr		Vajith P-N	2014/02/21	projection		MM		size	A3	scale	3:1		
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng		Guat-Lian Loo	2015/03/24					ecn no				-	
				chr		-	-										
ISO 406				appr		Chen-Hong Tan	2015/03/24	product family			SAS		rel level		Released		
ISO 1101																	
surface	- ✓	linear	0.X	± -		title				12G SAS RECEPTACLE		dwg no		10122998		rev	
			0.XX	±.20													
			0.XXX	± -													
ISO 1302		angular	0°	±2°	www.fci.com		cat. no.		-	Product - Customer Drw				sheet 3 of 3		A	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9