

4

3

2

1


THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION
© COPYRIGHT	ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			D1	ECR-14-018880	17DEC2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2266520-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1426220
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1426220

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN GOPALAKRISHNA HV		TE Connectivity				
			CHK RAGHAVENDRA						
DIMENSIONS:			APVD RAGHAVENDRA		NAME SIDE FEED HD-I APPLICATOR				
			PRODUCT SPEC						
			APPLICATION SPEC						
MATERIAL			WEIGHT		SIZE A 3	CAGE CODE	DRAWING NO C- 1426220	RESTRICTED TO	
FINISH			CUSTOMER DRAWING				SCALE	SHEET 1 OF 2	REV D1
TOLERANCES UNLESS OTHERWISE SPECIFIED:			0 PLC ±						
			1 PLC ±						
			2 PLC ±						
			3 PLC ±						
			4 PLC ±						
			ANGLES ±						

DRAWING MADE IN THIRD ANGLE PROJECTION

14262201426220

/nd/mbaum/medout

PART NUMBER	REV	FIRST USED	TERMINATOR	FEED TYPE	DESCRIPTION
1426220-1	D	-	LEADMAKER	MECH POST FEED	CUTS CARRIER
1426220-2	D	-	BENCH	MECH PRE FEED	CUTS CARRIER
1426220-6	D	-	LEADMAKER	MECH POST FEED	CONTINUOUS CARRIER
7-1426220-1	D	-	LEADMAKER	MECH POST FEED	-1 AND SPARE PARTS
7-1426220-2	D	-	BENCH	MECH PRE FEED	-2 AND SPARE PARTS
7-1426220-6	D	-	LEADMAKER	MECH POST FEED	-6 AND SPARE PARTS
7-1426220-7	A	-	-	-	SPARE PARTS KIT

CRIMP DATA AMP TERMINAL AMP CRIMP SPECS

TERMINAL NAME: .070 I1 SERIES S RECEPTACLE

CRIMP	SIZE	TYPE	RANGE
WIRE	1.78 [.070 IN]	F	0.3mm ² -0.85mm ²
INSUL	2.29 [.090 IN]	F	1.10-1.90 [.043-.075 IN]

WIRE STRIP LENGTH

4.00-4.50 [.157-.177 IN]

APPL INSTRUCTION

408-8322

TERMINAL

114-5160 (A)

-

FEED

11.50 [.453 IN]

APPL SPEC

114-5198 (B)

-

TERMINALS APPLIED

175268 (A)	-	-	-	-
175272 (A)	-	-	-	-
175275 (A)	-	-	-	-
-	-	-	-	-
179965 (B)	-	-	-	-
179967 (B)	-	-	-	-
-	-	-	-	-
-	-	-	-	-

WIRE SIZE

mm² AWG

CRIMP HEIGHT

PIN PN AND LENGTH [IN]

0.85mm ²	1.17 ±0.05 [.046 ±.002 IN]	2-354779-8 [.3130]
0.50mm ²	1.03 ±0.05 [.041 ±.002 IN]	3-354779-7 [.3175]
0.30mm ² OR 0.35mm ²	0.94 ±0.05 [.037 ±.002 IN]	4-354779-7 [.3225]
0.75mm ²	1.12 ±0.05 [.044 ±.002 IN]	3-354779-1 [.3145]
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-

1

RECOMMENDED SPARE PARTS.

2. GREASE RAM, CAM, CAM FOLLOWER AND FEED ROD LIGHTLY.

3. LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.

4

CUT TO LENGTH AT ASSEMBLY.

5

FEED MAY REQUIRE ADJUSTMENT WHEN CHANGING FROM ONE TERMINAL TO ANOTHER.


VIEW B ROTATED 180°

POST FEED 40 mm STROKE

POST FEED 30 mm STROKE

PRE FEED 30 mm STROKE

PRE FEED 40 mm STROKE



-	1	1	1	1	1	1	1426220	PRINT, APPLICATOR LOG SHEET	72
-	1	1	1	1	1	1	1338705-1	DOCUMENTATION PACKAGE	71
									70
									69
									68
-	1	1	1	1	1	1	461264-1	PLATE, IDENTIFICATION	67
-	2	2	2	2	2	2	21017-2	SCR, DRIVE (#2X.19) ID PLATE	66
									65
-	1	1	1	1	1	1	986950-1	WASHER, FLAT PRECISION	64
-	1	1	1	1	1	1	3-18031-0	SCR, SKT SET (M6X6) RAM	63
-	1	1	1	1	1	1	18023-9	SCR, SHC (M4X6) INS DISC	62
-	2	2	2	2	2	2	2-18032-5	SCR, SET (M5X20) DRAG	61
-	1	1	1	1	1	1	18024-7	SCR, BHC (M4X10) ANVIL	60
-	1	1	1	1	1	1	5-18022-2	SCR, HEX (M4X8) FEED FINGER	59
									58
									57
-	1	1	1	1	1	1	1338685-1	PAWL, FEED	56
									55
-	4	4	4	4	4	4	18024-8	SCR, BHC (M4X12) SHEAR HOLDER	54
-	2	2	2	2	2	2	9-18023-6	SCR, SKT CAP (M4X14) HOLD DOWN	53
-	1	1	1	1	1	1	18030-1	NUT, HEX (M3) HOLD DOWN	52
-	1	1	1	1	1	1	811242-5	BUMPER, HOLDDOWN	51
-	1	1	1	1	1	1	690753-2	SPACER, TONKER	50
-	1	1	1	1	1	1	18024-3	SCR, BHC (M3X10) CAM	49
-	-	-	-	-	-	-	1338675-1	CAM, PRE FEED 30 & 40 mm ST	48
-	1	-	1	1	-	1	1338676-1	CAM, POST FEED 30 & 40 mm ST	47
-	1	1	1	1	1	1	1320999-3	APPLICATOR BASIC SUBASSY	46
-	1	1	1	1	1	1	690191-1	PLUG, NYLON	45
-	1	1	1	1	1	1	1338660-1	RAM	44
-	1	1	1	1	1	1	690125-1	WASHER, LAMINATED	43
-	1	1	1	1	1	1	690124-1	WASHER, RAM	42
-	1	1	1	1	1	1	2-18024-6	SCR, BHC (M8X25) RAM	41
-	1	1	1	1	1	1	23241-1	BALL, STEEL	40
-	1	1	1	1	1	1	2-22278-7	SPRING, COMPRESSION	39
-	1	1	1	1	1	1	1320922-1	DISC, INSULATION	38
-	1	1	1	1	1	1	354777-1	WIRE DISC, PLASTIC	37
-	1	1	1	1	1	1	22480-5	WASHER, SPRING	36
-	1	1	1	1	1	1	690212-1	POST, RAM	35
-	1	1	1	1	1	1	1320934-1	SUPPORT, TERMINAL	34
-	2	2	2	2	2	2	1-18024-0	SCR, BHC (M4X20) STRIP GUIDE	33
-	1	1	1	1	1	1	18027-2	WASHER, FLAT (M4)	32
-	1	1	1	1	1	1	1-18023-2	SCR, SKT CAP (M4X12) MOUNT BLOCK	31
-	1	1	1	1	1	1	1320908-3	SPACER, STRIP GUIDE	30
-	1	1	1	1	1	1	1633073-1	STRIP GUIDE PLATE ASSY	29
-	1	1	1	1	1	1	1-455888-0	SPACER, FRONT SHEAR DEP	28
-	2	2	2	2	2	2	1-22284-0	SPRING, DRAG	27
-	1	1	1	1	1	1	356835-1	LEVER, DRAG RELEASE	26
-	1	1	1	1	1	1	240792-1	DRAG, TERMINAL	25
-	1	1	1	1	1	1	1320928-2	PLATE, STRIP GUIDE	24
-	1	1	1	1	1	1	980371-4	SCR, SHC SHLD	23
-	1	-	1	1	-	1	690472-2	STRIPPER	22
-	1	1	1	1	1	1	1-18023-1	SCR, SHC (M4X10) STRIPPER	21
-	4	4	4	4	4	4	18025-2	WASHER, LOCK (M4) STRIPPER	20
-	-	1	-	-	1	-	690472-1	STRIPPER	19
-	1	-	-	1	-	-	1338684-1	HOLDER, SHEAR, FRONT (NO-CUT)	17
									16
									15
									14
									13
-	1	1	1	1	1	1	3-22280-3	SPRING, SHEAR	12
-	1	1	1	1	1	1	356885-4	STOP, SHEAR	11
-	-	1	1	-	1	1	1320921-1	HOLDER, SHEAR, FRONT (CUT)	10
-	1	1	1	1	1	1	462006-1	SHEAR, FLOAT (FRONT)	9
1	2	2	2	1	1	1	1-1333203-7	ANVIL	8
-	1	1	1	1	1	1	2-240641-1	SPACER, DEPRESSOR (REAR)	7
									6
-	1	1	1	1	1	1	2-455889-0	DEPRESSOR, SHEAR (FRONT)	5
-	1	1	1	1	1	1	2-238011-2	SPACER, BLOCK CRIMPER	4
1	2	2	2	1	1	1	6-456134-3	CRIMPER, INSULATION	3
-	1	1	1	1	1	1	455888-9	SPACER, CRIMPER	2
1	2	2	2	1	1	1	3-456404-0	CRIMPER, WIRE	1
-77	-76	-72	-71	-6	-2	-1	PART NO	DESCRIPTION	ITEM NO
							REVISION OF EACH ASSY NO (WHEN BLANK, USE DWG REVISION)		
QTY REQD PER ASSY							PARTS LIST		
DIMENSIONS, mm [INCHES]							MATL	HT TR	FIN
DO NOT SCALE PRINT.									
TOLERANCES UNLESS OTHERWISE SPECIFIED:									
1 PLC DEC ±0.5 [.02 IN]									
2 PLC DEC ±-									
3 PLC DEC ±-									
ANGLES ±-									
SURF TEXTURE, ✓									
REMOVE BURRS, BREAK SHARP EDGES RO.38 MAX									
CHG CODE									
00779							CUSTOMER AND ASSEMBLY DRAWING		
							RESTRICTED TO		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9