

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0459713381](#)
Status: **Active**
Description: 1.27mm (.050") by 1.27mm (.050") Pitch SEARAY* Receptacle, 240 Circuits, 6.50mm (.255") Unmated Height, 8 Rows, With Pegs, Solder Charge™ Lead Free

Documents:
[3D Model](#)
[Drawing \(PDF\)](#)
[Product Specification PS-45970-001 \(PDF\)](#)
[Product Specification PS-45970-002 \(PDF\)](#)
[RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification

CSA LR19980
UL E29179

General

Product Family PCB Receptacles
Series [45971](#)
Application Board-to-Board
Product Name SEARAY*

Physical

Circuits (Loaded) 240
Circuits (maximum) 240
Circuits Detail 240
Color - Resin Black
Durability (mating cycles max) 100
Flammability 94V-0
Glow-Wire Compliant No
Guide to Mating Part No
Keying to Mating Part None
Lock to Mating Part No
Material - Metal Copper Alloy
Material - Plating Mating Gold
Material - Plating Termination Tin
Material - Resin High Temperature Thermoplastic
Number of Rows 8
Orientation Vertical
PC Tail Length (in) 0.086 In
PC Tail Length (mm) 2.18 mm
PCB Locator Yes
PCB Retention Yes
PCB Thickness Recommended (in) 0.062 In
PCB Thickness Recommended (mm) 1.57 mm
Packaging Type Tray
Pitch - Mating Interface (in) 0.050 In
Pitch - Mating Interface (mm) 1.27 mm
Pitch - Term. Interface (in) 0.050 In
Pitch - Term. Interface (mm) 1.27 mm
Plating min: Mating (µin) 30
Plating min: Mating (µm) 0.75
Plating min: Termination (µin) 100
Plating min: Termination (µm) 2.5
Polarized to Mating Part Yes
Polarized to PCB Yes
Robotic Placement Pick and Place Cap
Stackable No




image - Reference only

Series

EU RoHS

**ELV and RoHS
Compliant**

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

China RoHS



**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of
Compliance, [click here](#)

Please visit the [Contact Us](#) section for any
non-product compliance questions.

Search Parts in this Series

[45971Series](#)

Mates With

[45970 SEARAY* Plug](#)

Surface Mount Compatible (SMC)	Yes
Temperature Range - Operating	-55°C to +125°C
Termination Interface: Style	Surface Mount

Electrical

Current - Maximum per Contact	2.7A
Grounding to PCB	No
Voltage - Maximum	240V AC

Solder Process Data

Duration at Max. Process Temperature (seconds)	3
Lead-free Process Capability	Reflow Capable (SMT only)
Max. Cycles at Max. Process Temperature	1
Process Temperature max. C	260

Material Info


Reference - Drawing Numbers

Application Specification	AS-45970-001, AS-45970-002, AS-45970-990
Packaging Specification	PK-45971-001
Product Specification	PS-45970-001, PS-45970-002
Sales Drawing	SD-45971-001
Test Summary	TS-45970-001

*SEARAY is a trademark of Samtec, Inc.

This document was generated on 05/25/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



DATE CODE




ACROSS ALL
SOLDER CHARGES

LEAD CODE:

1 = TIN


2 = TIN / LEAD

DIM M $\pm .010$




DIM C $\pm .010$

DIM R $^{+.002}_{-.004}$
UNMATED HEIGHT




ROW 1 / POSITION 1 ID THIS SIDE

.050 TYP
TERMINAL PITCH



.050 TYP
TERMINAL PITCH



PICK AND
PLACE CAP

NOTES:

- MATERIALS: HOUSING: LCP, UL94V-0, BLACK
CONTACTS: COPPER ALLOY
SOLDER CHARGE: SEE CHART
- FINISH: ALL OPTIONS - SELECT GOLD IN CONTACT AREA: 30 MI MIN
OPTIONS 5.0: SELECT GOLD FLASH IN TAIL, 7 MI MIN
OPTIONS 6.0 THRU 8.0: SELECT TIN IN TAIL, 100 MI MIN
ALL OPTIONS - OVER NICKEL
- PRODUCT SPECIFICATION: PS-45970-001
- PACKAGING SPECIFICATION: SEE CHART
- MATES WITH SEARAY PLUG ASSEMBLY 45970
- APPLICATION SPECIFICATION: AS-45970-001
- COSMETIC SPECIFICATION: PS-45499-002 CLASS B
- PART STATUS: CONTACT MOLEX

UPDATED NOTE 2 EC NO: UCP2010-2270 DRWN: TREGORI 2010/03/05 CHKD: JCOMERC 2005/05/17 APPR: JCOMERC 2010/03/05	DESCRIPTION	
O	REV	

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	$\pm$ ---	$\pm$ ---
3 PLACES	$\pm$ ---	$\pm .005$
2 PLACES	$\pm$ ---	$\pm$ ---
1 PLACE	$\pm$ ---	$\pm$ ---

ANGULAR $\pm$ ---°

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE INCH ONLY

DRAWN BY	DATE
TGREGORI	2005/05/17
CHECKED BY	DATE
JCOMERC I	2005/05/17
APPROVED BY	DATE
JCOMERC I	2010/03/05
MATERIAL NO.	
SEE CHART	

SCALE
3:1

DESIGN UNITS
INCH

THIRD ANGLE
PROJECTION

SEARAY RECEPTACLE ASSEMBLY .050 CENTERS	
MOLEX INCORPORATED	
DOCUMENT NO.	SHEET NO.
SD-45971-001	1 OF 10

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

6


5

4

3

2

1




F
.005
MIN SOLDER
PASTE THICKNESS

NO OF ROWS	DIM C	DIM E
6	.378	.125
8	.478	.175
10	.578	.225
12	.678	.275

RECOMMENDED PCB LAYOUT: COMPONENT SIDE
SOLDER SCREEN APERTURE SIZE: .035
PCB THICKNESS: NA
F

DIM P PLUG STACK HEIGHT	DIM R RECEPTACLE STACK HEIGHT					
	MM	5.0	6.0	6.5	7.5	8.0
	2.0	7.0	8.0	8.5	9.5	10.0
	3.0	8.0	9.0	9.5	10.5	11.0
	3.5	8.5	9.5	10.0	11.0	11.5
	2.5	7.5	8.5	9.0	10.0	10.5
	4.5	9.5	10.5	11.0	12.0	12.5
	5.0	10.0	11.0	11.5	12.5	13.0
7.0	12.0	13.0	13.5	14.5	15.0	



MATED STACK HEIGHTS
(MILLIMETERS) REF

STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY

SEE SHEET 1 EC NO: UCP2010-2270 DRWN: TGREGORI 2010/03/05 CHK'D: JCOMERC I 2005/05/17 APPR: JCOMERC I 2010/03/05	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE INCH ONLY		SCALE 3:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION				
			mm	INCH	DRAWN BY TGREGORI	DATE 2005/05/17	TITLE SEARAY RECEPTACLE ASSEMBLY .050 CENTERS						
		4 PLACES	± ---	± ---	CHECKED BY JCOMERC I	DATE 2005/05/17							
		3 PLACES	± ---	± .005	APPROVED BY JCOMERC I		DATE 2010/03/05		MOLEX INCORPORATED				
		2 PLACES	± ---	± ---									
		1 PLACE	± ---	± ---									
		ANGULAR ± ---°			MATERIAL NO.		DOCUMENT NO.		SHEET NO.				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE CHARTS		SD-45971-001		2 OF 10						
REV		SIZE A	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										

5

4

3

2

1

		6		5		4		3		2		1		
D	TRAY PACK PK-45971-001	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0161		45971-0261		45971-0361		45971-0461		45971-0561		
		10	0.782	45971-1161		45971-1261		45971-1361		45971-1461		45971-1561		
		20	1.282	45971-2161		45971-2261		45971-2361		45971-2461		45971-2561		
		30	1.782	45971-3161		45971-3261		45971-3361		45971-3461		45971-3561		
		40	2.282	45971-4161		45971-4261		45971-4361		45971-4461		45971-4561		
		50	2.782	45971-5161		45971-5261		45971-5361		45971-5461		45971-5561		
		15	1.032	45971-6161		45971-6261		45971-6361		45971-6461		45971-6561		
C	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0165		45971-0265		45971-0365		45971-0465		45971-0565		
		10	0.782	45971-1165		45971-1265		45971-1365		45971-1465		45971-1565		
		20	1.282	45971-2165		45971-2265		45971-2365		45971-2465		45971-2565		
		30	1.782	45971-3165		45971-3265		45971-3365		45971-3465		45971-3565		
		40	2.282	45971-4165		45971-4265		45971-4365		45971-4465		45971-4565		
		50	2.782	45971-5165		45971-5265		45971-5365		45971-5465		45971-5565		
		15	1.032	45971-6165		45971-6265		45971-6365		45971-6465		45971-6565		
B	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0165		45971-0265		45971-0365		45971-0465		45971-0565		
		10	0.782	45971-1165		45971-1265		45971-1365		45971-1465		45971-1565		
		20	1.282	45971-2165		45971-2265		45971-2365		45971-2465		45971-2565		
		30	1.782	45971-3165		45971-3265		45971-3365		45971-3465		45971-3565		
		40	2.282	45971-4165		45971-4265		45971-4365		45971-4465		45971-4565		
		50	2.782	45971-5165		45971-5265		45971-5365		45971-5465		45971-5565		
		15	1.032	45971-6165		45971-6265		45971-6365		45971-6465		45971-6565		
A	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0165		45971-0265		45971-0365		45971-0465		45971-0565		
		10	0.782	45971-1165		45971-1265		45971-1365		45971-1465		45971-1565		
		20	1.282	45971-2165		45971-2265		45971-2365		45971-2465		45971-2565		
		30	1.782	45971-3165		45971-3265		45971-3365		45971-3465		45971-3565		
		40	2.282	45971-4165		45971-4265		45971-4365		45971-4465		45971-4565		
		50	2.782	45971-5165		45971-5265		45971-5365		45971-5465		45971-5565		
		15	1.032	45971-6165		45971-6265		45971-6365		45971-6465		45971-6565		
tb_frame_A_P_AM_T Rev. E 2006/04/15		5		4		3		2		1				

NOTES:

1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS
NO OF ROWS: 6
SOLDER CHARGE: TIN
PACKAGING: TRAYS AND TAPE AND REEL

SEE SHEET 1
EC NO: UCP2010-2270
DRWN:TGREGORI 2010/03/05
CHKD:JCOMERC I 2005/05/17
APPR:JCOMERC I 2010/03/05

REV

DESCRIPTION

GENERAL TOLERANCES
(UNLESS SPECIFIED)

mm

INCH

4 PLACES ± --- ± ---

3 PLACES ± --- ± .005

2 PLACES ± --- ± ---

1 PLACE ± --- ± ---

ANGULAR ± ---°

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
INCH ONLY

DRAWN BY
TGREGORI

DATE
2005/05/17

CHECKED BY
JCOMERC I

DATE
2005/05/17

APPROVED BY
JCOMERC I

DATE
2010/03/05

MATERIAL NO.

SIZE
A

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SCALE
1:1

DESIGN UNITS
INCH

THIRD ANGLE
PROJECTION

TITLE

SEARAY
RECEPTACLE ASSEMBLY
.050 CENTERS

MOLEX

MOLEX INCORPORATED

DOCUMENT NO.
SD-45971-001

SHEET NO.
3 OF 10

D		6		5		4		3		2		1							
		DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY					
		DIM R: HOUSING HEIGHT																	
		POSITION		DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO						
		19		1.232	45971-0163		45971-0263		45971-0363		45971-0463		45971-0563						
		10		0.782	45971-1163		45971-1263		45971-1363		45971-1463		45971-1563						
		20		1.282	45971-2163		45971-2263		45971-2363		45971-2463		45971-2563						
		30		1.782	45971-3163		45971-3263		45971-3363		45971-3463		45971-3563						
		40		2.282	45971-4163		45971-4263		45971-4363		45971-4463		45971-4563						
		50		2.782	45971-5163		45971-5263		45971-5363		45971-5463		45971-5563						
		15		1.032	45971-6163		45971-6263		45971-6363		45971-6463		45971-6563						
		25		1.532	45971-7163		45971-7263		45971-7363		45971-7463		45971-7563						
		35		2.032	45971-8163		45971-8263		45971-8363		45971-8463		45971-8563						
		45		2.532	45971-9163		45971-9263		45971-9363		45971-9463		45971-9563						
		C		DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM				8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY	
DIM R: HOUSING HEIGHT																			
POSITION				DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO						
19				1.232	45971-0167		45971-0267		45971-0367		45971-0467		45971-0567						
10				0.782	45971-1167		45971-1267		45971-1367		45971-1467		45971-1567						
20				1.282	45971-2167		45971-2267		45971-2367		45971-2467		45971-2567						
30				1.782	45971-3167		45971-3267		45971-3367		45971-3467		45971-3567						
40				2.282	45971-4167		45971-4267		45971-4367		45971-4467		45971-4567						
50				2.782	45971-5167		45971-5267		45971-5367		45971-5467		45971-5567						
15				1.032	45971-6167		45971-6267		45971-6367		45971-6467		45971-6567						
25				1.532	45971-7167		45971-7267		45971-7367		45971-7467		45971-7567						
35				2.032	45971-8167		45971-8267		45971-8367		45971-8467		45971-8567						
45				2.532	45971-9167		45971-9267		45971-9367		45971-9467		45971-9567						
B				DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY			
				DIM R: HOUSING HEIGHT															
		POSITION		DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO						
		19		1.232	45971-0167		45971-0267		45971-0367		45971-0467		45971-0567						
		10		0.782	45971-1167		45971-1267		45971-1367		45971-1467		45971-1567						
		20		1.282	45971-2167		45971-2267		45971-2367		45971-2467		45971-2567						
		30		1.782	45971-3167		45971-3267		45971-3367		45971-3467		45971-3567						
		40		2.282	45971-4167		45971-4267		45971-4367		45971-4467		45971-4567						
		50		2.782	45971-5167		45971-5267		45971-5367		45971-5467		45971-5567						
		15		1.032	45971-6167		45971-6267		45971-6367		45971-6467		45971-6567						
		25		1.532	45971-7167		45971-7267		45971-7367		45971-7467		45971-7567						
		35		2.032	45971-8167		45971-8267		45971-8367		45971-8467		45971-8567						
		45		2.532	45971-9167		45971-9267		45971-9367		45971-9467		45971-9567						
		A		SEE SHEET 1 EC NO: UCP2010-2270 DRWN: TGREGORI 2010/03/05 CHKD: JCOMERC I 2005/05/17 APPR: JCOMERC I 2010/03/05		DESCRIPTION REV		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE INCH ONLY		SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION				SEARAY RECEPTACLE ASSEMBLY .050 CENTERS MOLEX INCORPORATED	
								4 PLACES	± ---	mm	INCH	DRAWN BY TGREGORI	DATE 2005/05/17	DOCUMENT NO. SD-45971-001		SHEET NO. 4 OF 10			
3 PLACES	± ---							± .005	CHECKED BY JCOMERC I	DATE 2005/05/17									
2 PLACES	± ---							± ---	APPROVED BY JCOMERC I	DATE 2010/03/05									
1 PLACE	± ---							± ---	ANGULAR ± ---°		MATERIAL NO. SEE CHART								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS								SIZE A		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
tb_frame_A_P_AM_T Rev. E 2006/04/15								5		4		3		2		1			

		6		5		4		3		2		1		
D	TRAY PACK PK-45971-001	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0181		45971-0281		45971-0381		45971-0481		45971-0581		
		10	0.782	45971-1181		45971-1281		45971-1381		45971-1481		45971-1581		
		20	1.282	45971-2181		45971-2281		45971-2381		45971-2481		45971-2581		
		30	1.782	45971-3181		45971-3281		45971-3381		45971-3481		45971-3581		
		40	2.282	45971-4181		45971-4281		45971-4381		45971-4481		45971-4581		
		50	2.782	45971-5181		45971-5281		45971-5381		45971-5481		45971-5581		
		15	1.032	45971-6181		45971-6281		45971-6381		45971-6481		45971-6581		
		25	1.532	45971-7181		45971-7281		45971-7381		45971-7481		45971-7581		
		35	2.032	45971-8181		45971-8281		45971-8381		45971-8481		45971-8581		
45	2.532	45971-9181		45971-9281		45971-9381		45971-9481		45971-9581				
C	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0185		45971-0285		45971-0385		45971-0485		45971-0585		
		10	0.782	45971-1185		45971-1285		45971-1385		45971-1485		45971-1585		
		20	1.282	45971-2185		45971-2285		45971-2385		45971-2485		45971-2585		
		30	1.782	45971-3185		45971-3285		45971-3385		45971-3485		45971-3585		
		40	2.282	45971-4185		45971-4285		45971-4385		45971-4485		45971-4585		
		50	2.782	45971-5185		45971-5285		45971-5385		45971-5485		45971-5585		
		15	1.032	45971-6185		45971-6285		45971-6385		45971-6485		45971-6585		
		25	1.532	45971-7185		45971-7285		45971-7385		45971-7485		45971-7585		
		35	2.032	45971-8185		45971-8285		45971-8385		45971-8485		45971-8585		
45	2.532	45971-9185		45971-9285		45971-9385		45971-9485		45971-9585				
B	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0185		45971-0285		45971-0385		45971-0485		45971-0585		
		10	0.782	45971-1185		45971-1285		45971-1385		45971-1485		45971-1585		
		20	1.282	45971-2185		45971-2285		45971-2385		45971-2485		45971-2585		
		30	1.782	45971-3185		45971-3285		45971-3385		45971-3485		45971-3585		
		40	2.282	45971-4185		45971-4285		45971-4385		45971-4485		45971-4585		
		50	2.782	45971-5185		45971-5285		45971-5385		45971-5485		45971-5585		
		15	1.032	45971-6185		45971-6285		45971-6385		45971-6485		45971-6585		
		25	1.532	45971-7185		45971-7285		45971-7385		45971-7485		45971-7585		
		35	2.032	45971-8185		45971-8285		45971-8385		45971-8485		45971-8585		
45	2.532	45971-9185		45971-9285		45971-9385		45971-9485		45971-9585				
A	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		
		19	1.232	45971-0185		45971-0285		45971-0385		45971-0485		45971-0585		
		10	0.782	45971-1185		45971-1285		45971-1385		45971-1485		45971-1585		
		20	1.282	45971-2185		45971-2285		45971-2385		45971-2485		45971-2585		
		30	1.782	45971-3185		45971-3285		45971-3385		45971-3485		45971-3585		
		40	2.282	45971-4185		45971-4285		45971-4385		45971-4485		45971-4585		
		50	2.782	45971-5185		45971-5285		45971-5385		45971-5485		45971-5585		
		15	1.032	45971-6185		45971-6285		45971-6385		45971-6485		45971-6585		
		25	1.532	45971-7185		45971-7285		45971-7385		45971-7485		45971-7585		
		35	2.032	45971-8185		45971-8285		45971-8385		45971-8485		45971-8585		
45	2.532	45971-9185		45971-9285		45971-9385		45971-9485		45971-9585				
tb_frame_A_P_AM_T Rev. E 2006/04/15		5		4		3		2		1				

NOTES:

1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS

NO OF ROWS: 8

SOLDER CHARGE: TIN

PACKAGING: TRAYS AND TAPE AND REEL

SEE SHEET 1

EC NO: UCP2010-2270

DRWN: TGREGORI 2010/03/05

CH'KD: JCOMERC I 2005/05/17

APPR: JCOMERC I 2010/03/05

REV

DESCRIPTION

GENERAL TOLERANCES (UNLESS SPECIFIED)

mm

INCH

4 PLACES ± --- ± ---

3 PLACES ± --- ± .005

2 PLACES ± --- ± ---

1 PLACE ± --- ± ---

ANGULAR ± ---°

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE

INCH ONLY

DRAWN BY

DATE

TGREGORI 2005/05/17

CHECKED BY

DATE

JCOMERC I 2005/05/17

APPROVED BY

DATE

JCOMERC I 2010/03/05

MATERIAL NO.

SIZE

SEE CHART

A

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SCALE

1:1

DESIGN UNITS

INCH

THIRD ANGLE PROJECTION

TITLE

SEARAY RECEPTACLE ASSEMBLY .050 CENTERS

MOLEX

MOLEX INCORPORATED

DOCUMENT NO.

SHEET NO.

SD-45971-001

5 OF 10

		6		5		4		3		2		1																																																					
D	TRAY PACK PK-45971-001	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY																																																			
		DIM R: HOUSING HEIGHT																																																															
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO																																																					
		19	1.232	45971-0183		45971-0283		45971-0383		45971-0483		45971-0583																																																					
		10	0.782	45971-1183		45971-1283		45971-1383		45971-1483		45971-1583																																																					
		20	1.282	45971-2183		45971-2283		45971-2383		45971-2483		45971-2583																																																					
		30	1.782	45971-3183		45971-3283		45971-3383		45971-3483		45971-3583																																																					
		40	2.282	45971-4183		45971-4283		45971-4383		45971-4483		45971-4583																																																					
		50	2.782	45971-5183		45971-5283		45971-5383		45971-5483		45971-5583																																																					
		15	1.032	45971-6183		45971-6283		45971-6383		45971-6483		45971-6583																																																					
C	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY																																																			
		DIM R: HOUSING HEIGHT																																																															
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO																																																					
		19	1.232	45971-0187		45971-0287		45971-0387		45971-0487		45971-0587																																																					
		10	0.782	45971-1187		45971-1287		45971-1387		45971-1487		45971-1587																																																					
		20	1.282	45971-2187		45971-2287		45971-2387		45971-2487		45971-2587																																																					
		30	1.782	45971-3187		45971-3287		45971-3387		45971-3487		45971-3587																																																					
		40	2.282	45971-4187		45971-4287		45971-4387		45971-4487		45971-4587																																																					
		50	2.782	45971-5187		45971-5287		45971-5387		45971-5487		45971-5587																																																					
		15	1.032	45971-6187		45971-6287		45971-6387		45971-6487		45971-6587																																																					
B	TRAY PACK PK-45971-002	25		1.532		45971-7187		45971-7287		45971-7387		45971-7487		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY																																																			
		35		2.032		45971-8187		45971-8287		45971-8387		45971-8487																																																					
		45		2.532		45971-9187		45971-9287		45971-9387		45971-9487																																																					
A	TRAY PACK PK-45971-002	25		1.532		45971-7187		45971-7287		45971-7387		45971-7487		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY																																																			
		35		2.032		45971-8187		45971-8287		45971-8387		45971-8487																																																					
		45		2.532		45971-9187		45971-9287		45971-9387		45971-9487																																																					
NOTES: 1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS NO OF ROWS: 8 SOLDER CHARGE: TIN / LEAD PACKAGING: TRAYS AND TAPE AND REEL																																																																	
<table><tr><td rowspan="5">SEE SHEET 1 EC NO: UCP2010-2270 DRWN:TGREGORI 2010/03/05 CHKD:JCOMERC I 2005/05/17 APPR:JCOMERC I 2010/03/05</td><td rowspan="5">DESCRIPTION</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE INCH ONLY</td><td>SCALE 1:1</td><td>DESIGN UNITS INCH</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td><td>DRAWN BY TGREGORI</td><td>DATE 2005/05/17</td><td colspan="4" rowspan="3">SEARAY RECEPTACLE ASSEMBLY .050 CENTERS</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± .005</td><td>CHECKED BY JCOMERC I</td><td>DATE 2005/05/17</td></tr><tr><td>2 PLACES</td><td>± ---</td><td>± ---</td><td>APPROVED BY JCOMERC I</td><td>DATE 2010/03/05</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td><td colspan="2">ANGULAR ± ---°</td><td colspan="2">MATERIAL NO. SEE CHART</td><td colspan="2">DOCUMENT NO. SD-45971-001</td><td colspan="2">SHEET NO. 6 OF 10</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SIZE A</td><td colspan="8">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>														SEE SHEET 1 EC NO: UCP2010-2270 DRWN:TGREGORI 2010/03/05 CHKD:JCOMERC I 2005/05/17 APPR:JCOMERC I 2010/03/05	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE INCH ONLY		SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		4 PLACES	± ---	± ---	DRAWN BY TGREGORI	DATE 2005/05/17	SEARAY RECEPTACLE ASSEMBLY .050 CENTERS				3 PLACES	± ---	± .005	CHECKED BY JCOMERC I	DATE 2005/05/17	2 PLACES	± ---	± ---	APPROVED BY JCOMERC I	DATE 2010/03/05	1 PLACE	± ---	± ---	ANGULAR ± ---°		MATERIAL NO. SEE CHART		DOCUMENT NO. SD-45971-001		SHEET NO. 6 OF 10		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
SEE SHEET 1 EC NO: UCP2010-2270 DRWN:TGREGORI 2010/03/05 CHKD:JCOMERC I 2005/05/17 APPR:JCOMERC I 2010/03/05	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE INCH ONLY		SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION																																																									
		4 PLACES	± ---	± ---	DRAWN BY TGREGORI	DATE 2005/05/17	SEARAY RECEPTACLE ASSEMBLY .050 CENTERS																																																										
		3 PLACES	± ---	± .005	CHECKED BY JCOMERC I	DATE 2005/05/17																																																											
		2 PLACES	± ---	± ---	APPROVED BY JCOMERC I	DATE 2010/03/05																																																											
		1 PLACE	± ---	± ---	ANGULAR ± ---°		MATERIAL NO. SEE CHART		DOCUMENT NO. SD-45971-001		SHEET NO. 6 OF 10																																																						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																													
tb_frame_A_P_AM_T Rev. E 2006/04/15		5		4		3		2		1																																																							

TRAY PACK PK-45971-001

TRAY PACK PK-45971-002

SEE SHEET 1

EC NO: UCP2010-2270

DRWN:TGREGORI 2010/03/05

CHKD:JCOMERC I 2005/05/17

APPR:JCOMERC I 2010/03/05

REV

DESCRIPTION

GENERAL TOLERANCES
(UNLESS SPECIFIED)

mm

INCH

4 PLACES ± --- ± ---

3 PLACES ± --- ± .005

2 PLACES ± --- ± ---

1 PLACE ± --- ± ---

ANGULAR ± ---°

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE

INCH ONLY

DRAWN BY

DATE

TGREGORI 2005/05/17

CHECKED BY

DATE

JCOMERC I 2005/05/17

APPROVED BY

DATE

JCOMERC I 2010/03/05

MATERIAL NO.

SEE CHART

SIZE

A

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SCALE

1:1

DESIGN UNITS

INCH

 THIRD ANGLE
PROJECTION

TITLE

SEARAY
RECEPTACLE ASSEMBLY
.050 CENTERS

 MOLEX INCORPORATED

DOCUMENT NO.

SD-45971-001

SHEET NO.

6 OF 10

NOTES:
1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS
NO OF ROWS: 8
SOLDER CHARGE: TIN / LEAD
PACKAGING: TRAYS AND TAPE AND REEL

D	TRAY PACK PK-45971-001	DIM R: (REF)		5.0 MM	6.0 MM	6.5 MM	7.5 MM	8.0 MM	STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY						
		DIM R: HOUSING HEIGHT		.199	.238	.258	.297	.297							
		POSITION	DIM M	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO							
		19	1.232	45971-0111	45971-0211	45971-0311	45971-0411	45971-0511							
		10	0.782	45971-1111	45971-1211	45971-1311	45971-1411	45971-1511							
		20	1.282	45971-2111	45971-2211	45971-2311	45971-2411	45971-2511							
		30	1.782	45971-3111	45971-3211	45971-3311	45971-3411	45971-3511							
		40	2.282	45971-4111	45971-4211	45971-4311	45971-4411	45971-4511							
		50	2.782	45971-5111	45971-5211	45971-5311	45971-5411	45971-5511							
		15	1.032	45971-6111	45971-6211	45971-6311	45971-6411	45971-6511							
		25	1.532	45971-7111	45971-7211	45971-7311	45971-7411	45971-7511							
		35	2.032	45971-8111	45971-8211	45971-8311	45971-8411	45971-8511							
		45	2.532	45971-9111	45971-9211	45971-9311	45971-9411	45971-9511							
C	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM	6.0 MM	6.5 MM	7.5 MM	8.0 MM	STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY						
		DIM R: HOUSING HEIGHT		.199	.238	.258	.297	.297							
		POSITION	DIM M	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO							
		19	1.232	45971-0115	45971-0215	45971-0315	45971-0415	45971-0515							
		10	0.782	45971-1115	45971-1215	45971-1315	45971-1415	45971-1515							
		20	1.282	45971-2115	45971-2215	45971-2315	45971-2415	45971-2515							
		30	1.782	45971-3115	45971-3215	45971-3315	45971-3415	45971-3515							
		40	2.282	45971-4115	45971-4215	45971-4315	45971-4415	45971-4515							
		50	2.782	45971-5115	45971-5215	45971-5315	45971-5415	45971-5515							
		15	1.032	45971-6115	45971-6215	45971-6315	45971-6415	45971-6515							
		25	1.532	45971-7115	45971-7215	45971-7315	45971-7415	45971-7515							
		35	2.032	45971-8115	45971-8215	45971-8315	45971-8415	45971-8515							
		45	2.532	45971-9115	45971-9215	45971-9315	45971-9415	45971-9515							
A	SEE SHEET 1 EC NO: UCP2010-2270 DRWN: TGREGORI 2010/03/05 CHKD: JCOMERC I 2005/05/17 APPR: JCOMERC I 2010/03/05		DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE INCH ONLY		SCALE 1:1	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION				
								DRAWN BY DATE		TITLE SEARAY RECEPTACLE ASSEMBLY .050 CENTERS					
				4 PLACES ± --- ± ---		TGREGORI 2005/05/17									
				3 PLACES ± --- ± .005		CHECKED BY DATE									
				2 PLACES ± --- ± ---		JCOMERC I 2005/05/17									
				1 PLACE ± --- ± ---		APPROVED BY DATE		 MOLEX INCORPORATED							
				ANGULAR ± ---°		JCOMERC I 2010/03/05									
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MATERIAL NO.		DOCUMENT NO.			SHEET NO.			
							SEE CHART		SD-45971-001			7 OF 10			
							SIZE A	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
				tb_frame_A_P_AM_T Rev. E 2006/04/15		5	4		3			2		1	

		6				5				4				3				2				1		
D	TRAY PACK PK-45971-001	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY										
		DIM R: HOUSING HEIGHT																						
		POSITION		DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO											
		19		1.232	45971-0113		45971-0213		45971-0313		45971-0413		45971-0513											
		10		0.782	45971-1113		45971-1213		45971-1313		45971-1413		45971-1513											
		20		1.282	45971-2113		45971-2213		45971-2313		45971-2413		45971-2513											
		30		1.782	45971-3113		45971-3213		45971-3313		45971-3413		45971-3513											
		40		2.282	45971-4113		45971-4213		45971-4313		45971-4413		45971-4513											
		50		2.782	45971-5113		45971-5213		45971-5313		45971-5413		45971-5513											
		15		1.032	45971-6113		45971-6213		45971-6313		45971-6413		45971-6513											
25		1.532	45971-7113		45971-7213		45971-7313		45971-7413		45971-7513													
35		2.032	45971-8113		45971-8213		45971-8313		45971-8413		45971-8513													
45		2.532	45971-9113		45971-9213		45971-9313		45971-9413		45971-9513													
C	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY										
		DIM R: HOUSING HEIGHT																						
		POSITION		DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO											
		19		1.232	45971-0117		45971-0217		45971-0317		45971-0417		45971-0517											
		10		0.782	45971-1117		45971-1217		45971-1317		45971-1417		45971-1517											
		20		1.282	45971-2117		45971-2217		45971-2317		45971-2417		45971-2517											
		30		1.782	45971-3117		45971-3217		45971-3317		45971-3417		45971-3517											
		40		2.282	45971-4117		45971-4217		45971-4317		45971-4417		45971-4517											
		50		2.782	45971-5117		45971-5217		45971-5317		45971-5417		45971-5517											
		15		1.032	45971-6117		45971-6217		45971-6317		45971-6417		45971-6517											
25		1.532	45971-7117		45971-7217		45971-7317		45971-7417		45971-7517													
35		2.032	45971-8117		45971-8217		45971-8317		45971-8417		45971-8517													
45		2.532	45971-9117		45971-9217		45971-9317		45971-9417		45971-9517													
B	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY										
		DIM R: HOUSING HEIGHT																						
		POSITION		DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO											
		19		1.232	45971-0117		45971-0217		45971-0317		45971-0417		45971-0517											
		10		0.782	45971-1117		45971-1217		45971-1317		45971-1417		45971-1517											
		20		1.282	45971-2117		45971-2217		45971-2317		45971-2417		45971-2517											
		30		1.782	45971-3117		45971-3217		45971-3317		45971-3417		45971-3517											
		40		2.282	45971-4117		45971-4217		45971-4317		45971-4417		45971-4517											
		50		2.782	45971-5117		45971-5217		45971-5317		45971-5417		45971-5517											
		15		1.032	45971-6117		45971-6217		45971-6317		45971-6417		45971-6517											
25		1.532	45971-7117		45971-7217		45971-7317		45971-7417		45971-7517													
35		2.032	45971-8117		45971-8217		45971-8317		45971-8417		45971-8517													
45		2.532	45971-9117		45971-9217		45971-9317		45971-9417		45971-9517													
A	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY										
		DIM R: HOUSING HEIGHT																						
		POSITION		DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO											
		19		1.232	45971-0117		45971-0217		45971-0317		45971-0417		45971-0517											
		10		0.782	45971-1117		45971-1217		45971-1317		45971-1417		45971-1517											
		20		1.282	45971-2117		45971-2217		45971-2317		45971-2417		45971-2517											
		30		1.782	45971-3117		45971-3217		45971-3317		45971-3417		45971-3517											
		40		2.282	45971-4117		45971-4217		45971-4317		45971-4417		45971-4517											
		50		2.782	45971-5117		45971-5217		45971-5317		45971-5417		45971-5517											
		15		1.032	45971-6117		45971-6217		45971-6317		45971-6417		45971-6517											
25		1.532	45971-7117		45971-7217		45971-7317		45971-7417		45971-7517													
35		2.032	45971-8117		45971-8217		45971-8317		45971-8417		45971-8517													
45		2.532	45971-9117		45971-9217		45971-9317		45971-9417		45971-9517													
		DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY										
		DIM R: HOUSING HEIGHT																						
				.199		.238		.258		.297		.297												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO												
		19	1.232	45971-0117		45971-0217		45971-0317		45971-0417		45971-0517												
		10	0.782	45971-1117		45971-1217		45971-1317		45971-1417		45971-1517												
		20	1.282	45971-2117		45971-2217		45971-2317		45971-2417		45971-2517												
		30	1.782	45971-3117		45971-3217		45971-3317		45971-3417		45971-3517												
		40	2.282	45971-4117		45971-4217		45971-4317		45971-4417		45971-4517												
		50	2.782	45971-5117		45971-5217		45971-5317		45971-5417		45971-5517												
		15	1.032	45971-6117		45971-6217		45971-6317		45971-6417		45971-6517												
		25	1.532	45971-7117		45971-7217		45971-7317		45971-7417		45971-7517												
		35	2.032	45971-8117		45971-8217		45971-8317		45971-8417		45971-8517												
		45	2.532	45971-9117		45971-9217		45971-9317		45971-9417		45971-9517												
		DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY										
		DIM R: HOUSING HEIGHT																						
				.199		.238		.258		.297		.297												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO												
		19	1.232	45971-0117		45971-0217		45971-0317		45971-0417		45971-0517												
		10	0.782	45971-1117		45971-1217		45971-1317		45971-1417		45971-1517												
		20	1.282	45971-2117		45971-2217		45971-2317		45971-2417		45971-2517												
		30	1.782	45971-3117		45971-3217		45971-3317		45971-3417		45971-3517												
		40	2.282	45971-4117		45971-4217		45971-4317		45971-4417		45971-4517												
		50	2.782	45971-5117		45971-5217		45971-5317		45971-5417		45971-5517												
		15	1.032	45971-6117		45971-6217		45971-6317		45971-6417		45971-6517												
		25	1.532	45971-7117		45971-7217		45971-7317		45971-7417		45971-7517												
		35	2.032	45971-8117		45971-8217		45971-8317		45971-8417		45971-8517												
		45	2.532	45971-9117		45971-9217		45971-9317		45971-9417		45971-9517												
		DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY										
		DIM R: HOUSING HEIGHT																						
				.199		.238		.258		.297		.297												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO												
		19	1.232	45971-0117		45971-0217		45971-0317		45971-0417		45971-0517												
		10	0.782	45971-1117		45971-1217		45971-1317		45971-1417		45971-1517												
		20	1.282	45971-2117		45971-2217		45971-2317		45971-2417		45971-2517												
		30	1.782	45971-3117		45971-3217		45971-3317		45971-3417		45971-3517												
		40	2.282	45971-4117		45971-4217		45971-4317		45971-4417		45971-4517												
		50	2.782	45971-5117		45971-5217		45971-5317		45971-5417		45971-5517												
		15	1.032	45971-6117		45971-6217		45971-6317		45971-6417		45971-6517												
		25	1.532	45971-7117		45971-7217		45971-7317		45971-7417		45971-7517												
		35	2.032	45971-8117		45971-8217		45971-8317		45971-8417		45971-8517												
		45	2.532	45971-9117		45971-9217		45971-9317		45971-9417		45971-9517												
		DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY										
		DIM R: HOUSING HEIGHT																						
				.199		.238		.258		.297		.297												
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO												
		19	1.232	45971-0117		45971-0217		45971-0317		45971-0417		45971-0517												
		10	0.782	45971-1117		45971-1217		45971-1317		45971-1417		45971-1517												
		20	1.282	45971-2117		45971-2217		45971-2317		45971-2417		45971-2517												
		30	1.782	45971-3117		45971-3217		45971-3317		45971-3417		45971-3517												
		40	2.282	45971-4117		45971-4217		45971-4317		45971-4417		45971-4517												
		50	2.782	45971-5117		45971-5217		45971-5317		45971-5417		45971-5517												
		15	1.032	45971-6117		45971-6217		45971-6317		45971-6417		45971-6517												
		25	1.532	45971-7117		45971-7217		45971-7317		45971-7417		45971-7517												

		6				5				4				3				2				1	
D	TRAY PACK PK-45971-001	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY									
		DIM R: HOUSING HEIGHT																					
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO											
		19	1.232	45971-0121		45971-0221		45971-0321		45971-0421		45971-0521											
		10	0.782	45971-1121		45971-1221		45971-1321		45971-1421		45971-1521											
		20	1.282	45971-2121		45971-2221		45971-2321		45971-2421		45971-2521											
		30	1.782	45971-3121		45971-3221		45971-3321		45971-3421		45971-3521											
		40	2.282	45971-4121		45971-4221		45971-4321		45971-4421		45971-4521											
		50	2.782	45971-5121		45971-5221		45971-5321		45971-5421		45971-5521											
		15	1.032	45971-6121		45971-6221		45971-6321		45971-6421		45971-6521											
		25	1.532	45971-7121		45971-7221		45971-7321		45971-7421		45971-7521											
		35	2.032	45971-8121		45971-8221		45971-8321		45971-8421		45971-8521											
		45	2.532	45971-9121		45971-9221		45971-9321		45971-9421		45971-9521											
		C	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM											
DIM R: HOUSING HEIGHT																							
POSITION	DIM M			MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO											
19	1.232			45971-0125		45971-0225		45971-0325		45971-0425		45971-0525											
10	0.782			45971-1125		45971-1225		45971-1325		45971-1425		45971-1525											
20	1.282			45971-2125		45971-2225		45971-2325		45971-2425		45971-2525											
30	1.782			45971-3125		45971-3225		45971-3325		45971-3425		45971-3525											
40	2.282			45971-4125		45971-4225		45971-4325		45971-4425		45971-4525											
50	2.782			45971-5125		45971-5225		45971-5325		45971-5425		45971-5525											
15	1.032			45971-6125		45971-6225		45971-6325		45971-6425		45971-6525											
25	1.532			45971-7125		45971-7225		45971-7325		45971-7425		45971-7525											
35	2.032			45971-8125		45971-8225		45971-8325		45971-8425		45971-8525											
45	2.532			45971-9125		45971-9225		45971-9325		45971-9425		45971-9525											
B	SEE SHEET 1 EC NO: UCP2010-2270 DRWN: TGREGORI 2010/03/05 CH'KD: JCOMERC I 2005/05/17 APPR: JCOMERC I 2010/03/05			REV	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE INCH ONLY		SCALE 3:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION									
		4 PLACES				± ---	± ---	mm	INCH	DRAWN BY TGREGORI	DATE 2005/05/17	SEARAY RECEPTACLE ASSEMBLY .050 CENTERS											
		3 PLACES				± ---	± .005			CHECKED BY JCOMERC I	DATE 2005/05/17												
		2 PLACES				± ---	± ---			APPROVED BY JCOMERC I	DATE 2010/03/05												
		1 PLACE				± ---	± ---			MATERIAL NO. SEE CHART	DOCUMENT NO. SD-45971-001							SHEET NO. 9 OF 10					
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						SIZE A	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
		tb_frame_A_P_AM_T Rev. E 2006/04/15				5		4		3		2		1									

NOTES:
 1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS
 NO OF ROWS: 12
 SOLDER CHARGE: TIN
 PACKAGING: TRAYS AND TAPE AND REEL

		6		5		4		3		2		1									
D	TRAY PACK PK-45971-001	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY							
		DIM R: HOUSING HEIGHT																			
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO									
		19	1.232	45971-0123		45971-0223		45971-0323		45971-0423		45971-0523									
		10	0.782	45971-1123		45971-1223		45971-1323		45971-1423		45971-1523									
		20	1.282	45971-2123		45971-2223		45971-2323		45971-2423		45971-2523									
		30	1.782	45971-3123		45971-3223		45971-3323		45971-3423		45971-3523									
		40	2.282	45971-4123		45971-4223		45971-4323		45971-4423		45971-4523									
		50	2.782	45971-5123		45971-5223		45971-5323		45971-5423		45971-5523									
		15	1.032	45971-6123		45971-6223		45971-6323		45971-6423		45971-6523									
		25	1.532	45971-7123		45971-7223		45971-7323		45971-7423		45971-7523									
		35	2.032	45971-8123		45971-8223		45971-8323		45971-8423		45971-8523									
45	2.532	45971-9123		45971-9223		45971-9323		45971-9423		45971-9523											
C	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY							
		DIM R: HOUSING HEIGHT																			
		POSITION	DIM M	MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO		MATERIAL NO									
		19	1.232	45971-0127		45971-0227		45971-0327		45971-0427		45971-0527									
		10	0.782	45971-1127		45971-1227		45971-1327		45971-1427		45971-1527									
		20	1.282	45971-2127		45971-2227		45971-2327		45971-2427		45971-2527									
		30	1.782	45971-3127		45971-3227		45971-3327		45971-3427		45971-3527									
		40	2.282	45971-4127		45971-4227		45971-4327		45971-4427		45971-4527									
		50	2.782	45971-5127		45971-5227		45971-5327		45971-5427		45971-5527									
		15	1.032	45971-6127		45971-6227		45971-6327		45971-6427		45971-6527									
		25	1.532	45971-7127		45971-7227		45971-7327		45971-7427		45971-7527									
		35	2.032	45971-8127		45971-8227		45971-8327		45971-8427		45971-8527									
45	2.532	45971-9127		45971-9227		45971-9327		45971-9427		45971-9527											
B	SEE SHEET 1 EC NO: UCP2010-2270 DRWN: TGREGORI 2010/03/05 CHKD: JCOMERC I 2005/05/17 APPR: JCOMERC I 2010/03/05 REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		mm		INCH		DIMENSION STYLE INCH ONLY		SCALE 1:1		DESIGN UNITS INCH		THIRD ANGLE PROJECTION							
		4 PLACES		± ---		± ---		DRAWN BY TGREGORI		DATE 2005/05/17		SEARAY RECEPTACLE ASSEMBLY .050 CENTERS MOLEX INCORPORATED									
		3 PLACES		± ---		± .005		CHECKED BY JCOMERC I		DATE 2005/05/17											
		2 PLACES		± ---		± ---		APPROVED BY JCOMERC I		DATE 2010/03/05											
		1 PLACE		± ---		± ---		MATERIAL NO. SEE CHART		DOCUMENT NO. SD-45971-001						SHEET NO. 10 OF 10					
		ANGULAR ± ---°		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						SIZE A		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
		NOTES: 1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS NO OF ROWS: 12 SOLDER CHARGE: TIN / LEAD PACKAGING: TRAYS AND TAPE AND REEL																			
		tb_frame_A_P_AM_T Rev. E 2006/04/15																			
				5				4				3				2				1	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9