MICROCHIP

PIC32 Microcontroller Families

With USB, CAN and Ethernet

PIC MCU to the power of 32

www.microchip.com/PIC32

Performance Leading **PIC32**™ Microcontroller

Building on the heritage of Microchip Technology's world-leading 8- and 16-bit PIC® microcontrollers, the PIC32 family delivers 32-bit performance and more memory to solve increasingly complex embedded system design challenges.

High Performance & Memory

Power your RTOS, Touch Screens and Complex Applications

- 80 MHz, 1.56 DMIPS/MHz MIPS M4K Core
- 512K Flash with pre-fetch cache
- 128K RAM for data and program execution
- Fast interrupts and context switch

Fast, Easy Development

Shorten Your Projects and Reuse Hardware, Software and Tools

- Free USB, TCP/IP, graphics and file system source code
- Broad Third Party ecosystem
- $49.99 starter kit with free C compiler
- Hardware trace for less than $80

Industry Leading Compatibility

Create Scalable Products in a Consistent Environment

- Common MPLAB® development tools
- Pin & peripheral compatible with 16-bit PIC MCUs
- Common software stacks across MCUs
- Common tools environment ~600 PIC MCUs

More Design Options

Simplify Your System Design Through Integration

- Extensive analog and digital peripherals
- USB Host/Device/OTG, Dual CAN, 10/100 Ethernet
- Up to 16 DMA channels
- 16-bit parallel master port

FREE Microchip Software Libraries
## www.microchip.com/pic32libraries

USB	USB Host, Device, On-the-Go with Class Drivers
Graphics	Microchip Graphics Library
CAN	CAN API Library for PIC32 with Integrated CAN Controller (in compiler) Standalone CAN Library - includes support for MCP2515
Connectivity	Microchip TCP/IP with SSL and BSD IrDA® Stack* ZigBee® Pro Protocol Stack** ZigBee® Smart Energy Profile Suite** MiWi™ Protocol Stack for 802.15.4 Networks
Audio and Speech	Audio Library for PIC32MX: Speex, ADPCM and WAV
Encryption	AES 128-, 196- and 256-bit Encryption & Decryption Library Public Key Cryptography Library (RSA)
Basic Libraries	16- and 32-bit File System Libraries FatFs File System Library DSP Library (located in MPLAB C compiler for PIC32) Math Library (located in MPLAB C compiler for PIC32) Peripheral Library (located in MPLAB C compiler for PIC32) EEPROM Emulation IEC 60730 Class B Software**
Boot Loader	Serial Port Boot Loader USB Host Boot Loader**

* Contact Microchip for availability.
** Software planned for future - get the latest updates at www.microchip.com/pic32libraries.

www.microchip.com/PIC32

Inside the PIC32™ Microcontroller

32-bit MIPS M4K Core,
Harvard Architecture,
Single Cycle Hardware MAC
Fast Interrupts & Context Switch

Direct Memory Access
Controller with integrated
CRC module Operates
in Idle mode

USB On-The-Go Controller
with Dedicated DMA
channels and Integrated
Transceivers

CAN2.0b,
with Configurable Buffers
and Advanced Filtering

10/100 Ethernet MAC
with Dedicated DMA
channels and MII/RMII
Interfaces

High Throughput Bus
Matrix with High-speed
Concurrent Access to
Memories, Peripherals
and I/O

Single 2.3 to 3.6V Supply
Power-On Reset,
Brown-Out Reset,
Low Voltage Detection

512K, 128-bit wide
Self-programmable Flash,
Predictive Instruction
Pre-fetch 256 byte Cache

MPLAB® IDE, MPLAB®
ICD 3 In-Circuit Debugger
and MPLAB® REAL ICE™
In-Circuit Emulator Compatible

16-bit Parallel Master Port with
Programmable Wait States.
Connect to SRAM, Flash, QVGA
LCDs or other Peripherals

Flexible 1:1 to 1:8 Ratio
with Bus Matrix to Suit
Application Needs

Rich Integrated Analog
and Digital Peripheral Set,
Compatible with 16-bit
PIC® Microcontrollers

Chip Diagram

MIPS TECHNOLOGIES M4K 32-bit Core
- 80 MHz, 1.5 DMIPS/MHz
- 5 Stage Pipeline, 32-bit ALU

Trace | 32-bit HW Mul/Div | 32 Core Registers
JTAG | | Shadow Set

Instruction | Data

DMA 8 Ch. | USB OTG | CAN 2.0b (2) | RMII/MII 10/100 Ethernet MAC
2 Ch. DMA | 4 Ch. DMA | 2 Ch. DMA

Bus Matrix

Prefetch Buffer Cache ↔ 512 KB Flash | 128 KB SRAM | Interrupt Controller | GPIO (85) | VREG | 2-Wire Debug

Peripheral Bus

16-bit Parallel Port | 16 Ch. 10-bit ADC | Input Capture (5) | Output Compare PWM (5) | 16-bit Timers (5)
RTCC | I²C™ (5) | UART (6) | SPI (4) | Analog Comparators (2)

Package Options

64-pin

64-lead TQFP
10 x 10 (PT)

64-lead QFN
9 x 9 (MR)

100-pin

100-lead TQFP
12 x 12 (PT)

100-lead TQFP
14 x 14 (PF)

100-ball BGA
10 x 10 (BG)

Microchip is the only silicon vendor with a full 8-, 16- and 32-bit microcontroller portfolio supported by a unified development environment. The MPLAB® IDE is free and easy to use.

PIC32 Starter Kits

Getting started is easy with any of the fully integrated PIC32 Starter Kits featuring simple installation, getting started tutorial and PIC32 starter board with easy USB connection to your PC. The Starter Kits include:

- MPLAB IDE and MPLAB C32 C Compiler†
- PIC32 Starter Board with Integrated Programmer and Debugger
- Code Examples, Documentation, Tutorials and Sample Projects, Optional I/O Expansion board allows signal breakouts and connections for PICtail™ Plus Daughter Cards

†Lite version has **no code size limit** and full optimizations. After 60 days some optimizations are disabled.

PIC32 Development Tools
Choose a Platform:

Starter Kit Platform

PIC32 Starter Kit (DM320001)

USB II Starter Kit (DM320003-2)

PIC32 Ethernet Starter Kit (DM320004)

OPTIONAL

PIC32 I/O Expansion Board (DM320002)

OR

Explorer 16 Platform

Explorer 16 Development Board (DM240001)

+

PIC32 Plug-in Modules (MA320001) (MA320002) (MA320003)

AND

MPLAB® ICD 3 In-Circuit Debugger (DV164035)

OR

MPLAB® REAL ICE™ In-Circuit Emulation System (DV244005)

PICtail™ Boards Common to Both Development Platforms

Graphics PICtail™ Board (AC164127-3)

ECAN/LIN PICtail™ Plus Daughter Board (AC164130)

802.11 ZeroG PICtail™ (AC164136-2)

MRF24J40MA 2.4 GHz RF Card (AC164134)

... and many more!

PIC32 Product Family

Device	Flash KB + Boot Flash	SRAM KB	Pin Count	MHz	SPI	I²C™	UARTs	DMA Channels General/Dedicated	USB	10/100 Ethernet	CAN 2.0b	IC/OC/PWM	10-bit ADC 1 Msps	Analog Comparator	Timers 16b/32b	RTCC	Parallel Master Port	JTAG Program, Debug, Boundary Scan
PIC32MX320F032H	32 + 12	8	64	40	2	2	2	0/0	N	N	N	5/5/5	16 ch	2	5/1	1	Y	Y
PIC32MX320F064H	64 + 12	16	64	40														
PIC32MX320F064H			64	80														
PIC32MX320F128H	128 + 12	16	64	80														
PIC32MX320F128L			100															
PIC32MX340F128H		32	64															
PIC32MX340F128L			100															
PIC32MX340F256H	256 + 12	32	64	80				4/0										
PIC32MX360F256L			100															
PIC32MX340F512H	512 + 12	32	64	80														
PIC32MX360F512L			100															
PIC32MX420F032H	32 + 12	8	64	40	1	2	2	0/2	Y	N	N	5/5/5	16 ch	2	5/1	1	Y	Y
PIC32MX440F128H	128 + 12	32	64	80	1													
PIC32MX440F128L			100		2													
PIC32MX440F256H	256 + 12	32	64	80	1			4/2										
PIC32MX460F256L			100		2													
PIC32MX440F512H	512 + 12	32	64	80	1													
PIC32MX460F512L			100		2													
PIC32MX575F256H	256 + 12	64	64	80	3	4	6	8/4	Y	N	1	5/5/5	16 ch	2	5/1	1	Y	Y
PIC32MX575F256L			100		4	5												
PIC32MX575F512H	512 + 12	64	64	80	3	4												
PIC32MX575F512L			100		4	5												
PIC32MX675F256H	256 + 12	64	64	80	3	4	6	8/4	Y	Y	N	5/5/5	16 ch	2	5/1	1	Y	Y
PIC32MX675F256L			100		4	5												
PIC32MX675F512H	512 + 12	64	64	80	3	4												
PIC32MX675F512L			100		4	5												
PIC32MX695F512H		128	64	80	3	4												
PIC32MX695F512L			100		4	5												
PIC32MX775F256H	256 + 12	64	64	80	3	4	6	8/8	Y	Y	2	5/5/5	16 ch	2	5/1	1	Y	Y
PIC32MX775F256L			100		4	5												
PIC32MX775F512H	512 + 12	64	64	80	3	4												
PIC32MX775F512L			100		4	5												
PIC32MX795F512H		128	64	80	3	4												
PIC32MX795F512L			100		4	5												

Third-party Application Software and Hardware Support

ASHLING — THE DEVELOPMENT SYSTEMS COMPANY

expresslogic

Micriμm — Empowering Embedded Systems

RoweBots

AVIX-RT

free RTOS

MICRO/SYS

SEGGER

CMX SYSTEMS

Green Hills SOFTWARE INC.

OLIMEX

sparkfun ELECTRONICS

DIGILENT

LAUTERBACH

PUMPKIN REAL-TIME SOFTWARE

TechToys

easyGUI eflightworks

Macraigor Systems — Complete JTAG Debug Support

RAMTEX

zero G

Support

Microchip is committed to supporting its customers in developing products faster and more efficiently. We maintain a worldwide network of field applications engineers and technical support ready to provide product and system assistance. In addition, the following service areas are available at www.microchip.com:

- **Support** link provides a way to get questions answered fast: http://support.microchip.com
- **Sample** link offers evaluation samples of any Microchip device: http://sample.microchip.com
- **Forum** link provides access to knowledge base and peer help: http://forum.microchip.com
- **Buy** link provides locations of Microchip Sales Channel Partners: www.microchip.com/sales

Training

If additional training interests you, then Microchip can help. We continue to expand our technical training options, offering a growing list of courses and in-depth curriculum locally, as well as significant online resources – whenever you want to use them.

- Regional Training Centers: www.microchip.com/rtc
- MASTERs Conferences: www.microchip.com/masters
- Worldwide Seminars: www.microchip.com/seminars
- eLearning: www.microchip.com/webseminars
- Resources from our Distribution and Third Party Partners www.microchip.com/training

Sales Office Listing

AMERICAS

Atlanta
Tel: 678-957-9614
Boston
Tel: 774-760-0087
Chicago
Tel: 630-285-0071
Cleveland
Tel: 216-447-0464
Dallas
Tel: 972-818-7423
Detroit
Tel: 248-538-2250
Kokomo
Tel: 765-864-8360
Los Angeles
Tel: 949-462-9523
Santa Clara
Tel: 408-961-6444
Toronto
Mississauga, Ontario
Tel: 905-673-0699

EUROPE

Austria - Wels
Tel: 43-7242-2244-39
Denmark - Copenhagen
Tel: 45-4450-2828
France - Paris
Tel: 33-1-69-53-63-20
Germany - Munich
Tel: 49-89-627-144-0
Italy - Milan
Tel: 39-0331-742611
Netherlands - Drunen
Tel: 31-416-690399
Spain - Madrid
Tel: 34-91-708-08-90
UK - Wokingham
Tel: 44-118-921-5869

ASIA/PACIFIC

Australia - Sydney
Tel: 61-2-9868-6733
China - Beijing
Tel: 86-10-8528-2100
China - Chengdu
Tel: 86-28-8665-5511
China - Hong Kong SAR
Tel: 852-2401-1200
China - Nanjing
Tel: 86-25-8473-2460
China - Qingdao
Tel: 86-532-8502-7355
China - Shanghai
Tel: 86-21-5407-5533
China - Shenyang
Tel: 86-24-2334-2829
China - Shenzhen
Tel: 86-755-8203-2660
China - Wuhan
Tel: 86-27-5980-5300
China - Xiamen
Tel: 86-592-2388138
China - Xian
Tel: 86-29-8833-7252
China - Zhuhai
Tel: 86-756-3210040

ASIA/PACIFIC

India - Bangalore
Tel: 91-80-3090-4444
India - New Delhi
Tel: 91-11-4160-8631
India - Pune
Tel: 91-20-2566-1512
Japan - Yokohama
Tel: 81-45-471- 6166
Korea - Daegu
Tel: 82-53-744-4301
Korea - Seoul
Tel: 82-2-554-7200
Malaysia - Kuala Lumpur
Tel: 60-3-6201-9857
Malaysia - Penang
Tel: 60-4-227-8870
Philippines - Manila
Tel: 63-2-634-9065
Singapore
Tel: 65-6334-8870
Taiwan - Hsin Chu
Tel: 886-3-6578-300
Taiwan - Kaohsiung
Tel: 886-7-536-4818
Taiwan - Taipei
Tel: 886-2-2500-6610
Thailand - Bangkok
Tel: 66-2-694-1351

7/21/09

Microcontrollers • Digital Signal Controllers • Analog • Serial EEPROMs

MICROCHIP

www.microchip.com
Microchip Technology Inc.
2355 W. Chandler Blvd.
Chandler, AZ 85224-6199

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное   производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:
moschip.ru	moschip.ru_6
moschip.ru_4	moschip.ru_9