






- 1 MATERIAL:  
HOUSING: LCP, GLASS FILLED, UL94V-0.  
TERMINALS: HIGH PERFORMANCE COPPER ALLOY.
- 2 FINISH:  
30µm SELECTIVE GOLD IN CONTACT AREA. SELECTIVE TIN  
ON PCB TAILS, NICKEL OVERALL.
- 3 FINISH:  
30µm SELECTIVE GOLD IN CONTACT AREA. SELECTIVE TIN-LEAD  
ON PCB TAILS, NICKEL OVERALL.
- 4 RIGHT GUIDED RIGHT ANGLE MALE MATES TO  
LEFT GUIDED RIGHT ANGLE RECEPTACLE.
- 5. CONNECTOR SUPPLIED WITH MOUNTING SCREW.
- 6 TE LOGO LOCATED IN APPROXIMATE LOCATION.



|                                        |  |                                        |           |                                                                                                          |  |
|----------------------------------------|--|----------------------------------------|-----------|----------------------------------------------------------------------------------------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  | DWN                                    | 07APR2011 | TE Connectivity                                                                                          |  |
|                                        |  | CHK                                    | 07APR2011 |                                                                                                          |  |
| DIMENSIONS:                            |  | J. EABY                                | 07APR2011 | NAME<br>IMPACT, STD, RAM, 2 PAIR, 16 COLUMN,<br>RIGHT GUIDED LEFT END WALL SIGNAL<br>MODULE, 0.39 EYELET |  |
| mm                                     |  | APVD                                   | 07APR2011 |                                                                                                          |  |
|                                        |  | TOLERANCES UNLESS OTHERWISE SPECIFIED: |           | PRODUCT SPEC                                                                                             |  |
|                                        |  | 0 PLC ±                                |           | APPLICATION SPEC                                                                                         |  |
|                                        |  | 1 PLC ±0.25                            |           | WEIGHT                                                                                                   |  |
|                                        |  | 2 PLC ±0.13                            |           | CUSTOMER DRAWING                                                                                         |  |
| MATERIAL                               |  | 3 PLC ±                                |           | SIZE                                                                                                     |  |
|                                        |  | 4 PLC ±                                |           | CAGE CODE                                                                                                |  |
|                                        |  | ANGLES                                 |           | DRAWING NO                                                                                               |  |
|                                        |  | FINISH                                 |           | RESTRICTED TO                                                                                            |  |
| SEE TABLE                              |  | C=2143316                              |           | SCALE                                                                                                    |  |
|                                        |  | 5:1                                    |           | SHEET                                                                                                    |  |
|                                        |  | 1                                      |           | OF                                                                                                       |  |
|                                        |  | 2                                      |           | REV                                                                                                      |  |
|                                        |  | C                                      |           |                                                                                                          |  |



| LOC | DIST | REVISIONS |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
| AD  | 00   | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|     |      | -         | -   | SEE SHEET 1 | -    | -   | -    |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |




COPLANAR MATED SIGNAL PATHS



|        |       |             |
|--------|-------|-------------|
|        | 5.50  | 2143316-6   |
|        | 4.90  | 2143316-5   |
|        | 5.50  | 2143316-3   |
|        | 4.90  | 2143316-2   |
| FINISH | DIM M | PART NUMBER |

REFER TO WWW.TE.COM  
FOR PRODUCT AVAILABILITY

|                                                                                       |  |                  |           |                  |                                                                                                          |  |
|---------------------------------------------------------------------------------------|--|------------------|-----------|------------------|----------------------------------------------------------------------------------------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |  | DWN              | 07APR2011 |                  |  TE Connectivity    |  |
| DIMENSIONS:                                                                           |  | CHK              | 07APR2011 |                  |                                                                                                          |  |
| mm                                                                                    |  | J. EABY          | 07APR2011 |                  | NAME<br>IMPACT, STD, RAM, 2 PAIR, 16 COLUMN,<br>RIGHT GUIDED LEFT END WALL SIGNAL<br>MODULE, 0.39 EYELET |  |
|  |  | APVD             | J. EABY   |                  |                                                                                                          |  |
| TOLERANCES UNLESS OTHERWISE SPECIFIED:                                                |  | PRODUCT SPEC     |           | SIZE             |                                                                                                          |  |
| 0 PLC ±.25                                                                            |  | APPLICATION SPEC |           |                  |                                                                                                          |  |
| 1 PLC ±0.13                                                                           |  | WEIGHT           |           | A100779C=2143316 |                                                                                                          |  |
| 2 PLC ±.                                                                              |  | CUSTOMER DRAWING |           |                  |                                                                                                          |  |
| 3 PLC ±.                                                                              |  | SCALE            |           | 5:1              |                                                                                                          |  |
| 4 PLC ±.                                                                              |  | SHEET            |           |                  |                                                                                                          |  |
| ANGLES                                                                                |  | REV              |           | C                |                                                                                                          |  |
| FINISH                                                                                |  |                  |           |                  |                                                                                                          |  |
| SEE TABLE                                                                             |  |                  |           |                  |                                                                                                          |  |

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9