



Model No.	POS. I	POS. 2
		
PB6	OFF	MOM (ON)
CONNECTED TERMINALS	OPEN	CLOSE
SCHEMATIC		

14.00
[1.551]

16.00
[1.630]

M12x0.75 SI

HEX NUT

15.90
[1.626]

2.50
[1.098]

1.00 THK
[1.039]

LOCK WASHER

16.00
[1.630]

O-RING

1.20
[1.047]


SPECIFICATIONS:

CAP: POLYAMIDE 6/6
PLUNGER: POLYAMIDE 6/6 OR POLYCARBONATE
RUBBER: SILICONE
BUSHING: POLYAMIDE 6/6
CASE: DIALLYL PHTHALATE (DAP) (UL94 V-0)
TERMINALS/CONTACTS: COPPER ALLOY, GOLD OVER
SILVER PLATED
HEX NUT: BRASS, NICKEL PLATED (1)
LOCK WASHER: BRASS, NICKEL PLATED (1)
O-RING: SILICONE (1)
SPRING: STEEL



1. HARDWARE IS SHIPPED UNASSEMBLED.

TE Connectivity	
NAME SWITCH, PUSHBUTTON, ROUND CAP NO LED, SOLDER TERMINATION, SEALED, OFF-(ON) AND ON-(OFF)	
SIZE A2	CAGE CODE 00779
DRAWING NO C=2329360	
RESTRICTED TO	
SCALE 4 : 1	SHEET 1 OF 4
REV 1	



SOLDER TO PCB
OFF - (ON)



-CAP COLOR: SEE TABLE



PANEL CUT-OUT
THICKNESS: 1.5mm~4.0mm
[.059~.157]

Model No.	POS. 1	POS. 2
		
PB6	OFF	MOM(ON)
CONNECTED TERMINALS	OPEN	CLOSE
SCHEMATIC		


SWITCH	FUNCTION
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 22FEB2018 RAVL.S CHK 22FEB2018 ALEXANDER SHARPE APVD 22FEB2018 ALEXANDER SHARPE		 TE Connectivity	
DIMENSIONS: mm[INCHES]		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		NAME SWITCH, PUSHBUTTON, ROUND CAP NO LED, SOLDER TERMINATION, SEALED, OFF-(ON) AND ON-(OFF)	
		0 PLC ±- 1 PLC ±0.4[.016] 2 PLC ±0.25[.010] 3 PLC ±- 4 PLC ±- ANGLES ±5°			
MATERIAL - -		FINISH - -		SIZE CAGE CODE DRAWING NO RESTRICTED TO A200779 C-2329360	
CUSTOMER DRAWING				SCALE 4:1	SHEET 2 OF 4 REV 1

THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION	
COPYRIGHT copyright_d81e-		ALL RIGHTS RESERVED.	

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

SINGLE POLE	ON-(OFF) MOMENTARY	13.40 [.527]	3.40 [.134] SOLDER LUG	ROUND, SHINY BLUE	N/A	PB7B2RS7M1CAL00	2-2329360-5		
				ROUND, SHINY GREEN	N/A	PB7B2RS6M1CAL00	2-2329360-4		
				ROUND, SHINY YELLOW	N/A	PB7B2RS5M1CAL00	2-2329360-3		
				ROUND, SHINY RED	N/A	PB7B2RS3M1CAL00	2-2329360-2		
				ROUND, SHINY BLACK	N/A	PB7B2RS2M1CAL00	2-2329360-1		
	OFF-(ON) MOMENTARY		12.90 [.508]	3.50 [.138] SOLDER POST	ROUND, SHINY BLUE	N/A	PB6B2RS7M4CAL00	2-2329360-0	
					ROUND, SHINY GREEN	N/A	PB6B2RS6M4CAL00	1-2329360-9	
					ROUND, SHINY YELLOW	N/A	PB6B2RS5M4CAL00	1-2329360-8	
					ROUND, SHINY RED	N/A	PB6B2RS3M4CAL00	1-2329360-7	
					ROUND, SHINY BLACK	N/A	PB6B2RS2M4CAL00	1-2329360-6	
			17.60 [.693]	8.20 [.323] SOLDER LUG	ROUND, SHINY BLUE	N/A	PB6B2RS7M3CAL00	1-2329360-5	
					ROUND, SHINY GREEN	N/A	PB6B2RS6M3CAL00	1-2329360-4	
					ROUND, SHINY YELLOW	N/A	PB6B2RS5M3CAL00	1-2329360-3	
					ROUND, SHINY RED	N/A	PB6B2RS3M3CAL00	1-2329360-2	
					ROUND, SHINY BLACK	N/A	PB6B2RS2M3CAL00	1-2329360-1	
			14.90 [.587]	5.50 [.217] SOLDER LUG	ROUND, SHINY BLUE	N/A	PB6B2RS7M2CAL00	1-2329360-0	
					ROUND, SHINY GREEN	N/A	PB6B2RS6M2CAL00	2329360-9	
					ROUND, SHINY YELLOW	N/A	PB6B2RS5M2CAL00	2329360-8	
					ROUND, SHINY RED	N/A	PB6B2RS3M2CAL00	2329360-7	
					ROUND, SHINY BLACK	N/A	PB6B2RS2M2CAL00	2329360-6	
			12.90 [.508]	3.50 [.138] SOLDER LUG	ROUND, SHINY BLUE	N/A	PB6B2RS7M1CAL00	2329360-5	
					ROUND, SHINY GREEN	N/A	PB6B2RS6M1CAL00	2329360-4	
					ROUND, SHINY YELLOW	N/A	PB6B2RS5M1CAL00	2329360-3	
					ROUND, SHINY RED	N/A	PB6B2RS3M1CAL00	2329360-2	
					ROUND, SHINY BLACK	N/A	PB6B2RS2M1CAL00	2329360-1	
		POLE	THROW	DIMENSION B	DIMENSION A, TERMINAL TYPE	CAP TYPE & COLOR	LED COLOR	TE DESCRIPTIVE PART NUMBER	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RAVLS 22FEB2018
DIMENSIONS: mm[INCHES]		CHK ALEXANDER SHARPE 22FEB2018
		APVD ALEXANDER SHARPE 22FEB2018
		PRODUCT SPEC
		APPLICATION SPEC
MATERIAL	FINISH	WEIGHT
-	-	-
-	-	-

TE Connectivity	
NAME SWITCH, PUSHBUTTON, ROUND CAP NO LED, SOLDER TERMINATION, SEALED, OFF-(ON) AND ON-(OFF)	
SIZE A200779	DRAWING NO C-2329360
CAGE CODE	RESTRICTED TO
SCALE 4:1	SHEET 4 OF 4
CUSTOMER DRAWING	REV 1

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9