


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	1	NEW DRAWING	22FEB2018	RS	AS

Model No.	POS. 1	POS. 2
		
PB6	OFF	MOM (ON)
CONNECTED TERMINALS	OPEN	CLOSE
SCHEMATIC		


Technical drawings of hardware components with dimensions in inches and millimeters:

- HEX NUT:** M12x0.75 SI. Dimensions: 14.00 [.551] (width across flats), 16.00 [.630] (height).
- LOCK WASHER:** Dimensions: 2.50 [.098] (thickness), 15.90 [.626] (outer diameter), 1.00 THK [.039] (inner diameter).
- O-RING:** Dimensions: 16.00 [.630] (outer diameter), 1.20 [.047] (inner diameter).



1. HARDWARE IS SHIPPED UNASSEMBLED.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 22FEB2018 RAVI.S		 TE Connectivity PRELIMINARY	
DIMENSIONS: mm [INCHES]		CHK 22FEB2018 ALEXANDER SHARPE			
	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD 22FEB2018 ALEXANDER SHARPE		NAME	
	0 PLC ±.	PRODUCT SPEC		SWITCH, PUSHBUTTON, ROUND CAP NO LED, SOLDER TERMINATION, SEALED, OFF-(ON) AND ON-(OFF)	
	1 PLC ±0.4 [.016]	-			
	2 PLC ±0.25 [.010]	APPLICATION SPEC			
3 PLC ±.	-		SIZE		CAGE CODE
4 PLC ±.	ANGLES ±5°		DRAWING NO		RESTRICTED TO
MATERIAL	FINISH	WEIGHT	A200779C-2329360		
-	-	-	CUSTOMER DRAWING		SCALE 4:1
-	-	-			SHEET 1 of 4
-	-	-			REV 1



SOLDER TO PCB
OFF - (ON)



—CAP COLOR: SEE TABLE



PANEL CUT-OUT
THICKNESS: 1.5mm~4.0mm
[.059~.157]

Model No.	POS. 1	POS. 2
		
PB6	OFF	MOM(ON)
CONNECTED TERMINALS	OPEN	CLOSE
SCHEMATIC		


SWITCH FUNCTION

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 22FEB2018 RAVL.S CHK 22FEB2018 ALEXANDER SHARPE APVD 22FEB2018 ALEXANDER SHARPE		 TE Connectivity	
DIMENSIONS: mm[INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME SWITCH, PUSHBUTTON, ROUND CAP NO LED, SOLDER TERMINATION, SEALED, OFF-(ON) AND ON-(OFF)	
		0 PLC ±- 1 PLC ±0.4[.016] 2 PLC ±0.25[.010] 3 PLC ±- 4 PLC ±- ANGLES ±5°			
MATERIAL - -		FINISH - -		SIZE CAGE CODE DRAWING NO RESTRICTED TO A200779 C-2329360	
CUSTOMER DRAWING				SCALE 4:1	SHEET 2 OF 4 REV 1

THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION	
COPYRIGHT copyright_d81e-		ALL RIGHTS RESERVED.	

P		LTR	DESCRIPTION	DATE	DWN	APVD
		-	SEE SHEET 1	-	-	-

SINGLE POLE	ON-(OFF) MOMENTARY	13.40 [.527]	3.40 [.134] SOLDER LUG	ROUND, SHINY BLUE	N/A	PB7B2RS7M1CAL00	2-2329360-5
				ROUND, SHINY GREEN	N/A	PB7B2RS6M1CAL00	2-2329360-4
				ROUND, SHINY YELLOW	N/A	PB7B2RS5M1CAL00	2-2329360-3
				ROUND, SHINY RED	N/A	PB7B2RS3M1CAL00	2-2329360-2
				ROUND, SHINY BLACK	N/A	PB7B2RS2M1CAL00	2-2329360-1
	OFF-(ON) MOMENTARY	12.90 [.508]	3.50 [.138] SOLDER POST	ROUND, SHINY BLUE	N/A	PB6B2RS7M4CAL00	2-2329360-0
				ROUND, SHINY GREEN	N/A	PB6B2RS6M4CAL00	1-2329360-9
				ROUND, SHINY YELLOW	N/A	PB6B2RS5M4CAL00	1-2329360-8
				ROUND, SHINY RED	N/A	PB6B2RS3M4CAL00	1-2329360-7
				ROUND, SHINY BLACK	N/A	PB6B2RS2M4CAL00	1-2329360-6
		17.60 [.693]	8.20 [.323] SOLDER LUG	ROUND, SHINY BLUE	N/A	PB6B2RS7M3CAL00	1-2329360-5
				ROUND, SHINY GREEN	N/A	PB6B2RS6M3CAL00	1-2329360-4
				ROUND, SHINY YELLOW	N/A	PB6B2RS5M3CAL00	1-2329360-3
				ROUND, SHINY RED	N/A	PB6B2RS3M3CAL00	1-2329360-2
				ROUND, SHINY BLACK	N/A	PB6B2RS2M3CAL00	1-2329360-1
		14.90 [.587]	5.50 [.217] SOLDER LUG	ROUND, SHINY BLUE	N/A	PB6B2RS7M2CAL00	1-2329360-0
				ROUND, SHINY GREEN	N/A	PB6B2RS6M2CAL00	2329360-9
				ROUND, SHINY YELLOW	N/A	PB6B2RS5M2CAL00	2329360-8
				ROUND, SHINY RED	N/A	PB6B2RS3M2CAL00	2329360-7
				ROUND, SHINY BLACK	N/A	PB6B2RS2M2CAL00	2329360-6
		12.90 [.508]	3.50 [.138] SOLDER LUG	ROUND, SHINY BLUE	N/A	PB6B2RS7M1CAL00	2329360-5
				ROUND, SHINY GREEN	N/A	PB6B2RS6M1CAL00	2329360-4
				ROUND, SHINY YELLOW	N/A	PB6B2RS5M1CAL00	2329360-3
				ROUND, SHINY RED	N/A	PB6B2RS3M1CAL00	2329360-2
ROUND, SHINY BLACK				N/A	PB6B2RS2M1CAL00	2329360-1	
POLE	THROW	DIMENSION B	DIMENSION A, TERMINAL TYPE	CAP TYPE & COLOR	LED COLOR	TE DESCRIPTIVE PART NUMBER	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RAVLS 22FEB2018
DIMENSIONS: mm[INCHES]		CHK ALEXANDER SHARPE 22FEB2018
		APVD ALEXANDER SHARPE 22FEB2018
		PRODUCT SPEC
		APPLICATION SPEC
		WEIGHT
MATERIAL	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.4[.016] 2 PLC ±0.25[.010] 3 PLC ± 4 PLC ± ANGLES ±5° FINISH	CUSTOMER DRAWING

TE Connectivity	
NAME SWITCH, PUSHBUTTON, ROUND CAP NO LED, SOLDER TERMINATION, SEALED, OFF-(ON) AND ON-(OFF)	
SIZE A200779	DRAWING NO C-2329360
SCALE 4:1	SHEET 4 OF 4
REV 1	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9