






A



SOLDER TO PCB  
OFF - (ON)



-CAP COLOR: SEE TABLE




PANEL CUT-OUT  
THICKNESS: 1.5mm~4.0mm  
[.059~.157]

| Model<br>No.           | POS. 1                                                                              | POS. 2                                                                              |
|------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                        |  |  |
| PB6                    | OFF                                                                                 | MOM (ON)                                                                            |
| CONNECTED<br>TERMINALS | OPEN                                                                                | CLOSE                                                                               |
| SCHEMATIC              |  |  |



| SWITCH | FUNCTION |
|--------|----------|
| 1      | 1        |
| 2      | 2        |
| 3      | 3        |
| 4      | 4        |
| 5      | 5        |
| 6      | 6        |
| 7      | 7        |
| 8      | 8        |
| 9      | 9        |
| 10     | 10       |
| 11     | 11       |
| 12     | 12       |
| 13     | 13       |
| 14     | 14       |
| 15     | 15       |
| 16     | 16       |
| 17     | 17       |
| 18     | 18       |
| 19     | 19       |
| 20     | 20       |
| 21     | 21       |
| 22     | 22       |
| 23     | 23       |
| 24     | 24       |
| 25     | 25       |
| 26     | 26       |
| 27     | 27       |
| 28     | 28       |
| 29     | 29       |
| 30     | 30       |
| 31     | 31       |
| 32     | 32       |
| 33     | 33       |
| 34     | 34       |
| 35     | 35       |
| 36     | 36       |
| 37     | 37       |
| 38     | 38       |
| 39     | 39       |
| 40     | 40       |
| 41     | 41       |
| 42     | 42       |
| 43     | 43       |
| 44     | 44       |
| 45     | 45       |
| 46     | 46       |
| 47     | 47       |
| 48     | 48       |
| 49     | 49       |
| 50     | 50       |
| 51     | 51       |
| 52     | 52       |
| 53     | 53       |
| 54     | 54       |
| 55     | 55       |
| 56     | 56       |
| 57     | 57       |
| 58     | 58       |
| 59     | 59       |
| 60     | 60       |
| 61     | 61       |
| 62     | 62       |
| 63     | 63       |
| 64     | 64       |
| 65     | 65       |
| 66     | 66       |
| 67     | 67       |
| 68     | 68       |
| 69     | 69       |
| 70     | 70       |
| 71     | 71       |
| 72     | 72       |
| 73     | 73       |
| 74     | 74       |
| 75     | 75       |
| 76     | 76       |
| 77     | 77       |
| 78     | 78       |
| 79     | 79       |
| 80     | 80       |
| 81     | 81       |
| 82     | 82       |
| 83     | 83       |
| 84     | 84       |
| 85     | 85       |
| 86     | 86       |
| 87     | 87       |
| 88     | 88       |
| 89     | 89       |
| 90     | 90       |
| 91     | 91       |
| 92     | 92       |
| 93     | 93       |
| 94     | 94       |
| 95     | 95       |
| 96     | 96       |
| 97     | 97       |
| 98     | 98       |
| 99     | 99       |
| 100    | 100      |

|                                                                                       |  |                                           |  |                                                                                                       |  |
|---------------------------------------------------------------------------------------|--|-------------------------------------------|--|-------------------------------------------------------------------------------------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |  | DWN 22FEB2018<br>RAVL.S                   |  |  TE Connectivity |  |
|                                                                                       |  | CHK 22FEB2018<br>ALEXANDER SHARPE         |  |                                                                                                       |  |
| DIMENSIONS:<br>mm [ INCHES ]                                                          |  | TOLERANCES UNLESS<br>OTHERWISE SPECIFIED: |  | NAME<br>SWITCH, PUSHBUTTON, ROUND CAP<br>NO LED, SOLDER TERMINATION, SEALED,<br>OFF-(ON) AND ON-(OFF) |  |
|  |  | APVD 22FEB2018<br>ALEXANDER SHARPE        |  |                                                                                                       |  |
|                                                                                       |  | PRODUCT SPEC<br>-                         |  |                                                                                                       |  |
|                                                                                       |  | APPLICATION SPEC<br>-                     |  | SIZE<br>A2                                                                                            |  |
|                                                                                       |  |                                           |  | CAGE CODE<br>00779                                                                                    |  |
|                                                                                       |  |                                           |  | DRAWING NO<br>G=2329360                                                                               |  |
|                                                                                       |  |                                           |  | RESTRICTED TO                                                                                         |  |
| MATERIAL<br>-                                                                         |  | FINISH<br>-                               |  | WEIGHT<br>-                                                                                           |  |
| -                                                                                     |  | -                                         |  | CUSTOMER DRAWING                                                                                      |  |
| -                                                                                     |  | -                                         |  | SCALE 4:1                                                                                             |  |
|                                                                                       |  |                                           |  | SHEET 2 OF 4                                                                                          |  |
|                                                                                       |  |                                           |  | REV 1                                                                                                 |  |

SOLDER TO WIRE  
ON - (OFF)



-CAP COLOR: SEE TABLE



PANEL CUT-OUT  
THICKNESS: 1.5mm~4.0mm  
[.059~.157]

|                        |                                                                                     |                                                                                     |
|------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Model<br>No.           | POS. 1                                                                              | POS. 2                                                                              |
|                        |  |  |
| PB7                    | ON                                                                                  | MOM (OFF)                                                                           |
| CONNECTED<br>TERMINALS | CLOSE                                                                               | OPEN                                                                                |
| SCHEMATIC              |  |  |


| SWITCH | FUNCTION |
|--------|----------|
| 1      | 1        |
| 2      | 2        |
| 3      | 3        |
| 4      | 4        |
| 5      | 5        |
| 6      | 6        |
| 7      | 7        |
| 8      | 8        |
| 9      | 9        |
| 10     | 10       |
| 11     | 11       |
| 12     | 12       |
| 13     | 13       |
| 14     | 14       |
| 15     | 15       |
| 16     | 16       |
| 17     | 17       |
| 18     | 18       |
| 19     | 19       |
| 20     | 20       |
| 21     | 21       |
| 22     | 22       |
| 23     | 23       |
| 24     | 24       |
| 25     | 25       |
| 26     | 26       |
| 27     | 27       |
| 28     | 28       |
| 29     | 29       |
| 30     | 30       |
| 31     | 31       |
| 32     | 32       |
| 33     | 33       |
| 34     | 34       |
| 35     | 35       |
| 36     | 36       |
| 37     | 37       |
| 38     | 38       |
| 39     | 39       |
| 40     | 40       |
| 41     | 41       |
| 42     | 42       |
| 43     | 43       |
| 44     | 44       |
| 45     | 45       |
| 46     | 46       |
| 47     | 47       |
| 48     | 48       |
| 49     | 49       |
| 50     | 50       |
| 51     | 51       |
| 52     | 52       |
| 53     | 53       |
| 54     | 54       |
| 55     | 55       |
| 56     | 56       |
| 57     | 57       |
| 58     | 58       |
| 59     | 59       |
| 60     | 60       |
| 61     | 61       |
| 62     | 62       |
| 63     | 63       |
| 64     | 64       |
| 65     | 65       |
| 66     | 66       |
| 67     | 67       |
| 68     | 68       |
| 69     | 69       |
| 70     | 70       |
| 71     | 71       |
| 72     | 72       |
| 73     | 73       |
| 74     | 74       |
| 75     | 75       |
| 76     | 76       |
| 77     | 77       |
| 78     | 78       |
| 79     | 79       |
| 80     | 80       |
| 81     | 81       |
| 82     | 82       |
| 83     | 83       |
| 84     | 84       |
| 85     | 85       |
| 86     | 86       |
| 87     | 87       |
| 88     | 88       |
| 89     | 89       |
| 90     | 90       |
| 91     | 91       |
| 92     | 92       |
| 93     | 93       |
| 94     | 94       |
| 95     | 95       |
| 96     | 96       |
| 97     | 97       |
| 98     | 98       |
| 99     | 99       |
| 100    | 100      |

|                                                                                       |  |                                           |  |                                                                                                       |  |
|---------------------------------------------------------------------------------------|--|-------------------------------------------|--|-------------------------------------------------------------------------------------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |  | DWN 22FEB2018<br>RAVL.S                   |  |  TE Connectivity |  |
|                                                                                       |  | CHK 22FEB2018<br>ALEXANDER SHARPE         |  |                                                                                                       |  |
| DIMENSIONS:<br>mm [ INCHES ]                                                          |  | TOLERANCES UNLESS<br>OTHERWISE SPECIFIED: |  | NAME<br>SWITCH, PUSHBUTTON, ROUND CAP<br>NO LED, SOLDER TERMINATION, SEALED,<br>OFF-(ON) AND ON-(OFF) |  |
|  |  | APVD 22FEB2018<br>ALEXANDER SHARPE        |  |                                                                                                       |  |
|                                                                                       |  | PRODUCT SPEC                              |  | SIZE                                                                                                  |  |
|                                                                                       |  | APPLICATION SPEC                          |  | CAGE CODE                                                                                             |  |
|                                                                                       |  | WEIGHT                                    |  | DRAWING NO                                                                                            |  |
| MATERIAL                                                                              |  | FINISH                                    |  | RESTRICTED TO                                                                                         |  |
| -                                                                                     |  | -                                         |  | A2                                                                                                    |  |
| -                                                                                     |  | -                                         |  | 00779                                                                                                 |  |
|                                                                                       |  | CUSTOMER DRAWING                          |  | C-2329360                                                                                             |  |
|                                                                                       |  |                                           |  | SCALE 4:1                                                                                             |  |
|                                                                                       |  |                                           |  | SHEET 3 OF 4                                                                                          |  |
|                                                                                       |  |                                           |  | REV 1                                                                                                 |  |

|                              |  |                          |  |
|------------------------------|--|--------------------------|--|
| THIS DRAWING IS UNPUBLISHED. |  | RELEASED FOR PUBLICATION |  |
| COPYRIGHT copyright_d81e-    |  | ALL RIGHTS RESERVED.     |  |

|   |  |     |             |  |      |     |      |
|---|--|-----|-------------|--|------|-----|------|
| P |  | LTR | DESCRIPTION |  | DATE | DWN | APVD |
|   |  | -   | SEE SHEET 1 |  | -    | -   | -    |

|             |                    |                 |                        |                         |                            |                  |                 |                            |             |
|-------------|--------------------|-----------------|------------------------|-------------------------|----------------------------|------------------|-----------------|----------------------------|-------------|
| SINGLE POLE | ON-(OFF) MOMENTARY | 13.40<br>[.527] | 3.40 [.134] SOLDER LUG | ROUND, SHINY BLUE       | N/A                        | PB7B2RS7M1CAL00  | 2-2329360-5     |                            |             |
|             |                    |                 |                        | ROUND, SHINY GREEN      | N/A                        | PB7B2RS6M1CAL00  | 2-2329360-4     |                            |             |
|             |                    |                 |                        | ROUND, SHINY YELLOW     | N/A                        | PB7B2RS5M1CAL00  | 2-2329360-3     |                            |             |
|             |                    |                 |                        | ROUND, SHINY RED        | N/A                        | PB7B2RS3M1CAL00  | 2-2329360-2     |                            |             |
|             |                    |                 |                        | ROUND, SHINY BLACK      | N/A                        | PB7B2RS2M1CAL00  | 2-2329360-1     |                            |             |
|             | OFF-(ON) MOMENTARY |                 | 12.90<br>[.508]        | 3.50 [.138] SOLDER POST | ROUND, SHINY BLUE          | N/A              | PB6B2RS7M4CAL00 | 2-2329360-0                |             |
|             |                    |                 |                        |                         | ROUND, SHINY GREEN         | N/A              | PB6B2RS6M4CAL00 | 1-2329360-9                |             |
|             |                    |                 |                        |                         | ROUND, SHINY YELLOW        | N/A              | PB6B2RS5M4CAL00 | 1-2329360-8                |             |
|             |                    |                 |                        |                         | ROUND, SHINY RED           | N/A              | PB6B2RS3M4CAL00 | 1-2329360-7                |             |
|             |                    |                 |                        |                         | ROUND, SHINY BLACK         | N/A              | PB6B2RS2M4CAL00 | 1-2329360-6                |             |
|             |                    |                 | 17.60<br>[.693]        | 8.20 [.323] SOLDER LUG  | ROUND, SHINY BLUE          | N/A              | PB6B2RS7M3CAL00 | 1-2329360-5                |             |
|             |                    |                 |                        |                         | ROUND, SHINY GREEN         | N/A              | PB6B2RS6M3CAL00 | 1-2329360-4                |             |
|             |                    |                 |                        |                         | ROUND, SHINY YELLOW        | N/A              | PB6B2RS5M3CAL00 | 1-2329360-3                |             |
|             |                    |                 |                        |                         | ROUND, SHINY RED           | N/A              | PB6B2RS3M3CAL00 | 1-2329360-2                |             |
|             |                    |                 |                        |                         | ROUND, SHINY BLACK         | N/A              | PB6B2RS2M3CAL00 | 1-2329360-1                |             |
|             |                    |                 | 14.90<br>[.587]        | 5.50 [.217] SOLDER LUG  | ROUND, SHINY BLUE          | N/A              | PB6B2RS7M2CAL00 | 1-2329360-0                |             |
|             |                    |                 |                        |                         | ROUND, SHINY GREEN         | N/A              | PB6B2RS6M2CAL00 | 2329360-9                  |             |
|             |                    |                 |                        |                         | ROUND, SHINY YELLOW        | N/A              | PB6B2RS5M2CAL00 | 2329360-8                  |             |
|             |                    |                 |                        |                         | ROUND, SHINY RED           | N/A              | PB6B2RS3M2CAL00 | 2329360-7                  |             |
|             |                    |                 |                        |                         | ROUND, SHINY BLACK         | N/A              | PB6B2RS2M2CAL00 | 2329360-6                  |             |
|             |                    |                 | 12.90<br>[.508]        | 3.50 [.138] SOLDER LUG  | ROUND, SHINY BLUE          | N/A              | PB6B2RS7M1CAL00 | 2329360-5                  |             |
|             |                    |                 |                        |                         | ROUND, SHINY GREEN         | N/A              | PB6B2RS6M1CAL00 | 2329360-4                  |             |
|             |                    |                 |                        |                         | ROUND, SHINY YELLOW        | N/A              | PB6B2RS5M1CAL00 | 2329360-3                  |             |
|             |                    |                 |                        |                         | ROUND, SHINY RED           | N/A              | PB6B2RS3M1CAL00 | 2329360-2                  |             |
|             |                    |                 |                        |                         | ROUND, SHINY BLACK         | N/A              | PB6B2RS2M1CAL00 | 2329360-1                  |             |
|             |                    | POLE            | THROW                  | DIMENSION B             | DIMENSION A, TERMINAL TYPE | CAP TYPE & COLOR | LED COLOR       | TE DESCRIPTIVE PART NUMBER | PART NUMBER |

|                                                                                       |                                                                                                                                          |                                       |
|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |                                                                                                                                          | DWN<br>RAVLS<br>22FEB2018             |
| DIMENSIONS:<br>mm[INCHES]                                                             |                                                                                                                                          | CHK<br>ALEXANDER SHARPE<br>22FEB2018  |
|  |                                                                                                                                          | APVD<br>ALEXANDER SHARPE<br>22FEB2018 |
|                                                                                       |                                                                                                                                          | PRODUCT SPEC                          |
|                                                                                       |                                                                                                                                          | APPLICATION SPEC                      |
|                                                                                       |                                                                                                                                          | WEIGHT                                |
| MATERIAL                                                                              | TOLERANCES UNLESS OTHERWISE SPECIFIED:<br>0 PLC ±<br>1 PLC ±0.4[.016]<br>2 PLC ±0.25[.010]<br>3 PLC ±<br>4 PLC ±<br>ANGLES ±5°<br>FINISH | CUSTOMER DRAWING                      |

|                                                                                                       |                         |
|-------------------------------------------------------------------------------------------------------|-------------------------|
| TE Connectivity                                                                                       |                         |
| NAME<br>SWITCH, PUSHBUTTON, ROUND CAP<br>NO LED, SOLDER TERMINATION, SEALED,<br>OFF-(ON) AND ON-(OFF) |                         |
| SIZE<br>A200779                                                                                       | DRAWING NO<br>C-2329360 |
| SCALE<br>4:1                                                                                          | SHEET<br>4 OF 4         |
| REV<br>1                                                                                              |                         |

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9