


- NOTES: UNLESS OTHERWISE SPECIFIED
- 1. INTERPRET DRAWING IN ACCORDANCE WITH APPLICABLE CABLE STANDARDS PRESCRIBED BY MIL-D-1000 AND MICRODOT PROCEDURE BULLETIN 34-3.
 - 2. ALL METALLIC PARTS ARE GOLD PLATED PER MIL-G-45204 TYPE II, CLASS I.
 - 3. CABLE ACCEPTANCE DIM'S - CENTER COND. .012, DIELECTRIC .034, SHIELD .054, JACKET .075.
 - 4. MATES WITH ALL LEPRO/CON 142 LOCKING INTER-FACE PLUGS.
 - 5. SEE RF-ASMB-12 FOR CABLE ASSEMBLY INSTRUCTIONS.
 - 6. FOR COMPONENT PARTS, SEE PARTS LIST.


REVISIONS			
SYM	DESCRIPTION	DATE	APPROVED
A	RELEASED FOR PRODUCTION (NOR 10,333)	8-15-69	<i>[Signature]</i>
B	REV. LETTER UP-DATED ECO 16329	4-18/73	<i>[Signature]</i>
C	REV. LET. UPDATE ECO 20651	2-23/76	<i>[Signature]</i>
D	UPDATE REV. LETTER. (40359)	7/20/00	<i>[Signature]</i>



Tyco Dwg 1-1532006-7
Micro P/N 141-0017-0001

QTY. REQD.	PART NO.	NOMENCLATURE OR DESCRIPTION	MATERIAL & SPECIFICATION	ITEM NO.
LIST OF MATERIAL OR PARTS LIST				
UNLESS OTHERWISE SPEC.		DRAWN C. MEGER 8/15/69	MICRODOT INC. 220 PASADENA AVE. SO. PASADENA, CALIF. STR. JACK ASSEMBLY WITH INTERLOCKING INTERFACE PRDD CODE 946	
DIMENSIONS ARE IN INCHES		CHECK E. Mungara 8/15/69		
TOLERANCES		PR. ENG. <i>[Signature]</i> 8/15/69		
DECIMALS FRACTIONS		CHK. ENG.		
.XX ± .010 ± 1/64		MATERIAL		
.XXX ± .010 ± 1/64		SURFACE TREATMENT		
.XXXX ± .010 ± 1/64		SEE NOTE 2		
ANGLES ± 5°		CODE IDENT SIZE		
SURFACE ROUGHNESS		98278 C 141-0017-0001		
NEXT ASSY. USED ON		SCALE — WEIGHT 90 SHEET 1 OF 1		
NEXT ASSY. TOP ASSY.				
APPLICATION				
QUANTITY REQD.		DO NOT SCALE THIS DWG.		

REVISIONS			
SYM	DESCRIPTION	DATE	APPROVED
A	RELEASED FOR PRODUCTION (NDR10638) EM	7/2/69	
B	REV. LETTER UP-DATED ECO 16329	4/18/73	R.B. Jones
C	REV. LET. UPDATE ECO 20651 4416 2-23-76	2/23/76	R. Elden
D	UPDATE REV. LETTER. (40359)	7/20/80	RS



1-532006-7

NOTES: UNLESS OTHERWISE SPECIFIED

- THIS JACK ASSEMBLY MATES WITH ALL LEPRACON 142 INTERLOCKING INTERFACE PLUGS.
- SEE RF-ASMB-12 FOR CABLE ASSEMBLY INSTRUCTIONS.
- ALL METALLIC PARTS ARE GOLD PLATED PER MIL-G-45204 TYPE II, CLASS I.
- CABLE ACCEPTANCE DIMENSIONS:
 - CENTER CONDUCTOR .012.
 - DIELECTRIC .034.
 - SHIELD .034.
 - JACKET .075.

NEXT ASSY.	USED ON	NEXT ASSY.	TOP ASSY.
APPLICATION	QUANTITY REQD.	DO NOT SCALE THIS DWG.	

1	014-0004-0002	CRIMP SLEEVE	LEADED COPPER FULL HARD OR O.F.H.C. 121 COPPER	3
1	014-1009-0001	SOCKET CONTACT SUBASSY		2
1	014-1085-0001	HOUSING SUBASSY, STR. JACK		1
QTY. REQD.	PART NO.	NOMENCLATURE OR DESCRIPTION	MATERIAL & SPECIFICATION	ITEM NO.
LIST OF MATERIAL OR PARTS LIST				
UNLESS OTHERWISE SPEC.		DRAWN	E. MINGURA	10-8-69
DIMENSIONS ARE IN INCHES		CHECK		
TOLERANCES		PR. ENG.		10/13/69
DECIMALS		CHK. ENG.		
FRACTIONS		MATERIAL		
XX ±		SEE TAB. BLOCK		
XXX ± .010		SURFACE TREATMENT		
XXXX ±		3		
ANGLES ±		MICRODOT INC.		
SURFACE ROUGHNESS		220 PASADENA AVE. SO. PASADENA, CALIF.		
√		STR. JACK ASSEMBLY WITH INTERLOCKING INTERFACE LEPRACON		
NEXT ASSY.		CODE IDENT		
USED ON		SIZE		
NEXT ASSY.		98278 C CD 141-0017-0001		
TOP ASSY.		SCALE — WEIGHT 90 SHEET 1 of 1		
APPLICATION				
QUANTITY REQD.				
DO NOT SCALE THIS DWG.				

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9