Industrial

G86-62401 Series Keyboard

Models may vary from the image shown

Compact Keyboard with Integrated Touchpad for Industrial Applications:
Compact 14” Keyboard which Combines Maximum Space Efficiency and Uncompromised Alphanumeric Data Entry.

Key Benefits

- Enhanced US 106 Position Key Layout
- Robust Product Design with IP 54, Spill and Dust Resistant Key Field for Harsh Environments
- Touchpad Ensures Easy Cursor Navigation with Minimal Desktop Surface
- Yellow Status LEDs for Improved Visibility in Rooms with Artificial Illumination
- Numeric Pad includes "00" Key for Fast Currency Typing

Technical Data:

Housing Color: Black

Key Color: Black

Weight (product):
Approx. 1.4 kg /3.08 lbs.

Total Weight (with packaging):
Approx. 1.6 kg /3.52 lbs.
.

Cable Length:
Approx.1.85 m / Approx. 6 ft.

Current Consumption:
Typ. 35 mA

Touchpad:
Resolution: 1000 dpi
Two Switch-Activated Mouse Buttons

Operating Temperature:
0° C to 50° C / 32° F to 122° F

Interface:
USB 2.0

Product Approvals:
WHQL
VCCI
RCM
cURus
CE
FCC
BSMI

System Requirements:
USB connection 2.0

Delivery Volume:
G86-62401
Operating instructions in hard copy

Dimensions (product):
Approx. 360 x 198 x 38 mm
Approx. 14.1” x 7.79” x 1.49”

Packaging Dimensions:
Approx. 415 x 260 x 50 mm
Approx. 16.33” x 10.23” x 1.96”

Reliability:
25 million operations

Keyboard:

- Key switch technology: Rubber Mat
- Service life, standard key: > 25 million key operations
- Number of Keys: 106

Packaging Unit:
Number of products in the master package: 22
Number of master packages per pallet: 8

Warranty:
2 years

Technical Data Continued:

Storage Temperature:
-20°C to 60°C / -4° F to 140° F

Model:

Part Number	Product Name	Color
G86-62401EUADAA	62401 Series	Black
G86-62401EUAEAA	62401 Series	Lt. Grey

(Possible country/layout versions, others available on request)

Cherry Americas, LLC
11200 88th Avenue
Pleasant Prairie, WI 53158
USA
Phone: 262.942.6508
Internet: www.cherryamericas.com

E-Mail: keyboardsupport@cherryamericas.com

The manufacturer accepts no liability for errors or non-availability, and reserves the right to change specifications without prior notice. Technical data relates to product specifications only. Features may differ from those described. Only drawings combined with product specifications shall be deemed binding.

© 2017 Cherry Americas, LLC, Last Update: January 27, 2017

Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001
Адрес: 105318, г.Москва, ул.Щербаковская д.3, офис 1107

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:
moschip.ru
moschip.ru_4
moschip.ru_6
moschip.ru_9