

8				7								
THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION				2007				
(C) COPYRIGHT 2007				BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.								
PART NUMBER		REV	FIRST USED		POWER UNIT			FEED TYPE				
466799-2		E	-		AMP-O-ELECTRIC			AIR FEED				

1. ONLY THE PARTS & HARDWARE LISTED ON PARTS LIST ARE USED ON THIS APPLICATOR.

⚠ AFTER ASSEMBLY OF APPLICATOR PROPER SPRING PRESSURE (ITEM 34) CAN BE ACHIEVED BY TIGHTENING SET SCREW (ITEM 123) UNTIL CONTACT IS MADE WITH SPACER (ITEM 32) & THEN TIGHTENING AN ADDITIONAL 5 1/2 TO 6 REVOLUTIONS.

⚠ RECOMMENDED SPARE PARTS.

⚠ LUBRICATE DAILY USING NO.20 MACH. OIL

⚠ GREASE LIGHTLY.

TERMINAL NAME: .187 FLAG FASTON RECEPTACLE						
-	62817	AMP TERMINAL - AMP CRIMP SPECS				
-	-					
-	-					
-	-	PAD LTR	CRIMP HEIGHT		WIRE SIZE	Ø SOLDER
-	-	A	.040		16	-
-	-	B	.037		18 OR (2)20	-
-	-	C	.035		20	-
-	-	D	-		-	-
-	-	CRIMP	SIZE	TYPE	RANGE	
-	-					
-	-	WIRE	.140	TAB LOC	20-16	
		INSUL	.220	O	.170-.225	
WIRE STRIP LENGTH		TERM APPL SPEC		FEED	APPL INSTRUCTIONS	SET UP GAGE
-		114-2078		.640	A1 8037	-
					LAYOUT	-


LOC	DIST	REVISONS				
A	66	P	LTR	DESCRIPTION		DATE
		E		ECR-07-006533		27MAR2007
						EW
						TE

2	-	7-21000-6	SCR, SKT HD CAP 10-32 X .312	114
2	-	1-23030-1	SCR, SKT HD CAP, S-LOCK, 8-32 X .625	112
2	-	2-21000-7	SCR, SKT HD CAP 8-32 X .500	110
2	-	2-21000-8	SCR, SKT HD CAP 8-32 X .625	109
4	-	2-21000-9	SCR, SKT HD CAP 8-32 X .750	106
2	-	21001-3	SCR, SKT HD CAP 1/4-20 X .625	105
6	-	3-21000-8	SCR, SKT HD CAP 10-32 X .875	102
1	-	457244-2	GUARD ASSEMBLY	80
1	-	457098-5	AIR FEED ASSEMBLY	78
1	-	694427-1	PLATE, APPLICATOR, MOUNTING	77
2	-	690603-1	SPRING ASSIST AMP-O-MATOR APPLICATOR	72
1	-	456987-1	BLOCK, PIVOT	65
1	-	457058-1	PIN, PIVOT	64
1	-	455164-1	CAP, RAM	59
1	-	457079-1	HOUSING, MACHINING	58
1	-	240624-1	PIN, FEED FINGER	55
1	-	691499-1	SPRING-FEED FINGER	54
1	-	454568-2	FINGER, FEED	53
1	-	457057-1	PIVOT ARM	52
1	-	3-21002-5	SCR, BTN SKT HD CAP 1/4-20 X .750	49
1	-	22353-8	SCR, SHLD, SLOT HD, 3/16 DIA	47
1	-	690578-1	INSULATION ADJUST BLOCK	46
1	-	690191-1	PLUG,NYLON	45
1	-	454574-1	RAM	44
1	-	690125-1	SHIM SUB-ASSY	43
1	-	1-690124-1	WASHER, RAM (.150)	42
2	-	23241-6	BALL, STEEL	40
2	-	690170-1	SPRING, COMPRESSION	39
1	-	690142-1	DISC, INSULATION	38
1	-	8-690692-6	DISC-WIRE CRIMP ADJUSTMENT	37
1	-	22480-5	WASHER, WAVE SPRING	36
1	-	690212-1	POST, RAM	35
1	-	3-23846-5	SPRING, DIE	34
1	-	690573-1	SPACER, SPRING	32
2	-	22354-8	STUD, THREADED	30
1	-	690582-1	PIN, HINGE	28
1	-	684905-1	PLATE, BASE	26
1	-	454579-2	BAR, HINGE	25
1	-	690571-1	STABILIZER	24
1	-	690585-1	BLOCK, SPRING PRESSURE	23
2	-	23470-8	SPRING, COMPRESSION	22
1	-	21029-9	PIN, SLOTTED SPRING .188 X 1.000	21
1	-	457093-3	STOCK DRAG	20
1	-	454573-1	GUIDE, STRIP, REAR	19
1	-	457090-3	GUIDE, FRONT STRIP	18
1	-	2-22287-6	SPRING, EXTENSION	16
1	-	692134-7	TERMINAL POSITIONER	13
1	-	5-22280-5	SPRING, COMPRESSION	12
1	-	454712-5	PLATE, REAR SHEAR	11
1	-	683641-1	ANVIL, INSERT	10
1	-	690569-2	PLATE, SHEAR, FRONT	9
1	-	690718-1	ANVIL, REVERSIBLE	8
1	-	454575-6	BLADE, SHEAR	7
1	-	684906-1	ANVIL RETAINING	5
1	-	690574-1	SPACER, TUBULAR	4
1	-	690764-1	INSULATION CRIMPER	3
1	-	681153-1	SPACER, CRIMPER	2
1	-	690716-3	CRIMPER, WIRE PREMIUM	1
-1	U/M	PART NO	DESCRIPTION	ITEM NO

THIS DRAWING IS UNPUBLISHED. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE KEPT IN CONFIDENTIALITY AND NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. WITHOUT PERMISSION IN WRITING FROM TYCO ELECTRONICS CORPORATION, NO PART OF THIS DRAWING MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.		DWN RD T. ELBIN	07FEB2007	Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: IN		TOLERANCES UNLESS OTHERWISE SPECIFIED:	07FEB2007	NAME	
9 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES		± ± ± ± ± ±	07FEB2007	PRODUCT SPEC	
MATERIAL		FINISH		APPLICATION SPEC	
-		-		WEIGHT	
				CUSTOMER DRAWING	
				SCALE 1:1 SHEET 1 OF 2	
				REV E	

1	-	1976348-1	L-BRACKET, COUNTER	163
2	-	18028-2	WASHER, FLAT, REG M4	162
2	-	2-21000-6	SCR, SKT HD CAP 8-32 X .375	161
1	-	3-21000-6	SCR, SKT HD CAP 10-32 X .625	160
1	-	1804300-1	ASSEMBLY,APPLICATOR COUNTER	159
1	-	1976349-1	BRACKET, COUNTER	158
2	-	994991-5	SCREW, OVL HD, M4X12	157
1	-	1-21986-2	RING, RETAIN, EXTERN, 3/16 E-RING	156
2	-	21045-3	RING, RETAIN, EXTERN, 3/16 CRESCENT	155
2	-	4-21028-9	PIN, SLOTTED SPRING .125 X .375	145
1	-	3-21028-2	PIN, SLOTTED SPRING .094 X .250	144
1	-	3-22183-7	PIN, GROOVED, TYPE 67	142
1	-	21029-5	PIN, SLOTTED SPRING .188 X .750	138
4	-	1-21899-3	WASHER, FLAT	133
4	-	21024-4	WASHER, SPRG LOCK, REG NO 8	132
2	-	21024-5	WASHER, SPRG LOCK, REG NO 10	131
2	-	21022-2	NUT, HEX, SELF-LOCKING, THIN, 8-32	129
1	-	1-22202-7	NUT, HEX, JAM 5/16-24/UNF	127
1	-	21061-9	SCR, SET, CONE POINT 8-32 X .250	126
2	-	3-21012-1	SCREW, SKT SET (6-32x.38)	125
2	-	4-21006-0	SCR, SET, CUP POINT 8-32 X .250	124
1	-	8-21007-5	SCR, SET, CUP POINT 5/16-24 X .750	123
2	-	23030-1	SCR, SKT HD CAP, S-LOCK, 6-32 X .25	122
1	-	21009-2	SCR, SET, SELF LOCKING 1/4-20 X .250	121
2	-	21017-2	SCREW, DRIVE	120
1	-	2-21002-1	SCR, BTN SKT HD CAP 8-32 X .375	119
1	-	461264-1	PLATE, IDENTIFICATION	118
3	-	3-21002-4	SCR, BTN SKT HD CAP 1/4-20 X .625	117
4	-	2-22733-8	SCR, BHSC, SELF-LOCKING, 1/4-20 X .625	116

LOC		DIST		REVISIONS			
A	66	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 2007. BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.				DWN: B. WEAVER 07FEB2007				tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608			
CHK: T. ELBIN 07FEB2007				APVD: T. ELBIN 07FEB2007				NAME: APPLICATOR, HINGE BAR, .187 FLAG FASTON RECEPTACLE			
DIMENSIONS: IN				TOLERANCES UNLESS OTHERWISE SPECIFIED:				SIZE: CAGE CODE: DRAWING NO: A100779C=466799-2			
MATERIAL: -				FINISH: -				RESTRICTED TO: -			
CUSTOMER DRAWING				SCALE: 3:5				SHEET 2 OF 2			
								REV E			

CUSTOMER VIEWABLE ASSEMBLY

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9