


PRODUCT NUMBER

SEE SHEET 2






14.48 REF

2.54 TYP REF

2.41 REF

2X4.45 REF

7X6.35 REF




spec ref		*		dr	Peng-Bing Fu	2012/08/09	projection		MM		size	A3	scale	3:2	
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Peng-Bing Fu	2012/11/14					ecn no	ELX-DG-013143-1			
				chr	Shao-Qi Kuang	2012/11/15									
ASME Y14.5					appr	Pei-Ming Zheng	2012/11/15	product family		PwrBlade+		rel level		Released	
surface		linear	0.X	±0.5		title				16S + 8HP	dwg no	10106124-8004001		rev	B
			0.XX	±0.25											
			0.XXX	±0.10											
ASME Y14.5		angular	0°	±2°	www.fci.com	cat. no.		Product - Customer Drw				sheet 1 of 3			



Copyright FCI.

PRODUCT NO.	ROWS	S				HIGH POWER								E2					
		E1	1	2	3	4	P1	P2	P3	P4	P5	P6	P7		P8				
10106124-8004001LF	DCBA		   	   	   	   													
																			



CODE	DESCRIPTION
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Peng-Bing Fu	2012/08/09	projection	MM	size	A3	scale	3:2			
eng	Peng-Bing Fu	2012/11/14			ecn no	ELX-DG-013143-1					
chr	Shao-Qi Kuang	2012/11/15			rel level	Released					
appr	Pei-Ming Zheng	2012/11/15							product family	PwrBlade+	
			title			16S + 8HP		dwg no	10106124-8004001	rev	B
www.fci.com			cat. no.			Product - Customer Drw			sheet 2 of 3		

A

B

C

D

A

B

C


D

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02±0.07MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.



Copyright FCI.

dr	Peng-Bing Fu	2012/08/09	projection 	MM 	size	A3	scale	3:2
eng	Peng-Bing Fu	2012/11/14						
chr	Shao-Qi Kuang	2012/11/15						
appr	Pei-Ming Zheng	2012/11/15	product family		PwrBlade+	ecn no	ELX-DG-013143-1	
					rel level	Released		
			title			rev		
16S + 8HP RA STB HEADER			dwg no			10106124-8004001		
www.fci.com			cat. no.			Product - Customer Drw		
						sheet 3 of 3		
						B		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9