

## Label sheet, DIN A4 - BMKL 27X12,5 SR - 0803676

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

Label sheet, DIN A4, Sheet, silver, Unlabeled, Can be labeled with: Office printing systems, Mounting type: Adhesive, Lettering field: 27 x 12.5 mm



The figure shows a version of the article

### Product Features

- These labels have been specially developed for laser printers
- The unperforated SK U ... sheets are available for custom label designs
- Labeling service: Phoenix Contact can custom-label all BMKL ... markers according to your requirements
- Can be printed on all commercially available laser printers



### Key commercial data

|                                      |          |
|--------------------------------------|----------|
| Packing unit                         | 1 PCE    |
| Minimum order quantity               | 10 PCE   |
| Weight per Piece (excluding packing) | 16.0 GRM |
| Custom tariff number                 | 39199000 |
| Country of origin                    | Germany  |

### Technical data

#### Dimensions

|            |         |
|------------|---------|
| Length (b) | 27 mm   |
| Width (a)  | 12.5 mm |

#### Ambient conditions

|                                 |                                |
|---------------------------------|--------------------------------|
| Wipe resistance                 | DIN EN 61010-1 (VDE 0411-1)    |
| Ambient temperature (operation) | -20 °C ... 120 °C (Min.)       |
| Ambient temperature (assembly)  | > 5 °C                         |
| Recommended storage conditions  | 22 °C / 50 % relative humidity |

## Label sheet, DIN A4 - BMKL 27X12,5 SR - 0803676

### Technical data

#### General

|   |   |
|---|---|
| Note  | Print image may vary depending on laser printer |
| Color   | silver  |
| Base element material   | Polyester                                       |
| Components  | Silicone-free                                   |
| Material  | Polyester                                       |
| Number of individual labels   | 126   |
| Number of individual labels per row                                 | 6   |
| Adhesive  | Acrylic   |
| Printability  | Office printing systems                         |
| Test for substances that would hinder coating with paint or varnish | VW PV 3.10.7:2005-02                            |
| Result  | Test passed                                     |
| Test specification weathering-resistance                            | Following ISO 4892-2:2013-03                    |
| Test duration   | 96 h  |
| Wipe resistance test result   | Test passed                                     |
| Salt spray test specification                                       | DIN EN ISO 9227:2012-09                         |
| Salt spray testing result   | Test passed                                     |
| Alternating condensation climate with SO2 test specification        | Following DIN 50018:2013-05                     |
| Climate level   | AHT 1.0 S                                       |
| Cycles  | 2   |
| Condensation test result  | Test passed                                     |
| Wipe resistance of test specification inscriptions                  | DIN EN 61010-1 (VDE 0411-1):2011-07             |
| Result  | Test passed                                     |
| Foil strength   | 46 µm   |
| Adhesive strength   | 29 µm   |

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 24190218 |
| eCl@ss 4.1 | 24190218 |
| eCl@ss 5.0 | 27141137 |
| eCl@ss 5.1 | 27141137 |
| eCl@ss 6.0 | 27141137 |
| eCl@ss 7.0 | 27141137 |
| eCl@ss 8.0 | 27141137 |

## Label sheet, DIN A4 - BMKL 27X12,5 SR - 0803676

### Classifications

#### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC000761 |
| ETIM 3.0 | EC000761 |
| ETIM 4.0 | EC000761 |
| ETIM 5.0 | EC000761 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211811 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11     | 39121410 |
| UNSPSC 12.01  | 39121410 |
| UNSPSC 13.2   | 39121410 |

### Accessories

#### Accessories

#### Printing system accessories

Accessories - CMS-P1-PAD - 5144819




Accessories

---

### Drawings

# Label sheet, DIN A4 - BMKL 27X12,5 SR - 0803676

Dimensioned drawing



## Данный компонент на территории Российской Федерации

### Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9