


TYPE 1

类型1


With nonconductive seal/带非导电密封圈



TYPE 2

类型2


With conductive seal/带导电密封圈



TYPE 3

类型3

With conductive seal/带导电密封圈



REVISIONS				
REV	DATE	DESCRIPTION	BY	APPD
B2	03.JUL2018	CD	CW	
B3	20SEP2018	CD	CW	
B4	25DEC2018	HW	CW	
B5	14NOV2019	BS	CW	


All dimension is same as TYPE 1,except those defined in this TYPE
除了在本类型中定义的尺寸外,其他尺寸同类型1

All dimension is same as TYPE 1,except those defined in this TYPE
除了在本类型中定义的尺寸外,其他尺寸同类型1

TYPE 4

类型4

With nonconductive seal,No logo/带非导电密封圈,无Logo




All dimension is same as TYPE 1,except those defined in this TYPE
除了在本类型中定义的尺寸外,其他尺寸同类型1

TYPE 5

类型5

With nonconductive seal,Two side entry,No logo/带非导电密封圈,双侧进,无Logo



All dimension is same as TYPE 1,except those defined in this TYPE
除了在本类型中定义的尺寸外,其他尺寸同类型1

THIS DRAWING IS A CONTROLLED DOCUMENT.				DATE	16 JUN 2015
DIMENSIONS:				CHK	16 JUN 2015
UNIT:				APPRO	16 JUN 2015
0 PLC				PRODUCT SPEC	
2 PLC				APPLICATION SPEC	
3 PLC				WEIGHT	
4 PLC				CUSTOMER DRAWING	
MATERIAL				SCALE	1:1
FINISH				SHEET	1 OF 2
MODS				REV	B5
NAME				TE Connectivity	
H24BPR-TS/GHC-PG/M AND					
H24BPR-TG/SHC-PG/M					
SIZE				CASE CODE	
A0				DRAWING NO	
C				RESTRICTED TO	
T190224XXXXX00					

NOTES:
1. TECHNICAL CHARACTERISTICS:
HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY
SURFACE TREATMENT: SEE TABLE
DEGREE OF PROTECTION: IP68 (MATED)

注释
1. 技术参数:
壳体材料: 铝合金
表面处理: 见表格
防护等级: IP68 (配合)

T1912243240-001	POWDER COATED,DEEP GREY 表面喷涂,深灰色	H24BPR-TSHC-M32/M40	H24BPR HOOD,CENTER LOCKING,TWO SIDE ENTRY M32/M40, POWDER COATED,DEEP GREY,NO LOGO H24BPR上壳,中翻锁紧,前面侧出M32/M40,深灰色粉末喷涂,无LOGO	M40	-	M32	-	-	TYPE 5 类型5
T1902243240-001	POWDER COATED,DEEP GREY 表面喷涂,深灰色	H24BPR-TG/SHC-M32/M40	H24BPR HOOD,CENTER LOCKING, TOP ENTRY M32SIDE ENTRY M40, POWDER COATED,DEEP GREY,NO LOGO H24BPR上壳,中翻锁紧,前出M32侧出M40,深灰色粉末喷涂,无LOGO	M40	M32	-	-	-	
T1902244025-001	POWDER COATED,DEEP GREY 表面喷涂,深灰色	H24BPR-TG/SHC-M40/M25	H24BPR HOOD,CENTER LOCKING, TOP ENTRY M40SIDE ENTRY M25, POWDER COATED,DEEP GREY,NO LOGO H24BPR上壳,中翻锁紧,前出M40侧出M25,深灰色粉末喷涂,无LOGO	M25	M40	-	-	-	
T1902242232-001	POWDER COATED,DEEP GREY 表面喷涂,深灰色	H24BPR-TS/GHC-2M32	H24BPR HOOD,CENTER LOCKING, SIDE/ TOP ENTRY 2M32,POWDER COATED, DEEP GREY,NO LOGO H24BPR上壳,中翻锁紧,侧/前出2M32,深灰色粉末喷涂,无LOGO	M32	M32	-	-	-	TYPE 4 类型4
T1902242240-001	POWDER COATED,DEEP GREY 表面喷涂,深灰色	H24BPR-TS/GHC-2M40	H24BPR HOOD,CENTER LOCKING, SIDE/ TOP ENTRY 2M40,POWDER COATED, DEEP GREY,NO LOGO H24BPR上壳,中翻锁紧,侧/前出2M40,深灰色粉末喷涂,无LOGO	M40	M40	-	-	-	
T1902241232-100	POWDER COATED, SILVER WHITE 表面喷涂,银白色	H24BPR-TS/GHC-2M32	H24BPR HOOD,CENTER LOCKING, SIDE/ TOP ENTRY 2M32,POWDER COATED, SILVER WHITE, CONDUCTIVE, THREAD HOLE WITH STEP H24BPR上壳,中翻锁紧,侧/前出2M32,银白色粉末喷涂,导电层,螺纹孔带台阶	M32	M32	-	34	34	TYPE 3 类型3
T1902240232-100	POWDER COATED,BLACK 表面喷涂,黑色	H24BPR-TS/GHC-2M32	H24BPR HOOD,CENTER LOCKING, SIDE/ TOP ENTRY 2M32,POWDER COATED, BLACK, CONDUCTIVE, THREAD HOLE WITH STEP H24BPR上壳,中翻锁紧,侧/前出2M32,黑色粉末喷涂,导电层,螺纹孔带台阶	M32	M32	-	34	34	
T1902241229-100	POWDER COATED, SILVER WHITE 表面喷涂,银白色	H24BPR-TS/GHC-2PG29	H24BPR HOOD,CENTER LOCKING, SIDE/ TOP ENTRY 2PG29,POWDER COATED, SILVER WHITE, CONDUCTIVE, THREAD HOLE WITH STEP H24BPR上壳,中翻锁紧,侧/前出2PG29,银白色粉末喷涂,导电层,螺纹孔带台阶	PG29	PG29	-	39.5	39.5	
T1902240229-100	POWDER COATED,BLACK 表面喷涂,黑色	H24BPR-TS/GHC-2PG29	H24BPR HOOD,CENTER LOCKING, SIDE/ TOP ENTRY 2PG29,POWDER COATED, BLACK, CONDUCTIVE, THREAD HOLE WITH STEP H24BPR上壳,中翻锁紧,侧/前出2PG29,黑色粉末喷涂,导电层,螺纹孔带台阶	PG29	PG29	-	39.5	39.5	
T1902240240-100	POWDER COATED,BLACK 表面喷涂,黑色	H24BPR-TS/GHC-2M40	H24BPR-TS/GHC-2M40 / H24BPR-TS翻盖侧出型2M40 黑色 导电层	M40	M40	-	-	-	TYPE 2 类型2
T1902242240-000	POWDER COATED, GREY 表面喷涂,灰色	H24BPR-TS/GHC-2M40	H24BPR HOOD,CENTER LOCKING, SIDE/ TOP ENTRY 2M40,POWDER COATED, GREY H24BPR上壳,中翻锁紧,侧/前出2M40,灰色粉末喷涂	M40	M40	-	-	-	TYPE 1 类型1
T1902240240-000	POWDER COATED,BLACK 表面喷涂,黑色	H24BPR-TS/GHC-2M40	H24BPR HOOD,CENTER LOCKING, SIDE/ TOP ENTRY 2M40,POWDER COATED, BLACK H24BPR上壳,中翻锁紧,侧/前出2M40,黑色粉末喷涂	M40	M40	-	-	-	
T1902244025-000	POWDER COATED, SILVER WHITE 表面喷涂,银白色	H24BPR-TG/SHC-M40/M25	H24BPR HOOD,CENTER LOCKING, TOP ENTRY M40SIDE ENTRY M25, POWDER COATED, SILVER WHITE H24BPR上壳,中翻锁紧,前出M40侧出M25,银白色粉末喷涂	M25	M40	-	-	-	
T1902244020-000	POWDER COATED, SILVER WHITE 表面喷涂,银白色	H24BPR-TG/SHC-M40/M20	H24BPR HOOD,CENTER LOCKING, TOP ENTRY M40SIDE ENTRY M20, POWDER COATED, SILVER WHITE H24BPR上壳,中翻锁紧,前出M40侧出M20,银白色粉末喷涂	M20	M40	-	-	-	
T1902243240-000	POWDER COATED, SILVER WHITE 表面喷涂,银白色	H24BPR-TG/SHC-M32/M40	H24BPR HOOD,CENTER LOCKING, TOP ENTRY M32SIDE ENTRY M40 HOOD, POWDER COATED, SILVER WHITE H24BPR上壳,中翻锁紧,前出M32侧出M40上壳,银白色粉末喷涂	M40	M32	-	-	-	
T1902242540-000	POWDER COATED, SILVER WHITE 表面喷涂,银白色	H24BPR-TG/SHC-M25/M40	H24BPR HOOD,CENTER LOCKING, TOP ENTRY M25SIDE ENTRY M40 HOOD, POWDER COATED, SILVER WHITE H24BPR上壳,中翻锁紧,前出M25侧出M40上壳,银白色粉末喷涂	M40	M25	-	-	-	
T1902242040-000	POWDER COATED, SILVER WHITE 表面喷涂,银白色	H24BPR-TG/SHC-M20/M40	H24BPR HOOD,CENTER LOCKING, TOP ENTRY M20SIDE ENTRY M40 HOOD, POWDER COATED, SILVER WHITE H24BPR上壳,中翻锁紧,前出M20侧出M40上壳,银白色粉末喷涂	M40	M20	-	-	-	
T1902241240-000	POWDER COATED, SILVER WHITE 表面喷涂,银白色	H24BPR-TS/GHC-2M40	H24BPR HOOD,CENTER LOCKING, SIDE/ TOP ENTRY 2M40,POWDER COATED, SILVER WHITE H24BPR上壳,中翻锁紧,侧/前出2M40,银白色粉末喷涂	M40	M40	-	-	-	
T1902241232-000	POWDER COATED, SILVER WHITE 表面喷涂,银白色	H24BPR-TS/GHC-2M32	H24BPR HOOD,CENTER LOCKING, SIDE/ TOP ENTRY 2M32,POWDER COATED, SILVER WHITE H24BPR上壳,中翻锁紧,侧/前出2M32,银白色粉末喷涂	M32	M32	-	-	-	
T1902241229-000	POWDER COATED, SILVER WHITE 表面喷涂,银白色	H24BPR-TS/GHC-2PG29	H24BPR HOOD,CENTER LOCKING, SIDE/ TOP ENTRY 2PG29,POWDER COATED, SILVER WHITE H24BPR上壳,中翻锁紧,侧/前出2PG29,银白色粉末喷涂	PG29	PG29	-	-	-	
PART NUMBER 料号	SURFACE 表面处理		PART DESCRIPTION 描述	PG/M THREAD-1 PG/M 螺柱-1	PG/M THREAD-2 PG/M 螺柱-2	PG/M THREAD-3 PG/M 螺柱-3	ØD2	ØD1	TYPE 类型

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
(mm)

0 PLC
2 PLC
1 PLC
4 PLC

±
±
±
±

±
±
±
±

MATERIAL

FINISH

WEIGHT

REV

DATE

BY

APPD

1

16 JUN 2015

CHW

16 JUN 2015

1

16 JUN 2015

CHW

16 JUN 2015

1

16 JUN 2015

CHW

16 JUN 2015

NAME

PRODUCT SPEC

APPLICATION SPEC

SCALE

1:1

SHEET 2 OF 2

REV B5

STC

TE Connectivity

H24BPR-TS/GHC-PG/M AND
H24BPR-TG/SHC-PG/M

SIZE CASE CODE DRAWING NO

A0 - C⇒T190224XXXXX00

RESTRICTED TO

-

4806 (3/13)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9