

DESIGNED & DIMENSIONED  
IN MILLIMETERS[INCHES]

MEC5-XXX-XX-X-RA-XX-TR

DO NOT  
SCALE FROM  
THIS PRINT

No OF POSITIONS (PER ROW)  
-030, -040, -050,  
-060, -070, -080




TAPE & REEL

OPTION  
(REQUIRED)  
-W1: WELD TAB THROUGH HOLE  
(SEE FIG 2, SHT 3)  
-W2: WELD TAB SURFACE MOUNT  
(SEE FIG 1)


CARD THICKNESS  
-01: FOR .062" THICK BOARD

PLATING SPECIFICATION  
-L: 10µ" GOLD IN CONTACT AREA,  
MATTE TIN TAIL  
-S: 30µ" GOLD IN CONTACT AREA,  
MATTE TIN TAIL

ROW SPECIFICATION  
-RA: RIGHT ANGLE



DETAIL 'A'  
SCALE 6 : 1



| TABLE 1   |               |               |               |
|-----------|---------------|---------------|---------------|
| NO OF POS | "A"           | "B"           | "C"           |
| -030      | 23.38 [0.920] | 17.10 [0.673] | N/A           |
| -040      | 28.38 [1.117] | 22.10 [0.870] | N/A           |
| -050      | 35.88 [1.413] | 29.60 [1.165] | 15.44 [0.608] |
| -060      | 40.88 [1.609] | 34.60 [1.362] | 17.94 [0.706] |
| -070      | 45.88 [1.806] | 39.60 [1.559] | 20.44 [0.805] |
| -080      | 50.88 [2.003] | 44.60 [1.756] | 22.94 [0.903] |

| NO OF POS | "D"           | "E"           | "F"           |
|-----------|---------------|---------------|---------------|
| -030      | N/A           | 14.50 [0.571] | 18.16 [0.715] |
| -040      | N/A           | 19.50 [0.768] | 23.16 [0.912] |
| -050      | 13.50 [0.531] | 27.00 [1.063] | 30.66 [1.207] |
| -060      | 16.00 [0.630] | 32.00 [1.260] | 35.66 [1.404] |
| -070      | 18.50 [0.728] | 37.00 [1.457] | 40.66 [1.601] |
| -080      | 21.00 [0.827] | 42.00 [1.654] | 45.66 [1.798] |

NOTES:

- ⊗ REPRESENTS A CRITICAL DIMENSION.
- MINIMUM PUSHOUT FORCE: 0.5 LBS FOR C-401, WT-20, WT-51; 1.0 LBS FOR C-403.
- MEASURE BOTH TOP AND BOTTOM ROWS.
- POLARIZATION RIB IS NOT PRESENT ON -030 & -040 POSITIONS.
- FOR QUANTITIES UP TO 49 PCS., NO LEADER, TRAILER OR REEL WILL BE SUPPLIED.  
FOR QUANTITIES OF 50-124 PCS., NO LEADER OR TRAILER WILL BE SUPPLIED,  
SPLICES MAY BE PRESENT.

UNLESS OTHERWISE SPECIFIED,  
DIMENSIONS ARE IN MILLIMETERS.  
TOLERANCES ARE:  
DECIMALS ANGLES  
X.X: ±0.3 [.01] 2°  
X.XX: ±0.10 [.004]  
X.XXX: ±0.051 [.0020]

PROPRIETARY NOTE  
THIS DOCUMENT CONTAINS CONFIDENTIAL AND  
PROPRIETARY INFORMATION AND ALL DESIGN,  
MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS  
AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC,  
INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE  
OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR  
REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY  
OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS  
WRITTEN CONSENT OF SAMTEC, INC.

MATERIAL: DO NOT SCALE DRAWING  
INSULATOR: LCP, UL 94 V0, COLOR: BLACK  
CONTACT: Cu ALLOY  
WELD TAB: BRASS ALLOY

SHEET SCALE: 3:1


**samtec**

520 PARK EAST BLVD, NEW ALBANY, IN 47150  
PHONE: 812-944-6733 FAX: 812-948-5047  
e-Mail: info@SAMTEC.com code 53322


DESCRIPTION:  
0.5mm HIGH SPEED EDGE CARD ASSEMBLY

DWG. NO.  
MEC5-XXX-XX-X-RA-XX-TR


BY: JESSIE W 6/3/2015 SHEET 1 OF 4



BOTTOM VIEW



SECTION "B"-"B"  
SCALE 6 : 1



| NO OF<br>POS | "G"           | "H"           |
|--------------|---------------|---------------|
| -030         | 24.28 [0.956] | 17.00 [0.669] |
| -040         | 29.28 [1.153] | 22.00 [0.866] |
| -050         | 36.78 [1.448] | 29.50 [1.161] |
| -060         | 41.78 [1.645] | 34.50 [1.358] |
| -070         | 46.78 [1.842] | 39.50 [1.555] |
| -080         | 51.78 [2.039] | 44.50 [1.752] |

| NO OF<br>POS | "J"           | "K"           |
|--------------|---------------|---------------|
| -030         | N/A           | 14.50 [0.571] |
| -040         | N/A           | 19.50 [0.768] |
| -050         | 13.50 [0.531] | 27.00 [1.063] |
| -060         | 16.00 [0.630] | 32.00 [1.260] |
| -070         | 18.50 [0.728] | 37.00 [1.457] |
| -080         | 21.00 [0.827] | 42.00 [1.654] |

**PROPRIETARY NOTE**

THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 3:1

**santec**

520 PARK EAST BLVD, NEW ALBANY, IN 47150  
PHONE: 812-944-6733 FAX: 812-948-5047  
e-Mail [info@SAMTEC.com](mailto:info@SAMTEC.com) code 55322

DESCRIPTION:  
0.5mm HIGH SPEED EDGE CARD ASSEMBLY

DWG. NO. MEC5-XXX-XX-X-RA-XX-TR

|              |          |              |
|--------------|----------|--------------|
| BY: JESSIE W | 6/3/2015 | SHEET 2 OF 4 |
|--------------|----------|--------------|







FIG 2  
MEC5-050-01-X-D-RA-W1-TR SHOWN  
(DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG 1)




SECTION "D"-"D"  
SCALE 6 : 1




IN-PROCESS 1 FOR W1  
FILL C-401-02-01-X



IN-PROCESS 1 FOR W2  
FILL C-401-02-01-X



IN-PROCESS 2 FOR W1  
FILL C-401-01-01-X



IN-PROCESS 2 FOR W2  
FILL C-401-01-01-X

| TABLE 3   |               |               |
|-----------|---------------|---------------|
| NO OF POS | "L"           | "M"           |
| -030      | 22.88 [0.901] | 21.63 [0.852] |
| -040      | 27.88 [1.098] | 26.63 [1.048] |
| -050      | 35.38 [1.393] | 34.13 [1.344] |
| -060      | 40.38 [1.590] | 39.13 [1.541] |
| -070      | 45.38 [1.787] | 44.13 [1.737] |
| -080      | 50.38 [1.983] | 49.13 [1.934] |

PROPRIETARY NOTE  
THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 3:1


**samtec**

520 PARK EAST BLVD, NEW ALBANY, IN 47150  
PHONE: 812-944-6733 FAX: 812-948-5047  
e-Mail info@SAMTEC.com code 55322


DESCRIPTION:  
0.5mm HIGH SPEED EDGE CARD ASSEMBLY

DWG. NO.  
MEC5-XXX-XX-X-RA-XX-TR


BY: JESSIE W 6/3/2015 SHEET 3 OF 4



IN-PROCESS 3  
FILL C-403-02-T



IN-PROCESS 4 FOR W1  
FILL WT-51-02-T



IN-PROCESS 4 FOR W2  
FILL WT-20-01-T

• PROPRIETARY NOTE •  
THIS DOCUMENT CONTAINS CONFIDENTIAL AND  
PROPRIETARY INFORMATION AND ALL DESIGN,  
MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS  
AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC,  
INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE  
OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR  
REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY  
OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS  
WRITTEN CONSENT OF SAMTEC, INC.



520 PARK EAST BLVD, NEW ALBANY, IN 47150  
PHONE: 812-944-6733 FAX: 812-948-5047  
e-Mail info@SAMTEC.com code 55322

SHEET SCALE: 3:1

DESCRIPTION:  
0.5mm HIGH SPEED EDGE CARD ASSEMBLY

DWG. NO.  
MEC5-XXX-XX-X-RA-XX-TR

BY: JESSIE W 6/3/2015 SHEET 4 OF 4

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9