






PRODUCT NUMBER
SEE TABLE, SHT 2




VIEW H
ESD ORIENTAION




VIEW G
ESD ORIENTATION



VIEW F
ESD ORIENTATION
(P/N 10037912-102 SHOWN)

spec ref				dr	Chen-Hong Tan	2005/08/17	projection  MM 	size	A3	scale	1:1					
tolerance std				eng	Yong-Keat Lim	2011/10/04		ecn no				ELX-S-006144-1				
ASME Y14.5				chr	-	-		rel level				Released				
-				appr	Chen-Hong Tan	2011/10/07		product family				AirMax Accessories				
surface		3.2 	linear	0.X	±.3		title	10.8mm GUIDE MODULE ASSY WITH ESD & KEYING OPTIONS				dwg no	10037912		rev	D
			0.XX	±.10												
			0.XXX	±.050												
ASME Y14.5		angular	0°	±2°	www.fci.com	cat. no.	-	Product - Customer Drw				sheet 1 of 3				

PRODUCT NUMBER NOTES 4 & 8	DIM A	ESD PIN LOCATION
10037912-1X1LF	0°	PER VIEW F
10037912-1X2LF	45°	PER VIEW F
10037912-1X3LF	90°	PER VIEW F
10037912-1X4LF	135°	PER VIEW G
10037912-1X5LF	180°	PER VIEW G
10037912-1X6LF	225°	PER VIEW G
10037912-1X7LF	270°	PER VIEW G
10037912-1X8LF	315°	PER VIEW F
10037912-1X9LF	N/A NOTE 5	PER VIEW H



spec ref				dr		Chen-Hong Tan		2005/08/17		projection		MM		size		A3		scale		1:1	
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Yong-Keat Lim		2011/10/04						ecn no		ELX-S-006144-1					
ASME Y14.5				chr		-		-						rel level							
-				appr		Chen-Hong Tan		2011/10/07						product family		AirMax Accessories					
surface		3.2				title		10.8mm GUIDE MODULE ASSY		dwg no		10037912		rev		D					
linear		0.X																±.3			
		0.XX																±.10			

1

2

3

4

A

B

C

D

A

B


C

D

- ①. MATERIAL: ZINC ALLOY
- ②. FINISH: HOUSING; ZINC YELLOW CHROMATE
ESD CONTACT; 1.27um MINIMUM NICKEL ALL OVER
- 3. APPLICATION SPEC: GS-20-045
- ④. X = 0 FOR MODULES WITH ESD GROUNDING OPTION
X = 1 FOR MODULES W/O ESD GROUNDING OPTION
- ⑤. FOR THE -109LF VERSION (NO KEY) THE MATING GUIDE PIN MUST BE ORIENTATED SO IT MAKES CONTACT WITH THE ESD PIN
- ⑥. THRU HOLE PLATING AND ANNULAR RINGS MUST BE ADDED AS APPROPRIATE FOR APPLICATIONS WITH THE ESD GROUNDING OPTION.
FINISHED HOLE SIZE IS THE SAME REGARDLESS OF PLATED BARREL OR NOT
- ⑦. REFER TO CUSTOMER DRAWING 10035911 FOR INFORMATION REGARDING PCB LAYOUT OF POWER AND GUIDE MODULES RELATIVE TO SIGNAL MODULES
- ⑧. EQUIVALENT PRODUCTS SHOWN ON CUSTOMER DRAWING 10025408 MAY BE SUBSTITUTED PRIOR TO TOOLING COMPLETION
- 9. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- 10. PACKAGING MEETS GS-14-920 LEAD FREE LABELING SPECIFICATION.
- 11. A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.



Copyright FCI.

spec ref				dr	Chen-Hong Tan	2005/08/17	projection 	MM 	size	A3	scale	1:1					
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Yong-Keat Lim	2011/10/04			ecn no				ELX-S-006144-1				
				chr	-	-			product family				AirMax Accessories				
				appr	Chen-Hong Tan	2011/10/07							rel level				Released
surface	3.2	linear	0.X	±.3		title	10.8mm GUIDE MODULE ASSY				dwg no	10037912		rev	D		
			0.XX	±.10												WITH ESD & KEYING OPTIONS	
			0.XXX	±.050													
ASME Y14.5		angular	0°	±2°	www.fci.com		cat. no.	-	Product - Customer Drw				sheet 3 of 3				

2

3

PDS: Rev :D

STATUS:Released

Printed: Oct 07, 2011

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9