






PRODUCT NUMBER
85838-XYX
85838-XYXLF




Copyright FCI.

spec ref				*				dr		Terran Huang		2010/07/08		projection				MM		size		A4		scale		11:10							
tolerance std				TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Julia Wang		2012/09/19						ecn no		ELX-DG-012854-1													
ISO 406								chr		-		-								appr		Pei-Ming Zheng		2012/09/19		product family		METRAL		rel level		Released	
ISO 1101																																	
surface								linear		0.X		±0.03				title		METRAL SIGNAL HEADER		dwg no		85838		rev		B1							
										0.XX		±0.13																					
										0.XXX		±0.051																					
ISO 1302				angular				0°		±2°		www.fci.com		cat. no.		-		Product - Customer Drw		sheet 1 of 9													



Copyright FCI.



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE
SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION


KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
8	7.25	13.60
9	5.00	17.00
10	5.75	17.00
11	6.50	17.00
12	7.25	17.00
13	8.25	4.30
14	8.25	13.60
15	8.25	17.00
16	7.00	4.30
17	7.00	13.60
18	7.00	17.00
19	8.00	4.30

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
20	8.00	13.60
21	8.00	17.00
22	5.00	12.10
25	5.75	15.60
40	5.00	15.60
41	6.50	15.60
42	7.25	15.60
43	8.00	15.60
44	5.75	12.10
45	6.50	12.10
48	5.00	15.10
54	5.00	11.50
55	5.75	11.50
56	6.50	11.50
59	5.00	11.80
60	5.75	11.80
61	6.50	11.80
62	7.25	11.80
63	8.00	11.80

dr	Terran Huang	2010/07/08	projection	MM	size	A4	scale	21:10
eng	Julia Wang	2012/09/19			ecn no		ELX-DG-012854-1	
chr	-	-			rel level		Released	
appr	Pei-Ming Zheng	2012/09/19	product family		METRAL			
		title			METRAL SIGNAL HEADER			rev
		1 MOD, 5 ROW PRESS-FIT			dwg no			
www.fci.com		cat. no.			85838			BH
		-			Product - Customer Drw			sheet 2 of 9



Copyright FCI.

dr	Terran Huang	2010/07/08			size	A4	scale	1:10
eng	Julia Wang	2012/09/19			ecn no	ELX-DG-012854-1		
chr	-	-			rel level	Released		
appr	Pei-Ming Zheng	2012/09/19	product family		METRAL			
			title		METRAL SIGNAL HEADER		rev	
www.fci.com			cat. no.		-		Product - Customer Drw	
			dwg no		85838		sheet 3 of 9	
							BH	



Copyright FCI.

ProjE File - REV C - 2009-06-09

dr	Terran Huang	2010/07/08	projection	MM	size	A4	scale	11:10				
eng	Julia Wang	2012/09/19			ecn no	ELX-DG-012854-1						
chr	-	-			rel level	Released						
appr	Pei-Ming Zheng	2012/09/19	product family		METRAL							
		title			METRAL SIGNAL HEADER			dwg no		85838	rev	BH
I MOD, 5 ROW PRESS-FIT												
www.fci.com		cat. no.		-	Product - Customer Drw					sheet 4 of 9		


PDS: Rev :BH

STATUS:Released

Printed: Sep 19, 2012




Copyright FCI.

dr	Terran Huang	2010/07/08	projection 	MM 	size	A4	scale	11:10
eng	Julia Wang	2012/09/19			ecn no		ELX-DG-012854-1	
chr	-	-			rel level		Released	
appr	Pei-Ming Zheng	2012/09/19	product family		METRAL			
		title			METRAL SIGNAL HEADER			rev
		I MOD, 5 ROW PRESS-FIT			dwg no			85838
								BI
www.fci.com		cat. no.		-		Product - Customer Drw		sheet 5 of 9



Copyright FCI.

ProjE File - REV C - 2009-06-09

dr	Terran Huang	2010/07/08	projection 	MM 	size	A4	scale	11:10	
eng	Julia Wang	2012/09/19			ecn no				ELX-DG-012854-1
chr	-	-			rel level				Released
appr	Pei-Ming Zheng	2012/09/19	product family		METRAL				
		title			METRAL SIGNAL HEADER			rev	
		I MOD, 5 ROW PRESS-FIT			dwg no			85838	
www.fci.com		cat. no.		-		Product - Customer Drw		sheet 6 of 9	
								BH	

PDS: Rev :BH

STATUS:Released

Printed: Sep 19, 2012



Copyright FCI.

METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I					
			I	2	3	4	5	6				I	2	3	4	5	6				I	2	3	4	5	6				I	2	3	4	5	6
85838-X65		E	6	6	6	6	6	6	85838-X69		E	1	1	1	1	1	1	85838-X73		E	3	3	3	3	3	3	85838-X77		E	1	1	1	1	1	1
		D	7	7	7	7	7	7			D	2	2	2	2	2	2			D	3	3	3	3	3	3			D	2	2	2	2	2	2
-----		C	8	8	8	8	8	8	-----		C	2	2	2	2	2	2	-----		C	3	3	3	3	3	3	-----		C	2	2	2	2	2	2
85838-X65LF		B	8	8	8	8	8	8	85838-X69LF		B	2	2	2	2	2	2	85838-X73LF		B	3	3	3	3	3	3	85838-X77LF		B	2	2	2	2	2	2
		A	8	8	8	8	8	8			A	4	4	4	4	4	4			A	4	4	4	4	4	4			A	2	2	2	2	2	2
METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I					
			I	2	3	4	5	6				I	2	3	4	5	6				I	2	3	4	5	6				I	2	3	4	5	6
85838-X66		E	1	1	1	1	1	1	85838-X70		E	19	19	19	19	19	19	85838-X74		E	19	19	19	19	19	19	85838-X78		E	3	3	3	3	3	3
		D	1	1	1	1	1	1			D	19	19	19	19	19	19			D	1	1	1	1	1	1			D	2	2	2	2	2	2
-----		C	-	-	-	-	-	-	-----		C	4	4	4	4	4	4	-----		C	1	1	1	1	1	1	-----		C	2	2	2	2	2	2
85838-X66LF		B	1	1	1	1	1	1	85838-X70LF		B	2	2	2	2	2	2	85838-X74LF		B	1	1	1	1	1	1	85838-X78LF		B	2	2	2	2	2	2
		A	1	1	1	1	1	1			A	2	2	2	2	2	2			A	1	1	1	1	1	1			A	3	3	3	3	3	3
METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I					
			I	2	3	4	5	6				I	2	3	4	5	6				I	2	3	4	5	6				I	2	3	4	5	6
85838-X67		E	2	2	2	2	2	2	85838-X71		E	3	3	3	3	3	3	85838-X75		E	3	3	3	3	3	3	85838-X79		E	19	19	19	19	19	19
		D	2	2	2	2	2	2			D	3	3	3	3	3	3			D	2	2	2	2	2	2			D	19	19	19	19	19	19
-----		C	2	2	2	2	2	2	-----		C	3	3	3	3	3	3	-----		C	2	2	2	2	2	2	-----		C	3	3	3	3	3	3
85838-X67LF		B	2	2	2	2	2	2	85838-X71LF		B	3	3	3	3	3	3	85838-X75LF		B	2	2	2	2	2	2	85838-X79LF		B	3	3	3	3	3	3
		A	1	1	1	1	1	1			A	2	2	2	2	2	2			A	2	2	2	2	2	2			A	1	1	1	1	1	1
METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I					
			I	2	3	4	5	6				I	2	3	4	5	6				I	2	3	4	5	6				I	2	3	4	5	6
85838-X68		E	60	60	60	60	60	60	85838-X72		E	6	6	6	6	6	6	85838-X76		E	4	4	4	4	4	4	85838-X80		E	1	1	1	1	1	1
		D	59	59	59	59	59	59			D	8	8	8	8	8	8			D	3	3	3	3	3	3			D	3	3	3	3	3	3
-----		C	60	60	60	60	60	60	-----		C	8	8	8	8	8	8	-----		C	3	3	3	3	3	3	-----		C	3	3	3	3	3	3
85838-X68LF		B	60	60	60	60	60	60	85838-X72LF		B	8	8	8	8	8	8	85838-X76LF		B	3	3	3	3	3	3	85838-X80LF		B	3	3	3	3	3	3
		A	61	61	61	61	61	61			A	6	6	6	6	6	6			A	3	3	3	3	3	3			A	1	1	1	1	1	1

dr	Terran Huang	2010/07/08	projection	MM	size	A4	scale	11:10
eng	Julia Wang	2012/09/19			ecn no		ELX-DG-012854-1	
chr	-	-			rel level		Released	
appr	Pei-Ming Zheng	2012/09/19	product family		METRAL			
		title			METRAL SIGNAL HEADER		rev	
					1 MOD, 5 ROW PRESS-FIT		BH	
					dwg no		85838	
www.fci.com		cat. no.		-		Product - Customer Drw		sheet 7 of 9




Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85838-X81	E	3	3	3	3	3	3
	D	1	1	1	1	1	1
	C	1	1	1	1	1	1
-----	B	1	1	1	1	1	1
	A	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85838-X82	E	1	1	1	1	1	1
	D	1	1	1	1	1	1
	C	2	2	2	2	2	2
-----	B	1	1	1	1	1	1
	A	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85838-X83	E	1	1	-	1	1	1
	D	3	3	-	3	3	3
	C	-	-	3	3	3	3
-----	B	3	3	-	3	3	3
	A	1	1	-	1	1	1

dr	Terran Huang	2010/07/08	projection 	MM 	size	A4	scale	11:10
eng	Julia Wang	2012/09/19			ecn no	ELX-DG-012854-1		
chr	-	-			rel level	Released		
appr	Pei-Ming Zheng	2012/09/19	product family		METRAL			
		title			METRAL SIGNAL HEADER			rev
					I MOD, 5 ROW PRESS-FIT			BH
www.fci.com		cat. no.	-	Product - Customer Drw			sheet 8 of 9	

PRODUCT NUMBER

85838-XYX

85838-XYXLF


NOTES:

- FOR DIM A AND B SEE SHEET 2 AND UP.
- BODY MATERIAL: LIQUID CRYSTAL POLYMER 30 % GLASS.
FLAME RETARDANT ACC. UL 94-V0.
- PIN MATERIAL:
PHOSPHOR BRONZE.
- PLATING ON PRESS-FIT TAIL: 85838-XYX IS SnPb, 85838-XYXLF IS Sn(LEAD FREE)
CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE BELOW.
- PRODUCT MARKING:
PART NUMBER DESIGNATION & BATCH I.D.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER.
EXAMPLE: XXXXX-XXXP
- PRODUCT SPECIFICATION: GS-12-180
APPLICATION SPECIFICATION: BUS-20-073
- AFTER INSERTION INTO CIRCUIT BOARD WITH QUALIFIED TOOL.
- A PLATING HAS Au FLASH IN PRESS FIT AREA (LEAD FREE).

10. THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING (DRAWING NO.)-N1--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-N1--- AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND Au CONTACT SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

PLATING IN CONTACT AREA		NOTES
DASH NUMBER	PERFORMANCE LEVEL	-
-AYX	TELCORDIA CO (SEE NOTE 9)	-
-N1XX	TELCORDIA CO (NXT)	-
-N5XX	TELCORDIA UE (NXT)	-
-1XX	TELCORDIA CO	-
-2XX	TELECOM CLASS	-
-3XX	IEC CLASS I	-
-5XX	TELCORDIA UE	-
-AYXLF	TELCORDIA CO (SEE NOTE 9)	SEE NOTE 10
-N1XXLF	TELCORDIA CO (NXT) IEC CLASS I	SEE NOTE 10
-N5XXLF	TELCORDIA UE (NXT)	SEE NOTE 10
-1XXLF	TELCORDIA CO IEC CLASS I	SEE NOTE 10
-2XXLF	TELECOM CLASS	SEE NOTE 10
-5XXLF	TELCORDIA UE	SEE NOTE 10

dr	Terran Huang	2010/07/08	projection 	MM 	size	A4	scale	11:10	
eng	Julia Wang	2012/09/19			ecn no	ELX-DG-012854-1			
chr	-	-			rel level	Released			
appr	Pei-Ming Zheng	2012/09/19	product family		METRAL				
		title			METRAL SIGNAL HEADER			rev	
		I MOD, 5 ROW PRESS-FIT			85838				
www.fci.com		cat. no.	-		Product - Customer Drw				sheet 9 of 9
								BH	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9