


## Shelves (Sliding) - Panel Mount (Two Pair of Panel Rails)

Path: [Home](#) > [Rack Index](#) > Shelves (Sliding) - Panel Mount - Two Pair of Panel Rails



click to enlarge















Assembly  
Instructions

### Rail Mounted Sliding Shelf (Unvented)

- Attach to both pair of 19" rack rails
- Heavy duty ball bearing slides included
- Heavy duty, 14 Ga. steel construction
- Weight load tested (RFUS2426BK1) to 120 pounds.
- Folded on all four sides for extra strength
- Rugged textured powder paint finish
- **MOUNTS ON TWO PAIR OF PANEL RAILS (FRONT & BACK)**













### UNVENTED - 19" Rack Mount

Part Number	Color	PDF Reader File	AutoCAD .dxf File (zipped)	3D Solid Model .stp files (zipped)	Shelf Depth	Slide Travel
<a href="#">RSUS1918BK1</a> <a href="#">RSUS1918CG1</a>	Black Beige*	 164K	 82K	 79K	18"	18"
<a href="#">RSUS1921BK1</a> <a href="#">RSUS1921CG1</a>	Black Beige*	 163K	 82K	 78K	21"	20"
<a href="#">RSUS1926BK1</a> <a href="#">RSUS1926CG1</a>	Black Beige*	 167K	 82K	 80K	26"	26"
<a href="#">RSUS1931BK1</a> <a href="#">RSUS1931CG1</a>	Black Beige*	 173K	 91K	 106K	31"	28"

**\*Note:** "CG2" (Beige color) is being phased out from stock

### UNVENTED - 24" Rack Mount

Part Number	Color	PDF Reader File	AutoCAD .dxf File (zipped)	3D Solid Model .stp files (zipped)	Shelf Depth	Slide Travel
-------------	-------	-----------------	----------------------------	------------------------------------	-------------	--------------

<b>RSUS2418BK1</b> <b>RSUS2418CG1</b>	Black Beige*	 162K	 82K	 79K	18"	18"
<b>RSUS2421BK1</b> <b>RSUS2421CG1</b>	Black Beige*	 161K	 82K	 78K	21"	20"
<b>RSUS2426BK1</b> <b>RSUS2426CG1</b>	Black Beige*	 162K	 82K	 80K	26"	26"
<b>RSUS2431BK1</b> <b>RSUS2431CG1</b>	Black Beige*	 171K	 90K	 105K	31"	28"

**\*Note:** "CG2" (Beige color) is being phased out from stock

**Note2:** Weight load tested (RFUS2426BK1) to 120 pounds.



click to enlarge
















Assembly  
Instructions

### Rail Mounted Sliding Shelf (Vented)














- Attach to both pair of 19" rack rails
- Provides a sturdy shelf without obstructing upward heat movement
- Heavy duty ball bearing slides included
- Heavy duty, 14 Ga. steel construction
- Weight load tested (RFUS2426BK1) to 120 pounds.
- Folded on all four sides for extra strength
- Rugged textured powder paint finish
- **MOUNTS ON TWO PAIR OF PANEL RAILS (FRONT & BACK)**

### **VENTED - 19" Rack Mount**

Part Number	Color	 Reader File	AutoCAD .dxf File (zipped)	3D Solid Model .stp files (zipped)	Shelf Depth	Slide Travel
<b>RSVS1918BK1</b> <b>RSVS1918CG1</b>	Black Beige*	 239K	 206K	 309K	18"	18"
<b>RSVS1921BK1</b> <b>RSVS1921CG1</b>	Black Beige*	 238K	 206K	 307K	21"	20"
<b>RSVS1926BK1</b> <b>RSVS1926CG1</b>	Black Beige*	 341K	 241K	 387K	26"	26"
<b>RSVS1931BK1</b> <b>RSVS1931CG1</b>	Black Beige*	 262K	 250K	 413K	31"	28"

**\*Note:** "CG2" (Beige color) is being phased out from stock

### ***VENTED - 24" Rack Mount***

Part Number	Color	 Reader File	AutoCAD .dxf File (zipped)	3D Solid Model .stp files (zipped)	Shelf Depth	Slide Travel
<a href="#">RSVS2418BK1</a> <a href="#">RSVS2418CG1</a>	Black Beige*	 235K	 197K	 310K	18"	18"
<a href="#">RSVS2421BK1</a> <a href="#">RSVS2421CG1</a>	Black Beige*	 234K	 197K	 307K	21"	20"
<a href="#">RSVS2426BK1</a> <a href="#">RSVS2426CG1</a>	Black Beige*	 340K	 230K	 387K	26"	26"
<a href="#">RSVS2431BK1</a> <a href="#">RSVS2431CG1</a>	Black Beige*	 260K	 241K	 413K	31"	28"

**\*Note:** "CG2" (Beige color) is being phased out from stock

**Note:** Weight load tested (RSVS2426BK1) to 120 pounds.

DOWNLOAD



[Shelves & Slides - catalog pages \(5\)](#) - Adobe Reader .pdf format (198K)

DOWNLOAD



[all accessories - catalog pages \(44\)](#) - Adobe Reader .pdf format (1,495K)

## ***Mail Link To Our Catalog Department***

**Provide full mailing address here for your FREE CATALOG via snail mail...**

Exactly what you are looking for???

Link to our stocking distributors - most have "on-line" pricing, stock check and ordering!!!

**Our Distributors**

**[Order from your favorite distributor](#)**

---

**[Home](#) | **[Products](#)** | **[Distributors](#)** | **[Technical](#)** | **[Contact Us](#)** | **[Other Options](#)****

---

Copyright; © 1998-2011 Hammond Mfg Co Inc

URL: <http://www.hammondmfg.com>

## Данный компонент на территории Российской Федерации

### Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9