

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS



P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	13APR2015	GY	CW
	B	ECR-15-013759	12OCT2015	DW	CW
	B1	ECR-16-009892	13JUL2016	RL	CW
	B2	ECR-16-018198	13JAN2017	QY	CW

NOTES:

1. TECHNICAL CHARACTERISTICS:
INSULATION MATERIAL: PC
RATED VOLTAGE: 500V
RATED CURRENT: 16A
INSULATION RESISTANCE: $\geq 400M\Omega$
RATED IMPULSE VOLTAGE: 6KV
POLLUTION DEGREE: 3
FLAMMABILITY: UL94V-0
MATING CYCLES: 500 CYCLES
WIRE RANGE: $0.14mm^2 \sim 4mm^2$ (AWG26-AWG12)
CONTACT TYPE: CRIMP CONTACT
2. CONTACTS NEED TO BE ORDERED SEPARATELY.
(ORDER No. REFER TO DRAWING:T20300X20XX000)


注释:

1. 技术参数:
绝缘材料: PC
额定电压: 500V
额定电流: 16A
绝缘电阻: $\geq 400M\Omega$
脉冲电压: 6KV
污染等级: 3
阻燃等级: UL94V-0
插拔次数: 500次
接线范围: $0.14mm^2 \sim 4mm^2$ (AWG26-AWG12)
接线类型: 冷压接
2. 端子需要单独订购.
(订货号参考图面: T20300X20XX000)






PANEL CUT OUT FOR INSERTS FOR
USE WITHOUT HOODS/HOUSING
不使用防护外壳时芯件的安装开孔图


M4 SCREW, RECOMMENDED
TIGHTENING TORQUE 1.2Nm
M4螺丝, 推荐扭力矩为 1.2Nm







4X M3 SCREW
RECOMMENDED TIGHTENING
TORQUE 0.5Nm
4 X M3螺丝, 推荐扭力矩为 0.5Nm



TYPE-1:T2040104201-000 TE LOGO
类 型-1:T2040104201-000 TE LOGO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Gino.Yao	13APR2015	 TE Connectivity	
		CHK Chris.Wang	13APR2015		
		APVD Xiang.Xu	13APR2015		
		PRODUCT SPEC 108-137044			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME HE-010-FC	
		0 PLC	±-	SIZE	
		1 PLC	±-	CAGE CODE	
		2 PLC	±-	DRAWING NO	
		3 PLC	±-	RESTRICTED TO	
		4 PLC	±-	A3 00779	
		ANGLES	±-	C-T2040104201000	
MATERIAL		FINISH	-	SCALE 1:1	
				SHEET 1 OF 2	
				REV B2	
		Customer Drawing			

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




NOTES:
SEE SHEET 1


注释:
见页 1

TYPE-2:T2040104201-001 STAINLESS STEEL SCREW,NO LOGO
类 型-2:T2040104201-001 不锈钢螺丝,无LOGO

ALL DIMENSIONS ARE SAME AS TYPE 1,
EXCEPT THOSE DEFINED IN THIS TYPE.
除了在本类型中定义的尺寸外,其它尺寸同类型1



T2040104201-001	HE-010-FC	HE-010 FEMALE INSERT,CRIMPING, STAINLESS STEEL SCREW,NO LOGO HE-010母插,冷压,不锈钢螺丝,无LOGO	TYPE-2 类 型-2
T2040104201-000	HE-010-FC	HE-010 FEMALE INSERT,CRIMPING HE-010母插,冷压	TYPE-1 类 型-1
PART NUMBER 料 号	PART DESCRIPTION 描 述		TYPE 类 型

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Gino.Yao	13APR2015	 TE Connectivity					
DIMENSIONS: mm		CHK Chris.Wang	13APR2015	NAME HE-010-FC					
		APVD Xiang.Xu	13APR2015						
		PRODUCT SPEC 108-137044							
MATERIAL -	FINISH -	APPLICATION SPEC 114-137044		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO -		
		WEIGHT -		A3	00779	C-T2040104201000			
		Customer Drawing		SCALE	1:1	SHEET		2	OF

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9