




LOC	DIST	REVISIONS					
DF	A5	P	LTR	DESCRIPTION	DATE	DWN	APVD
			E	REV PER ECO 12-004697	4-12-12	CT	DM



SCALE 2:1

—RETAINER PLATE
MAT'L: CONDUCTIVE
COMPOSITE THERMOPLASTIC

RETENTION CLIP; QTY = 2
MAT'L: STAINLESS STEEL
FINISH: SILVER PLATE OVER
NICKEL UNDER PLATE

PLUG SHELL
MAT'L: ALUMINUM ALLOY
FINISH: SEE TABLE


SECTION X - X

OLIVE DRAB	--	B	1-1877775-2
OLIVE DRAB	--	A	1-1877775-1
OLIVE DRAB	--	N	1-1877775-0
NICKEL	--	B	1877775-9
NICKEL	--	A	1877775-8
NICKEL	--	N	1877775-7
OLIVE DRAB	1445693-3	B	1877775-6
OLIVE DRAB	1445693-3	A	1877775-5
OLIVE DRAB	1445693-3	N	1877775-4
NICKEL	1445693-3	B	1877775-3
NICKEL	1445693-3	A	1877775-2
NICKEL	1445693-3	N	1877775-1
FINISH	QUADRAX CONTACT QTY=2	SHELL KEYING ARRANGEMENT	PART NUMBER


1. THIS CONNECTOR KIT INCLUDES TE QUADRAX PIN ASSEMBLY;
PART NUMBER AND QUANTITY PER TABLE.
2. PART IS MARKED WITH TE PART NO. (SEE TABLE), TycoElectronics LOGO
TE, CAGE CODE (00779) AND DATE CODE.
3. OPERATING TEMPERATURE RANGE: -65°C TO +125°C (-85°F TO +257°F)
4. THE CONNECTOR QUALIFICATION WAS COMPLETED PER TYCO ELECTRONICS 108-2199.
THE QUADRAX CONTACTS ARE QUALIFIED PER TYCO ELECTRONICS 108-2131.
THE REFERENCE TEST REPORTS ARE TYCO ELECTRONICS 501-660 FOR THE CONNECTOR
AND 501-574 FOR THE CONTACTS WHICH ARE SAME AS ARINC 600-13, DRAFT 2
OF SUPPLEMENT 14 (AIR TRANSPORT AVIONICS EQUIPMENT INTERFACES).

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN R FLAIG 10FEB2006		 TE Connectivity									
			CHK L OH 10FEB2006											
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD L OH 10FEB2006		NAME ASSY, PLUG, SIZE 17, 2Q2, M38999 STYLE, SERIES III								
		0 PLC ±.1		PRODUCT SPEC										
		1 PLC ±.01		-										
		2 PLC ±.005		APPLICATION SPEC										
		3 PLC ±.002		-		SIZE CAGE CODE DRAWING NO			RESTRICTED TO					
		4 PLC ±.0020												
MATERIAL		ANGLES ±1°		WEIGHT		A200779C-187775			-					
SEE CALLOUTS -		FINISH		SEE CALLOUTS -		CUSTOMER DRAWING			SCALE 3.1		SHEET 1 OF 2		REV F	


LOC	DIST	REVISIONS					
DF	A5	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-




1811093-1
"N" KEY POLARIZATION
SCALE 2:1




1811093-2
"A" KEY POLARIZATION
SCALE 2:1



1811093-3
"B" KEY POLARIZATION
SCALE 2:1



SECTION X-X
SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R FLAIG CHK L OH APVD L OH 10FEB2006 10FEB2006 10FEB2006		 TE Connectivity									
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±1° FINISH		NAME ASSY. PLUG, SIZE 17, 202, M38999 STYLE, SERIES III									
													
MATERIAL		PRODUCT SPEC -		APPLICATION SPEC -		SIZE A200779		CAGE CODE C-1877775		DRAWING NO		RESTRICTED TO -	
-		-		CUSTOMER DRAWING		SCALE 3:1		SHEET 2 OF 2		REV E			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9