








SCALE 1:1

KEYING OPTION "B"
1438082-2 $\triangle_3$



△ MATERIAL:
HARNESS - 35% GLASS FILLED PA66, BLACK
ALT MAT'L: HARNESS - 30% GLASS FILLED sPS, BLACK
SPACER - 40% GLASS FILLED PPS+PA66, RED
ALT MAT'L: 30% GLASS FILLED sPS, RED
ALT MAT'L: 35% GLASS FILLED PA66, RED
COVER - 35% GLASS FILLED PA66, BLACK
ALT MAT'L: COVER - 30% GLASS FILLED LCP, BLACK
CAM LEVER - 35% GLASS FILLED NYLON, GRAY
GROMMET - SILICONE, BROWN
PERIMETER SEAL - SILICONE, GREEN

2. CAM LEVER AND SPACER ARE SHIPPED IN PRE-LATCH POSITION.

③ SEE PINOUT CHART ON SHEETS 2, 3 AND 4 FOR CLOSED CIRCUIT CONFIGURATIONS.

④ CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS.
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE LOCATIONS.

SHOWN WITH CAM LEVER AND SPACER
IN LOADED POSITION WITH
OPTIONAL WIRESHIELD

1. THIS DRAWING IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE USED FOR THE MANUFACTURE OF THE PARTS SPECIFIED HEREON. IT IS NOT TO BE REPRODUCED OR COPIED FOR ANY OTHER PURPOSE. IT IS TO BE KEPT IN THE COMPANY'S FILES FOR THE LIFE OF THE PARTS SPECIFIED HEREON.		DWN 01AUG2003		 Tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: P LNC ±.01 2 P LNC ±.02 3 P LNC ±.03 4 P LNC ±.04 ANGLES ±.5°		CHK 01AUG2003 APP'D 01AUG2003	
		PRODUCT SPEC APPLICATION SPEC		NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
MATERIAL SEE TABLE		FINISH SEE TABLE		SIZE CAGE CODE DRAWING NO. A 00779 C=1438082	
WEIGHT -		CUSTOMER DRAWING		SCALE 4:1 SHEET 1 OF 5 REV. 1	

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

45	44	43	42	41		38										27												7	5				7-1438735-7	2LIT-14A464-TD-086											
	44		42			38										27												7	5				7-1438735-6	2LIT-14A464-TD-085											
45	44	43	42	41		38																				19	7	5	4			7-1438735-5	2LIT-14A464-TD-084												
	44		42			38																				19	7	5	4			7-1438735-4	2LIT-14A464-TD-083												
	44	43	42	41		38																					7	5	4			7-1438735-3	2LIT-14A464-TD-082												
	44		42			38										27											7	5	4			7-1438735-2	2LIT-14A464-TD-081												
	44		42			38																					7	5	4			7-1438735-1	2LIT-14A464-TD-080												
		43	42														26										7	6		4	3		7-1438735-0	2LIT-14A464-TD-079											
																	26										7	6			3		6-1438735-9	2LIT-14A464-TD-078											
	44	43	42														26								19	7	6		4			6-1438735-8	2LIT-14A464-TD-077												
45	44	43	42	41		38																				19	7	5				6-1438735-6	2LIT-14A464-TD-076												
	44		42			38																				19	7	5				6-1438735-5	2LIT-14A464-TD-075												
	44	43	42	41		38																				19	7	5				6-1438735-4	2LIT-14A464-TD-074												
	44					38										27									19		8	6				6-1438735-0	2LIT-14A464-TD-073												
	44					38										27									19		8	7	6			5-1438735-9	2LIT-14A464-TD-072												
	44																26								19			6				5-1438735-8	2LIT-14A464-TD-071												
	44																26								19		7	6				5-1438735-7	2LIT-14A464-TD-070												
	44					38										27	26								19			6				5-1438735-6	2LIT-14A464-TD-069												
	44					38										27	26								19		7	6				5-1438735-5	2LIT-14A464-TD-068												
	44																26								19		7	6				5-1438735-4	2LIT-14A464-TD-067												
	44																26								19			6				5-1438735-3	2LIT-14A464-TD-066												
		43	42														26										7	6		4			5-1438735-2	2LIT-14A464-TD-065											
																	26										7	6					5-1438735-1	2LIT-14A464-TD-064											
	44	42				38										27											7	5					4-1438735-6	2LIT-14A464-TD-063											
	44	42				38																					7	5					4-1438735-5	2LIT-14A464-TD-062											
	44	42				38										27	26								19		8	6					4-1438735-4	2LIT-14A464-TD-061											
	44	42				38										27	26								19		8	7	6				4-1438735-3	2LIT-14A464-TD-060											
	44																26								19		8	7	6				4-1438735-2	2LIT-14A464-TD-059											
	44																26								19		8	6					4-1438735-1	2LIT-14A464-TD-058											
		43	42														26										8	7	6	5			4-1438735-0	2LIT-14A464-TD-057											
																	26										8	7	6				3-1438735-9	2LIT-14A464-TD-056											
46	45	44	43								34	33	32	31		27	25					20			16	14	13	12	10	9	8	7	6		1	3-1438735-4	2LIT-14A464-TD-055								
46	45		43								34	33	32	31		27	25					20			16	14	13	12	10	9	8	7	6		1	2-1438735-7	2LIT-14A464-TD-054								
46	45	44	43	42	40						35	34	33	32	31	28				24		21	19					12		9			5	4		1	2-1438735-3	2LIT-14A464-TD-053							
	45	44	43	42	40							33	32	31		28						21	19						9			5	4			2-1438735-2	2LIT-14A464-TD-052								
	44		42			38											27	26										7	5						1438735-7	2LIT-14A464-TD-051									
					40	39	38				35	34							24		21		18				13	12		9	8	7	5			1438735-6	2LIT-14A464-TD-050								
	44		42			38											27	26																5			1438735-5	2LIT-14A464-TD-049							
	44	42				38												26																5			1438735-4	2LIT-14A464-TD-048							
	44	42				38													26										7	5						1438735-3	2LIT-14A464-TD-047								
	44	42				38														26														5			1438735-2	2LIT-14A464-TD-046							
	44					38										29	28		26										7				3			1438735-1	2LIT-14A464-TD-045								
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
TERMINAL HOLE POSITION																												PART NUMBER		FORD PART NUMBER															
PIN-OUT CHART KEYING OPTION "B"																																													

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20 © COPYRIGHT 20 BY TYCO ELECTRONICS CORPORATION, ALL RIGHTS RESERVED.		DWN A. HOLT 22OCT2007		Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		CHK S. MANKARYOS 22OCT2007		NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
		TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±.3 7 PLC ±0.10 5 PLC ± 4 PLC ± ANGLES ±°		APVD S. MANKARYOS 22OCT2007	
		PRODUCT SPEC		RESTRICTED TO	
MATERIAL SEE TABLE		FINISH SEE TABLE		WEIGHT -	
		CUSTOMER DRAWING		SCALE 4:1 SHEET 5 OF 5 REV 1	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9