

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

FT

DIST

0

REVISIONS

| P | LTR | DESCRIPTION               | DATE      | DWN | APVD |
|---|-----|---------------------------|-----------|-----|------|
|   | E3  | REVISED PER ECO-11-005027 | 16MAR2011 | RK  | HMR  |
|   | E4  | TOLERANCES UPDATED        | 16JAN2018 | FP  | PS   |
|   |     |                           |           |     |      |
|   |     |                           |           |     |      |

5

5.00±0.05  
TYP

15.5

2.50 REF  
2 PLC

WIRE ENTRY

18.4

MATING FACE

RETENTION LATCH

CLAMPING SCREW

POLARIZATION KEY SLOT

1

MATERIALS AND FINISH:  
HOUSING: PA 6-6, UL 94-V0, COLOR: BLACK.  
CLAMP: BRASS, NICKEL PLATED.  
DOUBLE SIDE CONTACT SPRING: PHOSPHOR BRONZE, FINISH: SEE TABLE.  
CLAMPING SCREW: M3, BRASS, NICKEL PLATED.

2.

END-TO-END STACKABLE WITHOUT LOSS OF CENTERLINE SPACING.

3.

WIRE SIZE RANGE: 12-30 AWG.

4.

RECOGNIZED UNDER THE COMPONENT PROGRAM OF  
UNDERWRITERS LABORATORIES INC.FILE N° E60677.

5

NOT CUMULATIVE TOLERANCE

6.

BUCHANAN LOGO TO APPEAR ON HOUSING, LOCATION  
OPTIONAL WHERE SPACE PERMITS.

7

INK MARKING: WHITE COLOR  
NUMERICAL SEQUENCE: FROM LEFT TO RIGHT.

796641-3 AS SHOWN

|                |             |              |       |            |             |
|----------------|-------------|--------------|-------|------------|-------------|
| PRELIMINARY    | .762µm GOLD |              | 40.0  | 8          | 4-796641-4  |
|                | TIN         | SEE DETAIL T | 25.0  | 5          | 4-796641-2  |
| PRELIMINARY    | TIN         | SEE DETAIL S | 60.0  | 12         | 4-796641-1  |
| PRELIMINARY    | TIN         | SEE DETAIL R | 50.0  | 10         | 4-796641-0  |
| PRELIMINARY    | TIN         | SEE DETAIL P | 20.0  | 4          | 3-796641-9  |
|                | TIN         | SEE DETAIL N | 40.0  | 8          | 3-796641-8  |
|                | TIN         | SEE DETAIL M | 30.0  | 6          | 3-796641-6  |
|                | TIN         | SEE DETAIL L | 10.0  | 2          | 3-796641-2  |
|                | TIN         |              | 125.0 | 25         | 2-796641-5  |
|                | TIN         |              | 120.0 | 24         | 2-796641-4  |
|                | TIN         |              | 115.0 | 23         | 2-796641-3  |
|                | TIN         |              | 110.0 | 22         | 2-796641-2  |
|                | TIN         |              | 105.0 | 21         | 2-796641-1  |
|                | TIN         |              | 100.0 | 20         | 2-796641-0  |
|                | TIN         |              | 95.0  | 19         | 1-796641-9  |
|                | TIN         |              | 90.0  | 18         | 1-796641-8  |
|                | TIN         |              | 85.0  | 17         | 1-796641-7  |
|                | TIN         |              | 80.0  | 16         | 1-796641-6  |
|                | TIN         |              | 75.0  | 15         | 1-796641-5  |
|                | TIN         |              | 70.0  | 14         | 1-796641-4  |
|                | TIN         |              | 65.0  | 13         | 1-796641-3  |
|                | TIN         |              | 60.0  | 12         | 1-796641-2  |
|                | TIN         |              | 55.0  | 11         | 1-796641-1  |
|                | TIN         |              | 50.0  | 10         | 1-796641-0  |
|                | TIN         |              | 45.0  | 9          | 796641-9    |
|                | TIN         |              | 40.0  | 8          | 796641-8    |
|                | TIN         |              | 35.0  | 7          | 796641-7    |
|                | TIN         |              | 30.0  | 6          | 796641-6    |
|                | TIN         |              | 25.0  | 5          | 796641-5    |
|                | TIN         |              | 20.0  | 4          | 796641-4    |
|                | TIN         |              | 15.0  | 3          | 796641-3    |
|                | TIN         |              | 10.0  | 2          | 796641-2    |
| CONTACT FINISH |             | MARKING      | DIM L | NO OF POSN | PART NUMBER |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±0.3

2 PLC ±-

3 PLC ±-

4 PLC ±-

ANGLES ±-

FINISH

MATERIAL

1

DWN

18OCT2000

CHK

18OCT2000

APVD

18OCT2000

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

-

CUSTOMER DRAWING

TE Connectivity

NAME

TERMI-BLOK PLUG, STACKING,  
5.00mm PITCH

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A200779

C-796641

-

SCALE

4:1

SHEET

1

OF

2

REV

E4

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC  
FT

DIST  
0

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|-------------|------|-----|------|
|   | -   | SEE SHEET 1 | -    | -   | -    |
|   |     |             |      |     |      |
|   |     |             |      |     |      |
|   |     |             |      |     |      |

1

2

DETAIL L

SCALE 4:1

1

2

3

4

5

6

DETAIL M

SCALE 4:1

1

2

3

4

DETAIL P

SCALE 4:1

1

2

3

4

5

DETAIL T

SCALE 4:1

1

2

3

4

5

6

7

8

DETAIL N

SCALE 4:1

1

2

3

4

5

6

7

8

9

10

DETAIL R

SCALE 4:1

1

2

3

4

5

6

7

8

9

10

11

12

DETAIL S

SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±0.3

2 PLC ±-

3 PLC ±-

4 PLC ±-

ANGLES ±-

FINISH

MATERIAL

DWN  
S. WELDON  
CHK  
D. BIEVENOUR  
APVD  
D. BIEVENOUR

18OCT2000

18OCT2000

18OCT2000

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

-

CUSTOMER DRAWING

TE

TE Connectivity

NAME

TERMI-BLOK PLUG, STACKING,  
5.00mm PITCH

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A200779

C-796641

-

SCALE 4:1

SHEET 2 OF 2

REV E4

1471-9 (3/11)

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9